SAFETY DATA SHEET



Airborne Original Effervescent Tablet (Orange and Lemon & Lime)

1. Product and company identification

Product name Airborne Original Effervescent Tablet (Orange and Lemon & Lime)

Distributed by : Reckitt Benckiser LLC.

Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225)

Parsippany, New Jersey 07054-0225

+1 973 404 2600

Emergency telephone number (Medical)

: 1-800-338-6167

Emergency telephone number (Transport)

: 1-800-424-9300 (U.S. & Canada) CHEMTREC

Outside U.S. and Canada (North America), call Chemtrec:703-527-3887

Website: : http://www.rbnainfo.com

Product use : Vitamins.

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS # : D8191006 v1.0

Formulation #: : 8166812 v1.0 (Lemon & Lime)

8066805 v1.0 (Orange)

UPC Code / Sizes : Tablet (4.40 grams/tablet) / Tube and Cap

2. Hazards identification

Classification of the substance or mixture

: SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A

GHS label elements

Hazard pictograms



Signal word : Warning

Hazard statements: Causes serious eye irritation.

Precautionary statements

General : Keep out of reach of children. If medical advice is needed, have product container or

label at hand.

Prevention: Wear eye or face protection. Wash hands thoroughly after handling.

Code # : FF8166812_1_FF8166805_1 SDS # : D8191006 v1.0 Date of issue : 05/01/2015. 1/11

2. Hazards identification

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if Response

present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage : Not applicable. **Disposal** : Not applicable. Supplemental label

elements

: None known.

Hazards not otherwise

classified

: None known.

3. Composition/information on ingredients

Substance/mixture Mixture

Ingredient name	%	CAS number
sodium hydrogencarbonate	15 - 30 10 - 15 2.5 - 5	77-92-9 144-55-8 25322-68-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Description of necessary first aid measures

Eye contact : In case of contact with eyes, rinse immediately with plenty of water. If irritation persists,

get medical attention.

Inhalation : In the event of any complaints or symptoms, avoid further exposure. Maintain an open

airway. Get medical attention if adverse health effects persist or are severe.

Skin contact : In the event of any complaints or symptoms, avoid further exposure. Rinse skin with

water. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. Get medical attention if adverse health effects persist or

are severe. Do not induce vomiting. If affected person is conscious, give plenty of water

to drink.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : Causes serious eye irritation.

: Exposure to decomposition products may cause a health hazard. Serious effects may Inhalation

be delayed following exposure.

Skin contact No known significant effects or critical hazards.

Ingestion : Irritating to mouth, throat and stomach.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

> pain or irritation watering redness

Inhalation : No specific data. **Skin contact** : No specific data. Ingestion : No specific data.

: FF8166812_1_FF8166805_1 SDS # : D8191006 v1.0 2/11 Code # **Date of issue** : 05/01/2015.

4. First aid measures

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments

: No specific treatment.

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

: None known.

Specific hazards arising from the chemical

: No specific fire or explosion hazard.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Code # : FF8166812_1_FF8166805_1 SDS # : D8191006 v1.0 Date of issue : 05/01/2015. 3/11

6. Accidental release measures

Small spill

Large spill

: Stop leak if without risk. Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container.

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See section 13 for waste disposal information.

7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Avoid contact with eyes, skin and clothing. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

including any incompatibilities

Conditions for safe storage, : Do not store above the following temperature: 30°C (86°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Control

Occupational exposure limits

Ingredient name

Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy- Ethane-1,2-diol, ethoxylated

Exposure limits

AIHA WEEL (United States, 10/2011). TWA: 10 mg/m³ 8 hours. Form: Aerosol

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection **Skin protection**

: If operating conditions cause high dust concentrations to be produced, use dust goggles.

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

FF8166812_1_FF8166805_1 SDS # : D8191006 v1.0 **Date of issue** : 05/01/2015. 4/11 Code # (D8191006 v1.0)

8. Exposure controls/personal protection

Body protection : Personal protective equipment for the body should be selected based on the task being

performed and the risks involved and should be approved by a specialist before

handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected

based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory protection : None required. However, use of adequate ventilation is good industrial practice.

9. Physical and chemical properties

Appearance

Physical state : Solid. [Tablet.]

Color Beige

Yellowish. [Light]

Odor Lemon-like and Orange.

Odor threshold Not available. pН : Not available.

Melting point : Not available. Not available. **Boiling point** : Not available. Flash point **Evaporation rate** : Not available. Flammability (solid, gas) Not available.

Lower and upper explosive

(flammable) limits

: Not available.

: Not available. Vapor pressure Vapor density : Not available. **Relative density** : Not available. Not available. Solubility

Partition coefficient: n-

octanol/water

: Not available.

Auto-ignition temperature : Not available. **Decomposition temperature** : Not available. **Viscosity** Not available.

10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Incompatible materials : Do not use with other products.

: Under normal conditions of storage and use, hazardous decomposition products should **Hazardous decomposition** not be produced. products

FF8166812_1_FF8166805_1 SDS # : D8191006 v1.0 5/11 Code # **Date of issue** : 05/01/2015.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Citric acid sodium hydrogencarbonate	LD50 Oral LD50 Oral		3 g/kg 4220 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Citric acid	Eyes - Severe irritant	Rabbit	-	24 hours 750	-
				Micrograms	
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				milligrams	
	Skin - Moderate irritant	Rabbit	-	0.5 Mililiters	-
sodium hydrogencarbonate	Eyes - Mild irritant	Rabbit	-	0.5 minutes	-
				100	
				milligrams	
	Skin - Mild irritant	Human	-	72 hours 30	-
				milligrams	
51/ 40 // 11/		D 11.11		Intermittent	
Poly(oxy-1,2-ethanediyl),α-	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
hydro-ω-hydroxy- Ethane-1,2- diol, ethoxylated				milligrams	
dioi, etiloxylated	Eyes - Mild irritant	Rabbit		500	
	Lycs - Willa II Italit	Rabbit		milligrams	
	Skin - Mild irritant	Rabbit	_	24 hours 500	_
	January Market	1 (325)		milligrams	
	Skin - Mild irritant	Rabbit	_	500	_
		1		milligrams	

Conclusion/Summary

Eyes : Irritating to eyes.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Code # : FF8166812_1_FF8166805_1 SDS # : D8191006 v1.0 Date of issue : 05/01/2015. 6/11

11. Toxicological information

Information on the likely

routes of exposure

: Not available.

Potential acute health effects

Eye contact : Causes serious eye irritation.

Inhalation : Exposure to decomposition products may cause a health hazard. Serious effects may

be delayed following exposure.

Skin contact: No known significant effects or critical hazards.

Ingestion : Irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:

pain or irritation watering redness

Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General
 No known significant effects or critical hazards.
 Carcinogenicity
 No known significant effects or critical hazards.
 Mutagenicity
 No known significant effects or critical hazards.
 Teratogenicity
 No known significant effects or critical hazards.
 Powelopmental effects
 No known significant effects or critical hazards.
 Fertility effects
 No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	9639.3 mg/kg

Code # : FF8166812_1_FF8166805_1 SDS # : D8191006 v1.0 Date of issue : 05/01/2015. 7/11

12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Citric acid	Acute LC50 160000 µg/l Marine water	Crustaceans - Carcinus maenas - Adult	48 hours
sodium hydrogencarbonate	Acute EC50 650000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
, 0	Acute LC50 1415.51 mg/l Marine water	Crustaceans - Americamysis bahia	48 hours
	Acute LC50 7550000 μg/l Fresh water	Fish - Gambusia affinis - Adult	96 hours
		Crustaceans - Americamysis bahia	48 hours
	Chronic NOEC 576 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	3 weeks
Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-1,2- diol, ethoxylated	Acute LC50 >1000000 μg/l Fresh water	Fish - Salmo salar - Parr	96 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Citric acid	-1.8	-	low
Poly(oxy-1,2-ethanediyl),α-	-	3.2	low
hydro-ω-hydroxy- Ethane-1,2-			
diol, ethoxylated			

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Code # : FF8166812_1_FF8166805_1 SDS # : D8191006 v1.0 Date of issue : 05/01/2015. 8/11

14. Transport information

Not a DOT controlled material (United States). Not a TDG-controlled material. This preparation is not classified as dangerous according to international transport regulations (ADR/RID, IMDG or ICAO/IATA).

15. Regulatory information

U.S. Federal regulations

: TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): Not determined.

Clean Water Act (CWA) 307: Sulfuric acid, zinc salt (1:1), monohydrate; sodium selenite Clean Water Act (CWA) 311: Sulfuric acid, zinc salt (1:1), monohydrate; sodium selenite

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)** : Not listed

Clean Air Act Section 602

Class I Substances

: Not listed

Clean Air Act Section 602

Class II Substances

: Not listed

DEA List I Chemicals

(Precursor Chemicals)

: Not listed

DEA List II Chemicals

: Not listed

(Essential Chemicals)

SARA 302/304

Composition/information on ingredients

			SARA 302 TPQ		SARA 304 RQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
sodium selenite	< 0.01	Yes.	100 / 10000	-	100	-

SARA 304 RQ : 9387467.7 lbs / 4261910.3 kg

SARA 311/312

Classification : Immediate (acute) health hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Citric acid	15 - 30	No.	No.	No.	Yes.	No.
sodium hydrogencarbonate	10 -15	No.	No.	No.	Yes.	No.
Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	2.5 - 5	No.	No.	No.	Yes.	No.

State regulations

Massachusetts : The following components are listed: SUCROSE DUST; MAGNESIUM OXIDE FUME

New York : None of the components are listed.

New Jersey : The following components are listed: MAGNESIUM OXIDE

Pennsylvania : The following components are listed: .ALPHA.-D-GLUCOPYRANOSIDE, .BETA.-D-

FRUCTOFURANOSYL; MAGNESIUM OXIDE (MGO)

FF8166812_1_FF8166805_1 SDS # : D8191006 v1.0 Code # **Date of issue** : 05/01/2015. 9/11

15. Regulatory information


Label elements

Precautionary measures

Read label before use.
 Avoid contact with eyes.
 Keep out of reach of children.

16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations

: ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships.

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

Date of issue : 05/01/2015.

Date of previous issue : None

Code # : FF8166812_1_FF8166805_1 SDS # : D8191006 v1.0 Date of issue : 05/01/2015. 10/11

16. Other information

Version

: 1

Prepared by

: Reckitt Benckiser LLC. Product Safety Department

1 Philips Parkway

Montvale, New Jersey 07646-1810 USA.

FAX: 201-476-7770

▼ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.

: FF8166812_1_FF8166805_1 **SDS #** (D8191006 v1.0)

Code #

: D8191006 v1.0 Date of

Date of issue : 05/01/2015.