## SAFETY DATA SHEET



# Misty(R) II Disinfectant & Deodorant

Version 1.0	Revision Date 06/01/2015	Print Date 06/01/2015	

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	Misty(R) II Disinfectant & Deodorant			
EPA ID Number:		10807-177			
Material number	:	00000000001001769			
Manufacturer or supplier's details					
Company	:	Amrep, Inc.			
Address	:	990 Industrial Park Drive Marietta, GA 30062			
Telephone	:	404-352-1680			

Emergency telephone numbers		
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation: CHEMTREC: 800-424-9300 - All Calls Recorded.EmergencyIn the District of Columbia 202-483-7616		

#### **SECTION 2. HAZARDS IDENTIFICATION**

## Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	white, light yellow
Odour	characteristic

#### **GHS Classification**

Flammable aerosols Gases under pressure Eye irritation	<ul> <li>Category 2</li> <li>Liquefied gas</li> <li>Category 2A</li> </ul>
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	<ul> <li>H223 Flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H319 Causes serious eye irritation.</li> </ul>
Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 Do not spray on an open flame or other ignition source.</li> <li>P251 Pressurized container: Do not pierce or burn, even after</li> </ul>



ersion 1.0	Revision Date 06/01/2015	Print Date 06/01/201
	use. P264 Wash skin thoroughly after P280 Wear eye protection/ face p <b>Response:</b> P305 + P351 + P338 IF IN EYES for several minutes. Remove cont easy to do. Continue rinsing. P337 + P313 If eye irritation persi attention. <b>Storage:</b> P410 + P412 Protect from sunligh temperatures exceeding 50 °C/ 12 <b>Disposal:</b> P501 Dispose of contents/contain regulation.	rotection. Rinse cautiously with wate tact lenses, if present and sts: Get medical advice/ nt. Do not expose to 22 °F.
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product presen equal to 0.1% is identified as probabl human carcinogen by IARC.	
ACGIH	No component of this product presen equal to 0.1% is identified as a carcin carcinogen by ACGIH.	5
OSHA	No component of this product presen equal to 0.1% is identified as a carcin carcinogen by OSHA.	5
NTP	No component of this product presen equal to 0.1% is identified as a known by NTP.	

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical Name	CAS-No.	Concentration [%]
ethanol	64-17-5	>= 50 - < 70
butane	106-97-8	>= 10 - < 20
propane	74-98-6	>= 1 - < 5
propan-2-ol	67-63-0	>= 1 - < 5

#### **SECTION 4. FIRST AID MEASURES**

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	<ul> <li>If unconscious place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>



Version 1.0	Revision Date 06/01/2015	Print Date 06/01/2015	
In case of skin contact	Wash off immediately with plenty of minutes. If on clothes, remove clothes.		
In case of eye contact	: Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a s In case of contact, immediately flus for at least 15 minutes.	•	
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Never give anything by mouth to a If symptoms persist, call a physicia DO NOT induce vomiting unless di physician or poison control center.</li> </ul>	in.	

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products Specific extinguishing	:	Carbon dioxide (CO2) Carbon monoxide Smoke
methods		Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	:	Use personal protective equipment.
protective equipment and		Ensure adequate ventilation.



Version 1.0	Revision Date 06/01/2015	Print Date 06/01/2015
emergency procedures	Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to concentrations. Vapours can accur	•
Environmental precautions	: Prevent product from entering drain Prevent further leakage or spillage If the product contaminates rivers a respective authorities.	if safe to do so.
Methods and materials for containment and cleaning up	: Sweep up or vacuum up spillage an container for disposal. Soak up with inert absorbent mater acid binder, universal binder, sawd	ial (e.g. sand, silica gel,

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Do not breathe vapours/dust.</li> <li>Avoid contact with skin and eyes.</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Take precautionary measures against static discharges.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Open drum carefully as content may be under pressure.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> <li>Always replace cap after use.</li> <li>Do not breathe vapours or spray mist.</li> </ul>
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.</li> <li>No smoking.</li> <li>Observe label precautions.</li> <li>Keep in a dry, cool and well-ventilated place.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	Oxidizing agents

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible	Basis
			concentration	
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm	NIOSH REL
			1,900 mg/m3	



Version 1.0	Revision	Revision Date 06/01/2015		Print Date 06/01/2015		
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1		
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0		
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL		
		TWA	800 ppm 1,900 mg/m3	OSHA P0		
propane	74-98-6	TWA	1,000 ppm	ACGIH		
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL		
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1		
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0		
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH		
		STEL	400 ppm	ACGIH		
		TWA	400 ppm 980 mg/m3	NIOSH REL		
		ST	500 ppm 1,225 mg/m3	NIOSH REL		
		TWA	400 ppm 980 mg/m3	OSHA Z-1		
		TWA	400 ppm 980 mg/m3	OSHA P0		
		STEL	500 ppm 1,225 mg/m3	OSHA P0		

## **Biological occupational exposure limits**

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
PROPAN-2-OL	67-63-0	Acetone	Urine	End of	40 mg/l	ACGIH BEI
				shift at		
				end of		
				workwee		
				k		

## Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection		
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Tightly fitting safety goggles
Skin and body protection	:	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink.



Version	10
version	1.0

Revision Date 06/01/2015

Print Date 06/01/2015

When using do not smoke. Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a liquefied gas
Colour	:	white, light yellow
Odour	:	characteristic
Odour Threshold	:	no data available
рН	:	10.3 - 10.8
Melting point/freezing point	:	no data available
Boiling point	:	no data available
Flash point	:	
		no data available
Evaporation rate	:	no data available
Flammability (solid, gas)	:	Flammable aerosol.
Upper explosion limit	:	no data available
Lower explosion limit	:	
Vapour pressure	:	
Relative vapour density	:	no data available
Density	:	0.840 g/cm3
Solubility(ies)		5
Water solubility	:	completely soluble
Solubility in other solvents	:	not determined
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	no data available
Viscosity		
Viscosity, kinematic	:	no data available
Heat of combustion	:	29.16 kJ/g
	-	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity

: Stable

Chemical stability

: Stable under normal conditions.



Version 1.0	Revision Date 06/01/2015	Print Date 06/01/2015
Possibility of hazardous reactions	: No decomposition if stored and ap Vapours may form explosive mixtu	
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct	ct sunlight.
Incompatible materials	<ul><li>Heat, flames and sparks.</li><li>Oxidizing agents Reducing agents Ammonium salts</li></ul>	
Hazardous decomposition products	: Carbon oxides	

## SECTION 11. TOXICOLOGICAL INFORMATION

## Acute toxicity

Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
ethanol:	L DE0 Orol rot: 7.060 ma/ka
Acute oral toxicity	: LD50 Oral rat: 7,060 mg/kg
Acute inhalation toxicity	: LC50 rat: 124.7 mg/l
	Exposure time: 4 h
butane:	
Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h
	LC50 rat: 1,355 mg/l
propane:	
Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h
	LC50 rat: 658 mg/l Exposure time: 4 h
	LC50 rat: 1,355 mg/l
propan-2-ol:	
Acute oral toxicity	: LD50 Oral rat: 4,396 mg/kg Method: Calculation method



Version 1.0

Revision Date 06/01/2015

Print Date 06/01/2015

#### Skin corrosion/irritation

#### Product:

Remarks: May cause skin irritation in susceptible persons.

#### Serious eye damage/eye irritation

## Product:

Remarks: Severe eye irritation

#### Respiratory or skin sensitisation

no data available

#### Germ cell mutagenicity

no data available

#### Carcinogenicity

no data available

#### **Reproductive toxicity**

no data available

ethanol: butane: propane: propan-2-ol:

#### STOT - single exposure

no data available

#### **STOT - repeated exposure**

no data available

#### Aspiration toxicity

no data available

#### **Further information**

#### Product:

Remarks: no data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

no data available

#### Persistence and degradability

no data available Bioaccumulative potential



Version 1.0	Revision Date 06/01/2015	Print Date 06/01/2015
Product:		
Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: no data available	
Partition coefficient: n- octanol/water	: Pow: 2.89	
Mobility in soil		
no data available		
Other adverse effects		
no data available Product:		
Regulation	40 CFR Protection of Environment; Stratospheric Ozone - CAA Section Substances	
Remarks	This product neither contains, nor w with a Class I or Class II ODS as de Clean Air Act Section 602 (40 CFR + B).	efined by the U.S.
Additional ecological information	: no data available	

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity



Version 1.0

Revision Date 06/01/2015

Print Date 06/01/2015

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

#### SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

#### Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION

Causes moderate eye irritation.

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium nitrite	7632-00-0	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ammonia, anhydrous	7664-41-7	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards :	Sudden Release of Pressure Hazard Acute Health Hazard Fire Hazard	
SARA 302 :	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313 :	SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
California Prop 65	WARNING! This product contains a chemical known to the State of California to cause cancer.	
biphenyl-2-ol	90-43-7	

#### The components of this product are reported in the following inventories:




Version 1.0	Revision Date 06/01/2015	Print Date 06/01/2015		
TSCA	On TSCA Inventory			
DSL	This product contains one or several components that are not on the Canadian DSL nor NDSL.			
AICS	Not in compliance with the inventory			
NZIOC	Not in compliance with the inventory			
PICCS	Not in compliance with the inventory			
IECSC	Not in compliance with the inventory			

### Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

### SECTION 16. OTHER INFORMATION



#### **OSHA GHS Label Information:**

Hazard pictograms	
Signal word	: Warning:
Hazard statements	<ul> <li>Flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation.</li> </ul>
Precautionary statements	
	<b>Prevention:</b> Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash skin thoroughly after handling. Wear eye protection/ face protection.
	<b>Response:</b> IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
	Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
	Disposal: Dispose of contents/container in accordance with local regulation.

Version:	1.0
Revision Date:	06/01/2015
Print Date:	06/01/2015



Version 1.0

Revision Date 06/01/2015

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.