Version 1.0



A00146 MST ASPIRE SS CLNR/PLSH 20N16

Revision Date 06/04/2015

Print Date 06/05/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A00146 MST ASPIRE SS CLNR/PLSH 20N16
Material number	:	00000000001038047
Manufacturer or supplier's o	deta	ails
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone numbers		
For SDS Information	: Compliance Services 1-877-428-9937	
For a Medical Emergency	: 877-541-2016 Toll Free - All Calls Recorded	
For a Transportation	: CHEMTREC: 800-424-9300 - All Calls Recorded.	
Emergency In the District of Columbia 202-483-7616		

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	white
Odour	like fruit

GHS Classification	
Gases under pressure	: Liquefied gas
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H280 Contains gas under pressure; may explode if heated.
Precautionary statements	: Storage: P410 + P403 Protect from sunlight. Store in a well-ventilated place.
Potential Health Effects	
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.



Version 1.0	Revision Date 06/04/2015	Print Date 06/05/2015
ACGIH	No component of this product preser equal to 0.1% is identified as a carci carcinogen by ACGIH.	
OSHA	No component of this product preser equal to 0.1% is identified as a carci carcinogen by OSHA.	
NTP	No component of this product presered equal to 0.1% is identified as a know by NTP.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
propane	74-98-6	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	Do not leave the victim unattended.	
If inhaled	If unconscious place in recovery position and seek medi advice. If symptoms persist, call a physician.	cal
In case of skin contact	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.	
In case of eye contact	If in eyes, rinse with water for 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	Keep respiratory tract clear. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious persor If symptoms persist, call a physician.	۱.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	: High volume water jet
Specific hazards during	: Do not allow run-off from fire fighting to enter drains or water

Version 1.0	Revision Date 06/04/2015	Print Date 06/05/2015
firefighting	courses.	
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	: Use extinguishing measures that a circumstances and the surrounding	
Further information	 Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers. 	
Special protective equipment for firefighters	: Wear self-contained breathing appreciation of the self-contained breathing appreciatined breathing appreciati	paratus for firefighting if

Zepinc

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. 	
Environmental precautions	: Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains infor respective authorities.	m
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.	,

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Do not breathe vapours or spray mist. Always replace cap after use. Avoid exposure - obtain special instructions before use.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Observe label precautions.



Version 1.0	Revision Date 06/04/2015	Print Date 06/05/2015
	Keep in a cool, well-ventilated place. Electrical installations / working materials must comply with the technological safety standards. Keep in a dry, cool and well-ventilated place.	
Materials to avoid	: Oxidizing agents	
Storage temperature	: 5 - 40 °C	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm	NIOSH REL
			1,800 mg/m3	
		TWA	1,000 ppm	OSHA Z-1
			1,800 mg/m3	
		TWA	1,000 ppm	OSHA P0
			1,800 mg/m3	

Components with workplace control parameters

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection		
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Tightly fitting safety goggles
Skin and body protection	:	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: white
Odour	: like fruit

SAFETY DATA SHEET

A00146 MST ASPIRE SS CLNR/PLSH 20N16

Version 1.0	Revision Date 06/04/2015
Odour Threshold	: no data available
pH	: 8.7
Melting point/freezing point	: no data available
Boiling point	: no data available
01	
Flash point	: not applicable
Evaporation rate	: no data available
Flammability (solid, gas)	: The product is not flammable.
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Density	: no data available
Solubility(ies)	
Water solubility	: no data available
Solubility in other solvents	: not determined
Partition coefficient: n- octanol/water	: no data available
Auto-ignition temperature	: not determined
Thermal decomposition	: no data available
Heat of combustion	: 7.54 kJ/g

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Teactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Exposure to sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION



Print Date 06/05/2015

SAFETY DATA SHEET



A00146 MST ASPIRE SS CLNR/PLSH 20N16

Version 1.0

Revision Date 06/04/2015

Print Date 06/05/2015

Acute toxicity

Components:

propane:

Acute inhalation toxicity

: LC50 mouse: 1,237 mg/l Exposure time: 2 h

LC50 rat: 658 mg/l Exposure time: 4 h

LC50 rat: 1,355 mg/l

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

propane:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product: Remarks: no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available



Version 1.0	Revision Date 06/04/2015	Print Date 06/05/2015
Persistence and degradability		
no data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water	: Remarks: no data available	
Mobility in soil		
no data available		
Other adverse effects		
no data available <u>Product:</u>		
Regulation	40 CFR Protection of Environmen Stratospheric Ozone - CAA Section Substances	-
Remarks	This product neither contains, nor with a Class I or Class II ODS as Clean Air Act Section 602 (40 CFI + B).	defined by the U.S.
Additional ecological information	: no data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air):

SAFETY DATA SHEET



A00146 MST ASPIRE SS CLNR/PLSH 20N16

Version 1.0

Revision Date 06/04/2015

Print Date 06/05/2015

UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Sudden Release of Pressure Hazard
SARA 302 :	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313 :	SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	This product contains one or several components that are not on the
	Canadian DSL nor NDSL.
AICS	Not in compliance with the inventory
NZIOC	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION




Version 1.0

Revision Date 06/04/2015

Print Date 06/05/2015

Further information



OSHA GHS Label Information:

Storage: Protect from sunlight. Store in a well-ventilated place.

Version:	1.0
Revision Date:	06/04/2015
Print Date:	06/05/2015

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.