

Version 1.0	Revision Date 06/08/2015	Print Date 10/14/2015

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	Enforcer Purge 1 Metered Flying Insect Killer	
EPA ID Number:		10807-442-40849	
Material number	:	0000000001047728	
Manufacturer or supplier's details			
Company	:	Zep Commercial Sales & Service, a unit of Zep, Inc.	
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318	
Telephone	:	404-352-1680	

Emergency telephone numbers		
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	clear
Odour	characteristic

#### **GHS Classification**

Flammable aerosols Gases under pressure GHS Label element	: Category 1 : Liquefied gas
Ono Laber element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated.
Precautionary statements	<ul> <li>Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use.</li> <li>Storage:</li> </ul>



Version 1.0	Revision Date 06/08/2015	Print Date 10/14/2015
	P410 + P412 Protect from sunlight. Do temperatures exceeding 50 °C/ 122 °F	
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product present at le equal to 0.1% is identified as probable, po human carcinogen by IARC.	5
ACGIH	No component of this product present at le equal to 0.1% is identified as a carcinoger carcinogen by ACGIH.	0
OSHA	No component of this product present at le equal to 0.1% is identified as a carcinoger carcinogen by OSHA.	5
NTP	No component of this product present at le equal to 0.1% is identified as a known or a by NTP.	

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical Name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated light	64742-47-8	>= 30 - < 50
1,1-difluoroethane	75-37-6	>= 20 - < 30
butane	106-97-8	>= 10 - < 20
2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	>= 1 - < 5
Pyrethrins and Pyrethroids	8003-34-7	>= 1 - < 5

#### SECTION 4. FIRST AID MEASURES

General advice	<ul> <li>Move out of dangerous area.</li> <li>Show this safety data sheet to the doctor in attendance.</li> <li>Do not leave the victim unattended.</li> </ul>
If inhaled	<ul> <li>Move to fresh air.</li> <li>If unconscious place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of skin contact	<ul> <li>If skin irritation persists, call a physician.</li> <li>Wash off immediately with plenty of water for at least 15 minutes.</li> <li>If on clothes, remove clothes.</li> </ul>
In case of eye contact	<ul> <li>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.</li> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>



Version 1.0	Revision Date 06/08/2015	Print Date 10/14/2015
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to a If symptoms persist, call a physicia DO NOT induce vomiting unless of physician or poison control center	an. lirected to do so by a

#### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products Specific extinguishing		Carbon dioxide (CO2) Carbon monoxide Smoke Fluorine compounds Use extinguishing measures that are appropriate to local
methods		circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> </ul>
Environmental precautions	<ul> <li>Prevent product from entering drains.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).



Version 1.0

Revision Date 06/08/2015

Print Date 10/14/2015

Sweep up or vacuum up spillage and collect in suitable container for disposal.

#### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Container may be opened only under exhaust ventilation hood. Always replace cap after use. Dispose of rinse water in accordance with local and national regulations. Do not breathe vapours or spray mist. Avoid exposure - obtain special instructions before use.</li> </ul>	
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking.</li> <li>Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions.</li> <li>Keep in a dry, cool and well-ventilated place.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>	
Materials to avoid	: Store and keep away from bases and alkalies. Do not store near acids.	

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
1,1-difluoroethane	75-37-6	TWA	1,000 ppm	US WEEL
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
Pyrethrins and Pyrethroids	8003-34-7	TWA	5 mg/m3	ACGIH
		TWA	5 mg/m3	NIOSH REL



 Version 1.0
 Revision Date 06/08/2015
 Print Date 10/14/2015

 TWA
 5 mg/m3
 OSHA Z-1

 TWA
 5 mg/m3
 OSHA P0

#### Personal protective equipment

Respiratory protection	V	Use respiratory protection unless adequate local exhaust entilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection		
Remarks		he suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	th	insure that eyewash stations and safety showers are close to ne workstation location. Safety glasses
Skin and body protection	С	npervious clothing Choose body protection according to the amount and oncentration of the dangerous substance at the work place.
Hygiene measures	V	Vhen using do not eat or drink. Vhen using do not smoke. Vash hands before breaks and at the end of workday.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: clear
Odour	: characteristic
Odour Threshold	: no data available
рН	: no data available
Melting point/freezing point	: no data available
Boiling point	: not applicable
Flash point	: not applicable
Evaporation rate	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: 4,826 - 5,515 hPa (21 °C)
Relative vapour density Density	<ul><li>no data available</li><li>0.85 g/cm3</li></ul>
Solubility(ies) Water solubility	: insoluble



Version 1.0	Revision Date 06/08/2015	Print Date 10/14/2015
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: no data available	

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
reactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Acids Bases
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO2)

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : 7.4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
Distillates (petroleum), hydi	rotreated light:

Acute oral toxicity	: LD50 rat: > 5,000 mg/kg
riouto orar toxioity	:, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,



Version 1.0	Revision Date 06/08/2015	Print Date 10/14/2015
Acute inhalation toxicity	LC50 rat: > 4.6 mg/l Exposure time: 6 h	
Acute dermal toxicity	: LD50 rat: > 2,000 mg/kg	
<b>1,1-difluoroethane:</b> Acute inhalation toxicity	EXPOSURE 1977,000 mg/l Exposure time: 2 h	
<b>butane:</b> Acute inhalation toxicity	LC50 mouse: 1,237 mg/l Exposure time: 2 h	
	LC50 rat: 1,355 mg/l	

#### Skin corrosion/irritation

#### Product:

Remarks: May cause skin irritation and/or dermatitis.

#### Serious eye damage/eye irritation

#### Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

#### Respiratory or skin sensitisation

no data available

#### Germ cell mutagenicity

no data available

#### Carcinogenicity

no data available

#### **Reproductive toxicity**

no data available

Distillates (petroleum), hydrotreated light: 1,1-difluoroethane: butane: 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether: Pyrethrins and Pyrethroids:

#### STOT - single exposure

no data available

#### STOT - repeated exposure

no data available

#### Aspiration toxicity

no data available



Version 1.0

Revision Date 06/08/2015

Print Date 10/14/2015

#### **Further information**

#### Product:

Remarks: no data available

#### **Components:**

Distillates (petroleum), hydrotreated light: Remarks: no data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

no data available

#### Persistence and degradability

no data available **Bioaccumulative potential** 

#### Product:

information

octanol/water <u>Components:</u> butane :	Remarks: no data available Pow: 2.89
Mobility in soil	
no data available	
Other adverse effects	
no data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	<ul> <li>An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.</li> </ul>
<u>Components:</u> Distillates (petroleum), hydrot	reated light :
Additional ecological	no data available



Version 1.0

Revision Date 06/08/2015

Print Date 10/14/2015

#### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

#### **SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

#### Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION

Observe label precautions.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity




_			
ersion 1.0	Revision Date 06/08/2015	Print Dat	te 10/14/2015
This material does not conta	ain any components with a section 304 E	HS RQ.	
SARA 311/312 Hazards	<ul> <li>Fire Hazard</li> <li>Sudden Release of Pressure Hazard</li> <li>Acute Health Hazard</li> <li>Fire Hazard</li> <li>Sudden Release of Pressure Hazard</li> </ul>		
SARA 302	: SARA 302: No chemicals in this ma reporting requirements of SARA Tit		
SARA 313	: The following components are subjuestablished by SARA Title III, Section 2-(2-butoxyethoxy)ethyl 6- propylpiperonyl ether		levels 4.9996 %
California Prop 65	WARNING! This product contains a State of California to cause cancer.		n to the
4-allylverat		93-15-2	
The components of this p	roduct are reported in the following in	ventories:	
	TSCA Inventory s product contains one or several compo	onents that are r	not on the

ISCA	On ISCA Inventory
DSL	This product contains one or several components that are not on the
	Canadian DSL nor NDSL.
AICS	Not in compliance with the inventory
NZIoC	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory

#### Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

#### **SECTION 16. OTHER INFORMATION**






Version 1.0

Revision Date 06/08/2015

Print Date 10/14/2015

#### OSHA GHS Label Information:



Signal word Hazard statements Precautionary statements



**Danger:** Extremely flammable aerosol. Contains gas under pressure; may explode if heated.

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Version:	1.0
Revision Date:	06/08/2015
Print Date:	10/14/2015

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical<sup>™</sup>, Selig<sup>™</sup>, Misty®, Next Dimension<sup>™</sup>, Petro®, i-Chem®, TimeMist®, TimeWick<sup>™</sup>, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National<sup>™</sup>, FC Forward Chemicals®,Rexodan®, Mykal<sup>™</sup>, and a number of private labeled brands.