

Version 1.0	Revision Date 05/31/2015	Print Date 06/01/2015
SECTION 1. PRODUCT A	ND COMPANY IDENTIFICATION	

Material name	:	Misty(R) AltraSan(R) Air Sanitizer & Deodorizer - HSS	
EPA ID Number:		10807-432	
Material number	:	0000000001037236	
Manufacturer or supplier's details			
Company	:	Amrep, Inc.	
Address	:	990 Industrial Park Drive Marietta, GA 30062	
Telephone	:	404-352-1680	

Emergency telephone numbers		
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency		CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	clear
Odour	alcohol-like

GHS Classification

Flammable aerosols Gases under pressure Eye irritation	 Category 2 Liquefied gas Category 2A
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	 H223 Flammable aerosol. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation.
Precautionary statements	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after



sion 1.0	Revision Date 05/31/2015	Print Date 06/01/201
	use. P264 Wash skin thoroughly after P280 Wear eye protection/ face p Response:	protection.
	P305 + P351 + P338 IF IN EYES for several minutes. Remove con easy to do. Continue rinsing.	
	P337 + P313 If eye irritation pers attention. Storage:	sists: Get medical advice/
	P410 + P412 Protect from sunlig temperatures exceeding 50 °C/ 1	
Potential Health Ef	fects	
Carcinogenicity:		
IARC	No component of this product preser equal to 0.1% is identified as probab human carcinogen by IARC.	
ACGIH	No component of this product preser equal to 0.1% is identified as a carci	
ACGIH OSHA	No component of this product preser	nogen or potential nt at levels greater than or

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
1,1-difluoroethane	75-37-6	>= 50 - < 70
ethanol	64-17-5	>= 20 - < 30
propan-2-ol	67-63-0	>= 1 - < 5
sodium nitrite	7632-00-0	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Show this safety data sheet to the doctor in attendance Do not leave the victim unattended.) <u>.</u>
If inhaled	 Consult a physician after significant exposure. If unconscious place in recovery position and seek med advice. 	dical
In case of skin contact	 If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 1 	5



Version 1.0	Revision Date 05/31/2015	Print Date 06/01/2015
	minutes. If on clothes, remove clothes.	
In case of eye contact	 Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a sp Rinse immediately with plenty of ward 	
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to an If symptoms persist, call a physiciar DO NOT induce vomiting unless dir physician or poison control center. Take victim immediately to hospital 	n. rected to do so by a

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Carbon dioxide (CO2) Alcohol-resistant foam Dry chemical Water spray jet	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or wate courses.	er
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke Fluorine compounds	
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Further information	 For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers. 	
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, : protective equipment and emergency procedures	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions :	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.



Version 1.0	Revision Date 05/31/2015	Print Date 06/01/2015
	If the product contaminates rivers and lakes or drains inform respective authorities.	
Methods and materials for containment and cleaning up	: Sweep up or vacuum up spillage and container for disposal. Soak up with inert absorbent material acid binder, universal binder, sawdust	(e.g. sand, silica gel,

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. Keep in a dry, cool and well-ventilated place.
Materials to avoid	: Store and keep away from, oxidizing agents and acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1,1-difluoroethane	75-37-6	TWA	1,000 ppm	US WEEL
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm	NIOSH REL



Version 1.0	Revision Date 05/31/2015	Print D	Date 06/01/2015
		980 mg/m3	
	ST	500 ppm 1,225 mg/m3	NIOSH REL
	TWA	400 ppm 980 mg/m3	OSHA Z-1
	TWA	400 ppm 980 mg/m3	OSHA P0
	STEL	500 ppm 1,225 mg/m3	OSHA P0

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
PROPAN-2-OL	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection	:	In case of insufficient ventilation, wear suitable respiratory equipment.
Hand protection Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Safety glasses
Skin and body protection	:	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: clear
Odour	: alcohol-like
Odour Threshold	: no data available
рН	: no data available
Melting point/freezing point	: no data available
Boiling point	: no data available



Version 1.0	Revision Date 05/31/2015	Print Date 06/01/2015
Flash point	: not applicable	
Evaporation rate	: > 1 n-Butyl Acetate = 1.0	
Flammability (solid, gas)	: Flammable aerosol.	
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	
Vapour pressure	: 5,515 hPa (21.1 °C)	
Relative vapour density	: no data available	
Density	: no data available	
Solubility(ies)		
Water solubility	: soluble	
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: no data available	
Heat of combustion	: 17.27 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Teactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents Amines Bases Potassium
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO2) Hydrocarbons Nitrogen oxides (NOx) Hydrogen fluoride



Version 1.0

Revision Date 05/31/2015

Print Date 06/01/2015

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity <u>Product:</u>	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
1,1-difluoroethane: Acute inhalation toxicity	: LC50 mouse: 977,000 mg/l Exposure time: 2 h
ethanol: Acute oral toxicity	: LD50 Oral rat: 7,060 mg/kg
Acute inhalation toxicity	: LC50 rat: 124.7 mg/l Exposure time: 4 h
propan-2-ol: Acute oral toxicity	: LD50 Oral rat: 4,396 mg/kg Method: Calculation method

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Product:

Remarks: Severe eye irritation

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

Product:

Carcinogenicity -	: Not classifiable as a human carcinogen.
Assessment	

Reproductive toxicity

no data available

1,1-difluoroethane: ethanol:



Version 1.0

Revision Date 05/31/2015

Print Date 06/01/2015

propan-2-ol: sodium nitrite:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

Remarks: no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available	
Persistence and degradability	
no data available Bioaccumulative potential	
Product:	
Partition coefficient: n- octanol/water	: Remarks: no data available
Mobility in soil	
no data available	
Other adverse effects	
no data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: no data available



Version 1.0

Revision Date 05/31/2015

Print Date 06/01/2015

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Dispose of in accordance with local regulations. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION

Observe label precautions.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)




sion 1.0		Revision Date 05/31/2015		Print Date 06/01/20
sodium nitrite		7632-00-0 100		*
*: Calculated RQ excee	ds reasona	bly attainable upp	per limit.	
SARA 304 Extremely	Hazardous	Substances Rep	oortable Quantity	
Components		CAS-No.	Component RQ (lbs)	Calculated product R (lbs)
ammonia, anhydrous		7664-41-7	100	*
*: Calculated RQ excee	ds reasona	bly attainable upp	er limit.	
SARA 311/312 Hazard	A	udden Release of cute Health Haza ire Hazard	Pressure Hazard rd	
SARA 302	: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.			
SARA 313	co th	: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.		
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.			
The components of th	is product	are reported in t	he following inver	itories:
TSCA DSL	On TSCA Inventory This product contains one or several components that are not on the Canadian DSL nor NDSL.			
AICS	Not in compliance with the inventory Not in compliance with the inventory			
NZIOC				
PICCS IECSC	Not in compliance with the inventory Not in compliance with the inventory			
Inventory Acronym ar		•		
AICS (Australia), DSL ((Japan), KECI (Korea),	- Canada), IE	ECSC (China), RE		

SECTION 16. OTHER INFORMATION



Version 1.0	Revision Date 05/31/2015	Print Date 06/01/2015





HMIS III:

HEALTH	3
FLAMMABILITY	3
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

OSHA GHS Label Information:

Hazard pictograms	
Signal word	: Warning:
Hazard statements	: Flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eve irritation.
Precautionary statements	:
	 Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash skin thoroughly after handling. Wear eye protection/ face protection. Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Gemedical advice/ attention.

Version:	1.0
Revision Date:	05/31/2015
Print Date:	06/01/2015

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®. Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal[™], and a number of private labeled brands.



Version 1.0

Revision Date 05/31/2015

Print Date 06/01/2015