

# Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 04-Aug-2015

# **1. PRODUCT AND COMPANY IDENTIFICATION**

Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against:	<b>CLOTHESLINE FRESH ALL PURPOSE SPOTTER [S1]</b> 7061, 7051 Cleaning agent For Industrial and Institutional Use Only	
Manufacturer/Supplier:	Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com	
24 Hour Emergency Phone Number Medical Emergency/Information: Transportation/Spill/Leak:	s: 888-314-6171 CHEMTREC 800-424-9300	
	2. HAZARDS IDENTIFICATION	
<b>GHS Classification</b> Skin Corrosion/Irritation: Serious Eye Damage/Eye Irritation:	Category 1 Category 1	
<u>GHS Label Elements</u> Signal Word:	Danger	
Symbols:	E B	
Hazard Statements: Precautionary Statements:	Causes severe skin burns and serious eye damage.	
Prevention:	Do not breathe mist, vapors or spray. Wash hands and any exposed skin thoroughly after handling. Wear protective gloves. Wear eye / face protection. Wear protective clothing.	
Response: -Eyes	IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	
-Skin	present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse	
-Inhalation:	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for	
-Ingestion: -Specific Treatment:	breathing IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.	
Storage: Disposal:	Store locked up. Dispose of contents and container in accordance with local, state and federal regulations.	
Hazards Not Otherwise Classified:	Not Applicable	

#### **Other Information:**

- Corrosive.Harmful if swallowed
- Harmful contact may not cause immediate pain.
- Inhalation of vapors or mist may cause respiratory irritation.
- Keep out of reach of children.

# **3. COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
water	7732-18-5	60-100
diethylene glycol monobutyl ether	112-34-5	1-5
monoethanolamine	141-43-5	1-5
alcohol ethoxylate	68439-46-3	1-5
tetrasodium ethylenediaminetetraacetate	64-02-8	0.1-1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

### **4. FIRST AID MEASURES**

-Eye Contact:	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.		
-Skin Contact:	Take off immediately all contaminated clothing and shoes. Rinse with water or shower for at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash contaminated clothing before reuse Discard or destroy contaminated shoes. Remove victim to fresh air and keep at rest in a position comfortable for breathing IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.		
-Inhalation:			
-Ingestion:	Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Never give anything by mouth to an unconscious person.		
Note to Physicians:	Treat symptomatically.		
5. FIRE-FIGHTING MEASURES			
Suitable Extinguishing Media:	Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire		

Specific Hazards Arising from the Chemical:	Some are oxidizers and may ignite combustibles (wood, paper, oil, clothing, etc.).	
Hazardous Combustion Products:	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.	
Protective Equipment and	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full	

Protective Equipment and	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full
Precautions for Firefighters:	protective gear. Cool fire-exposed containers with water spray.

# 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Environmental Precautions: Methods for Clean-Up:	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Do not rinse spill onto the ground, into storm sewers or bodies of water. Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).
	and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE		
Advice on Safe Handling:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.	
Storage Conditions:	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.	

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

	OSHA PEL	NIOSH	
STEL: 6 ppm	TWA: 3 ppm	IDLH: 30 ppm	
TWA: 3 ppm	TWA: 6 mg/m <sup>3</sup>	TWA: 3 ppm	
	(vacated) TWA: 3 ppm	TWA: 8 mg/m <sup>3</sup>	
	(vacated) TWA: 8 mg/m <sup>3</sup>	STEL: 6 ppm	
	(vacated) STEL: 6 ppm	STEL: 15 mg/m <sup>3</sup>	
	(vacated) STEL: 15 mg/m <sup>3</sup>		
Drovido good gonorol ventik	ation		
If work practices generate dust, fumes, gas, vapors or mists which expose workers to			
chemicals above the occupational exposure limits, local exhaust ventilation or other			
Eye wash stations and shower facilities should be readily accessible in areas where the			
product is handled.			
-			
Wear splash goggles.			
	-		
NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Sectior			
S SHOUID DE CONSIDERED.			
Week hands and any surges	ed skin thoroughly after handling.		
	TWA: 3 ppm Provide good general ventila If work practices generate de chemicals above the occupa engineering controls should Eye wash stations and show product is handled. Wear splash goggles. Wear rubber or other chemic Not required with expected of If occupational exposure lim	TWA: 3 ppm TWA: 6 mg/m³ (vacated) TWA: 3 ppm (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m³ (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m³   Provide good general ventilation.   If work practices generate dust, fumes, gas, vapors or mists wh chemicals above the occupational exposure limits, local exhaust engineering controls should be considered.   Eye wash stations and shower facilities should be readily access product is handled.   Wear splash goggles.   Wear rubber or other chemical-resistant gloves.   Not required with expected use.   If occupational exposure limits are exceeded or respiratory irritata NIOSH/MSHA approved respirator suitable for the use-conditio	

## See 29 CFR 1910.132-138 for further guidance.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Clear
Odor:	Pleasant
pH:	11.0-12.0
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F
Flash Point:	> 100 °C / > 212 °F
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	1.01
Solubility(ies):	No information available. Soluble in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

# **10. STABILITY AND REACTIVITY**

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions	: Not expected to occur with normal handling and storage.
Conditions to Avoid:	Extremes of temperature and direct sunlight.
Incompatible Materials:	Strong oxidizing agents. Strong acids.
Hazardous Decomposition	May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.
Products:	

	Fuer Ohie la section labolation		
Likely Routes of Exposure:	Eyes, Skin, Ingestion, Inhalation.		
Symptoms of Exposure:			
-Eye Contact:	Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.		
-Skin Contact:	Pain, redness, blistering and possible chemical burn.		
-Inhalation:	Irritation or damage to the mucus membranes of the respiratory tract. Nasal discomfort and coughing.		
-Ingestion:	Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and diarrhea.		
Immediate, Delayed, Chronic Effe	ects		
Product Information:	Data not available or insufficient for classification.		
Target Organ Effects: Numerical Measures of Toxicity	Central nervous systemEyes. Respiratory SystemSkin.		
	es (ATE) are calculated based on the GHS document.		
ATEmix (oral):	30563 mg/kg		
ATEmix (dermal):	26006 mg/kg		
ATEmix (inhalation-dust/mist):	75.3 mg/l		

11. TOXICOLOGICAL INFORMATION

### Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
diethylene glycol monobutyl ether 112-34-5	= 3384 mg/kg(Rat)	= 2700 mg/kg (Rabbit)	Not Available
monoethanolamine 141-43-5	= 1720 mg/kg(Rat)	= 1 mL/kg(Rabbit)= 1025 mg/kg (Rabbit)	Not Available
alcohol ethoxylate 68439-46-3	= 1378 mg/kg(Rat)	> 2 g/kg (Rabbit)	Not Available
tetrasodium ethylenediaminetetraacetate 64-02-8	= 10 g/kg (Rat)	Not Available	Not Available

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

## **12. ECOLOGICAL INFORMATION**

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
diethylene glycol monobutyl ether 112-34-5	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	2850: 24 h Daphnia magna mg/L EC50 100: 48 h Daphnia magna mg/L EC50
monoethanolamine 141-43-5	15: 72 h Desmodesmus subspicatus mg/L EC50	227: 96 h Pimephales promelas mg/L LC50 flow-through 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static 200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	Not Available	65: 48 h Daphnia magna mg/L EC50
tetrasodium ethylenediaminetetraacetate 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static	Not Available	610: 24 h Daphnia magna mg/L EC50

Persistence and Degradability: Bioaccumulation:

No information available.

No information available.

Other Adverse Effects:

No information available.

## 13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Contaminated Packaging: Dispose of in accordance with federal, state and local regulations. Dispose of in accordance with federal, state and local regulations.

## **14. TRANSPORT INFORMATION**

15. REGULATORY INFORMATION				
Packing Group:	III			
Hazard Class:	8			
Proper Shipping Name:	Corrosive liquids,n.o.s.,(contains ethanolamine)			
<u>IMDG:</u> UN/ID No:	UN 1760			
UN/ID No: Proper Shipping Name: Hazard Class: Packing Group: Special Provisions:	UN1760 Corrosive liquids,n.o.s.,(contains ethanolamine) 8 III Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.			
DOT:				

#### TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### <u>SARA 313</u>

This product contains the following listed substances:

#### diethylene glycol monobutyl ether

CAS No 112-34-5 applies to R-(OCH2CH2)n-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or Sulfonate, Chemical Category N230

## SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

#### California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

#### **16. OTHER INFORMATION**

NFPA	
HMIS	

Health Hazards: 3 Health Hazards: 3 Flammability: 0 Flammability: 0 Instability: 0 Physical Hazards: 0 Special: N/A

Revision Date: Reasons for Revision: 04-Aug-2015 Section 14 and 15

#### **Disclaimer:**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet