## A00211LP BRDWLK LEMON PEEL BWK909 12n7

Version 1.0 Revision Date 04/27/2015 Print Date 06/01/2016

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Material name : A00211LP BRDWLK LEMON PEEL BWK909 12n7

Material number : 0000000001048769

Manufacturer or supplier's details

Company :

Address :

Telephone :

| Emergency telephone numbers |   |  |
|-----------------------------|---|--|
| For SDS Information         | : |  |
| For a Medical Emergency     | : |  |
| For a Transportation        | : |  |
| Emergency                   |   |  |

#### **SECTION 2. HAZARDS IDENTIFICATION**

### **Emergency Overview**

| Appearance | Aerosol containing a liquefied gas |  |  |
|------------|------------------------------------|--|--|
| Colour     | colourless                         |  |  |
| Odour      | characteristic                     |  |  |

#### **GHS Classification**

Flammable aerosols : Category 1
Gases under pressure : Liquefied gas
Eye irritation : Category 2A
Skin sensitisation : Category 1

Specific target organ toxicity -

single exposure

: Category 3 (Central nervous system)

#### **GHS Label element**

Hazard pictograms :



Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Precautionary statements : **Prevention**:

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after

Version 1.0 Revision Date 04/27/2015 Print Date 06/01/2016

use.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear eye protection/ face protection.

P280 Wear protective gloves.

#### Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

#### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

#### Disposal:

P501 Dispose of contents/container in accordance with local regulation.

#### **Potential Health Effects**

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

ACGIH No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

### **Hazardous components**

| Chemical Name | CAS-No. | Concentration [%] |
|---------------|---------|-------------------|
| acetone       | 67-64-1 | >= 70 - < 90      |

## A00211LP BRDWLK LEMON PEEL BWK909 12n7

| Vers | sion 1.0                       | Revision Date 04/27/2015 | Print Date 06/01/2016 |
|------|--------------------------------|--------------------------|-----------------------|
| ı    |                                | 174.00.0                 | 1 40 00 1             |
|      | propane                        | 74-98-6                  | >= 10 - < 20          |
|      | butane                         | 106-97-8                 | >= 5 - < 10           |
|      | Proprietary Fragrance Componen | t Not Assign             | ed >= 1 - < 5         |
|      | citral                         | 5392-40-5                | >= 0.1 - < 1          |

**SECTION 4. FIRST AID MEASURES** 

General advice : Show this safety data sheet to the doctor in attendance.

If inhaled : Remove to fresh air.

Call a physician or poison control centre immediately.

In case of skin contact : If skin irritation persists, call a physician.

If on clothes, remove clothes.

Wash off immediately with plenty of water for at least 15

minutes.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

Rinse immediately with plenty of water for at least 15 minutes.

If swallowed : DO NOT induce vomiting unless directed to do so by a

physician or poison control center. Take victim immediately to hospital.

Never give anything by mouth to an unconscious person.

Keep respiratory tract clear.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Foam

Carbon dioxide (CO2)

Dry chemical

Water

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: Carbon dioxide (CO2) Carbon monoxide

Smoke

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information : For safety reasons in case of fire, cans should be stored

separately in closed containments.

Use a water spray to cool fully closed containers.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Version 1.0 Revision Date 04/27/2015 Print Date 06/01/2016

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment. Ensure adequate ventilation.

Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Sweep up and shovel into suitable containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not breathe vapours or spray mist.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Take precautionary measures against static discharges.

Use only with adequate ventilation. Always replace cap after use.

Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun

exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or

red-hot objects. No smoking.

Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Keep in a dry, cool and well-ventilated place.

Materials to avoid : Store and keep away from bases and alkalies.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components | CAS-No. | Value type<br>(Form of<br>exposure) | Control Basis parameters / Permissible concentration |           |
|------------|---------|-------------------------------------|------------------------------------------------------|-----------|
| acetone    | 67-64-1 | TWA                                 | 500 ppm                                              | ACGIH     |
|            |         | STEL                                | 750 ppm                                              | ACGIH     |
|            |         | TWA                                 | 250 ppm<br>590 mg/m3                                 | NIOSH REL |
|            |         | TWA                                 | 1,000 ppm<br>2,400 mg/m3                             | OSHA Z-1  |
|            |         | TWA                                 | 750 ppm                                              | OSHA P0   |

# A00211LP BRDWLK LEMON PEEL BWK909 12n7

Version 1.0 Revision Date 04/27/2015 Print Date 06/01/2016

|         |          |      | 1,800 mg/m3              |           |
|---------|----------|------|--------------------------|-----------|
|         |          | STEL | 1,000 ppm<br>2,400 mg/m3 | OSHA P0   |
| propane | 74-98-6  | TWA  | 1,000 ppm                | ACGIH     |
|         |          | TWA  | 1,000 ppm<br>1,800 mg/m3 | NIOSH REL |
|         |          | TWA  | 1,000 ppm<br>1,800 mg/m3 | OSHA Z-1  |
|         |          | TWA  | 1,000 ppm<br>1,800 mg/m3 | OSHA P0   |
| butane  | 106-97-8 | TWA  | 800 ppm<br>1,900 mg/m3   | NIOSH REL |
|         |          | TWA  | 800 ppm<br>1,900 mg/m3   | OSHA P0   |

#### **Biological occupational exposure limits**

| Component   | CAS-No. | Control    | Biological | Sampling  | Permissible   | Basis     |
|-------------|---------|------------|------------|-----------|---------------|-----------|
|             |         | parameters | specimen   | time      | concentration |           |
| 2-PROPANONE | 67-64-1 | Acetone    | Urine      | End of    | 50 mg/l       | ACGIH BEI |
|             |         |            |            | shift (As | _             |           |
|             |         |            |            | soon as   |               |           |
|             |         |            |            | possible  |               |           |
|             |         |            |            | after     |               |           |
|             |         |            |            | exposure  |               |           |
|             |         |            |            | ceases)   |               |           |

#### Personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Safety glasses

Ensure that eyewash stations and safety showers are close to

the workstation location.

Skin and body protection : impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Aerosol containing a liquefied gas

Colour : colourless
Odour : characteristic

## A00211LP BRDWLK LEMON PEEL BWK909 12n7

Version 1.0 Revision Date 04/27/2015 Print Date 06/01/2016

Odour Threshold : no data available
pH : not applicable
Melting point/freezing point : no data available
Boiling point : not applicable

Flash point

not applicable

Evaporation rate : not determined

Flammability (solid, gas) : Extremely flammable aerosol.

Upper explosion limit : no data available
Lower explosion limit : no data available
Vapour pressure : no data available
Relative vapour density : no data available

Density : < 1 g/cm3

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : not determined

Partition coefficient: n-

octanol/water

: no data available

Auto-ignition temperature : not determined

Thermal decomposition : no data available

Viscosity

Viscosity, kinematic : no data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Vapours may form explosive mixture with air.

No decomposition if stored and applied as directed.

Conditions to avoid : Heat, flames and sparks.

Extremes of temperature and direct sunlight.

Incompatible materials : Oxidizing agents

Bases Amines

Hazardous decomposition

products

: Carbon dioxide (CO2) Carbon monoxide

## A00211LP BRDWLK LEMON PEEL BWK909 12n7

Version 1.0 Revision Date 04/27/2015 Print Date 06/01/2016

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

**Product:** 

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

Components:

acetone:

Acute oral toxicity : LD50 rat: 5,800 mg/kg

Acute inhalation toxicity : LC50 rat: 132 mg/l

Exposure time: 3 h

LC50 rat: 50.1 mg/l

Acute dermal toxicity : LD50 guinea pig: > 7,426 mg/kg

LD50 rabbit: > 7,426 mg/kg

propane:

Acute inhalation toxicity : LC50 mouse: 1,237 mg/l

Exposure time: 2 h

LC50 rat: 658 mg/l Exposure time: 4 h

LC50 rat: 1,355 mg/l

butane:

Acute inhalation toxicity : LC50 mouse: 1,237 mg/l

Exposure time: 2 h

LC50 rat: 1,355 mg/l

Skin corrosion/irritation

**Product:** 

Remarks: slight irritation

Serious eye damage/eye irritation

**Product:** 

Remarks: Irritating to eyes.

Respiratory or skin sensitisation

**Product:** 

Remarks: Causes sensitisation.

## A00211LP BRDWLK LEMON PEEL BWK909 12n7

Version 1.0 Revision Date 04/27/2015 Print Date 06/01/2016

## Germ cell mutagenicity

no data available

### Carcinogenicity

no data available

### Reproductive toxicity

no data available

acetone: propane: butane:

**Proprietary Fragrance Component:** 

citral:

## STOT - single exposure

no data available

### STOT - repeated exposure

no data available

### **Aspiration toxicity**

no data available

#### **Further information**

### **Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

no data available

### Persistence and degradability

no data available

## **Bioaccumulative potential**

#### **Product:**

Partition coefficient: n-

: Remarks: no data available

octanol/water
Components:
butane:

Partition coefficient: n-

: Pow: 2.89

octanol/water

citral:

Partition coefficient: n- : Pow: 2.76

octanol/water

## A00211LP BRDWLK LEMON PEEL BWK909 12n7

Version 1.0 Revision Date 04/27/2015 Print Date 06/01/2016

Mobility in soil

no data available

Other adverse effects

no data available

**Product:** 

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks This product neither contains, nor was manufactured

with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B).

Additional ecological

information

: no data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

#### **SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel):

UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air):

UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air):

UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada):

UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

#### **SECTION 15. REGULATORY INFORMATION**

Version 1.0 Revision Date 04/27/2015 Print Date 06/01/2016

### **EPCRA - Emergency Planning and Community Right-to-Know Act**

#### **CERCLA Reportable Quantity**

| Components | CAS-No. | Component RQ |       |
|------------|---------|--------------|-------|
|            |         | (lbs)        | (lbs) |
| acetone    | 67-64-1 | 5000         | *     |

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

Sudden Release of Pressure Hazard

Acute Health Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302.

SARA 313 : SARA 313: This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA

Title III, Section 313.

California Prop 65 This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

#### The components of this product are reported in the following inventories:

TSCA On TSCA Inventory

**DSL** This product contains one or several components that are not on the

Canadian DSL nor NDSL.

AICS
Not in compliance with the inventory
NZIOC
Not in compliance with the inventory
PICCS
Not in compliance with the inventory
IECSC
Not in compliance with the inventory

### **Inventory Acronym and Validity Area Legend:**


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

#### **SECTION 16. OTHER INFORMATION**

Version 1.0 Revision Date 04/27/2015 Print Date 06/01/2016

#### **Further information**

#### NFPA:



Special hazard.

#### HMIS III:

| HEALTH          | 3 |
|-----------------|---|
| FLAMMABILITY    | 4 |
| PHYSICAL HAZARD | 2 |

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

#### OSHA GHS Label Information:

Hazard pictograms







Signal word

Hazard statements

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause an allergic skin reaction. Causes serious eye irritation. May cause

drowsiness or dizziness.

Precautionary statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear eye protection/ face protection. Wear protective gloves. Response: IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Wash contaminated clothing before

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. **Disposal:** Dispose of contents/container in accordance with local regulation.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.