Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/12/2015

Reviewed on 07/12/2015

* 1 Identification
· Product identifier
 Trade name: Boardwalk Red Oil Base Sweep with Grit Product number: BWK A1, A3, A6COHORED Relevant identified uses of the substance or mixture and uses advised against Product description Oil base Sweep with Grit is a heavy economical product that is suitable for all rough surface floors not damaged by oil.
 Details of the supplier of the safety data sheet Manufacturer/Supplier: Superior Sweeps, Inc. 430 Lower Boundary Street Macon, GA 31206 Phone: 1-800-503-2213 1-478-746-0908 Emergency telephone number: 1-800-503-2213
* 2 Hazard(s) identification
 Classification of the substance or mixture Eye Irrit. 2B H320 Causes eye irritation.
 Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Non-Regulated Material Signal word Warning Hazard statements Causes eye irritation. Precautionary statements Wash thoroughly after handling. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Unknown acute toxicity: 18 percent of the mixture consists of ingredient(s) of unknown toxicity. Classification system: NFPA ratings (scale 0 - 4)
Health = 1 Fire = 0 Reactivity = 0
HMIS-ratings (scale 0 - 4)
HEALTH I FIRE I REACTIVITY I Reactivity I
· Hazard(s) not otherwise classified (HNOC): None known
* 3 Composition/information on ingredients
 Chemical characterization: Mixtures Description: Mixture of substances listed below with nonhazardous additions.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/12/2015

Reviewed on 07/12/2015

Trade name: Boardwalk Red Oil Base Sweep with Grit

· Dangerous Components:			
CAS: 14808-60-7 RTECS: VV 7330000	Quartz (SiO2) Carc. 1A, H350; STOT RE 1, H372; () Acute Tox. 4, H332; STOT SE 3, H335; Eye Irrit. 2B, H320	40-60%	
CAS: 64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic	5-20%	

4 First-aid measures

· Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

Dispose of the collected material according to regulations.

• Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/12/2015

Reviewed on 07/12/2015

Trade name: Boardwalk Red Oil Base Sweep with Grit

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with occupational exposure limits:
- 14808-60-7 Quartz (SiO2)
- PEL see Quartz listing
- REL Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A
- TLV Long-term value: 0.025* mg/m³ *as respirable fraction
- Additional information: The lists that were valid during the creation of this SDS were used as basis.
- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.
- Breathing equipment: Not required.
- Protection of hands: Not required.
- Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance:	
Form:	Solid
Color:	Red
· Odor:	Petroleum-like
· Odor threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	Not determined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	
Decomposition temperature:	Not determined.

Reviewed on 07/12/2015

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/12/2015

Trade name: Boardwalk Red Oil Base Sweep with Grit

· Auto igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapor pressure:	Not applicable.	
 Density: Relative density Vapor density Evaporation rate 	Not determined. Not applicable. Not applicable.	
 Solubility in / Miscibility with Water: 	Insoluble.	
· Partition coefficient (n-octanol/water): Not determined.		
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.	
 Solvent content: Organic solvents: 	0.0 %	
Solids content: • Other information	100.0 % No further relevant information available.	

10 Stability and reactivity

· *Reactivity* Avoid strong oxidizing agents.

- · Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidizing agents.
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

14808-60-7 Quartz (SiO2)

Inhalative LC50/96 hours 1033 mg/l (Trout)

- · Primary irritant effect:
- on the skin: No irritating effect.
- on the eye:
- Irritating effect.
- Causes serious eye irritation.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/12/2015

Reviewed on 07/12/2015

Trade name: Boardwalk Red Oil Base Sweep with Grit

Irritant Carcinogenic.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

 14808-60-7
 Quartz (SiO2)
 1

 · NTP (National Toxicology Program)
 1

 14808-60-7
 Quartz (SiO2)
 K

 · OSHA-Ca (Occupational Safety & Health Administration)
 K

 None of the ingredients are listed.
 K

2 Ecological information

· Toxicity

Aquatic toxicity:

14808-60-7 Quartz (SiO2)

EC50 218 mg/l (Green algae)

- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water.
- · Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Recycle or dispose with household trash.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

4 Transport information

· UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material
 UN proper shipping name 	-
DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material
Transport hazard class(es)	C C
· DOT, ADR, ADN, IMDG, IATA	
· Class	Non-Regulated Material
· Packing group	-
· DOT, ADR, IMDG, IATA	Non-Regulated Material
Environmental hazards:	Not applicable.
 Special precautions for user 	Not applicable.
Transport in bulk according to Annex II	of
MARPOL73/78 and the IBC Code	Not applicable.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/12/2015

Reviewed on 07/12/2015

Trade name: Boardwalk Red Oil Base Sweep with Grit

- · Transport/Additional information:
- · DOT
- · Quantity limitations

On passenger aircraft/rail: -On cargo aircraft only: -

· UN "Model Regulation":

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredients are listed.
- Section 313 (Specific toxic chemical listings): None of the ingredients are listed.
- TSCA (Toxic Substances Control Act):
- All ingredients are listed.
- [•] California Proposition 65
- · Chemicals known to cause cancer:
- 14808-60-7 Quartz (SiO2)
- Chemicals known to cause reproductive toxicity for females:
- None of the ingredients are listed.
- Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed.
- Chemicals known to cause developmental toxicity: None of the ingredients are listed.

· Carcinogenic categories

- EPA (Environmental Protection Agency)
- None of the ingredients are listed.
- TLV (Threshold Limit Value established by ACGIH)
- 14808-60-7 Quartz (SiO2)
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- 14808-60-7 Quartz (SiO2)

· GHS label elements

- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms Non-Regulated Material
- · Signal word Warning
- · Hazard statements
- Causes eye irritation.
- Precautionary statements
- Wash thoroughly after handling.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

A2

OSHA HazCom Standard 29 CFR 1910.1200(a) and GHS Rev 03.

Issue date 07/12/2015

Reviewed on 07/12/2015

Trade name: Boardwalk Red Oil Base Sweep with Grit

· National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

· State Right to Know

•		
CAS: 14808-60-7	Quartz (SiO2)	40-60%
RTECS: VV 7330000	♦ Carc. 1A, H350; STOT RE 1, H372; H335; Eye Irrit. 2B, H320	
CAS: 64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic	5-20%
All ingredients are listed.		

Information about limitation of use:

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision 07/12/2015 / 14

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity, Hazard Category 4

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

Carc. 1A: Carcinogenicity, Hazard Category 1A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1

* * Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106