

Sunlight Liquid Dish -Fresh

Version Number: 1 Preparation date: 2014-05-16

1. IDENTIFICATION

Sunlight Liquid Dish -Fresh Product name: **Product Code:** 95850506, 95822389, 95850557

MS0800323 SDS #:

 Industrial/Institutional Recommended use: · Hand dishwash

• This product is intended to be diluted prior to use Uses other than those identified are not recommended

Manufacturer, importer, supplier: Canadian Headquarters **US** Headquarters Diversey, Inc. - Canada Diversey, Inc. 2401 Bristol Circle

Sturtevant, Wisconsin 53177-1964

Phone: 1-888-352-2249

8310 16th St.

Uses advised against:

MSDS Internet Address: www.diversey.com

1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I) Emergency telephone number:

2. HAZARDS IDENTIFICATION

Oakville, Ontario L6H 6P1

Phone: 1-800-668-3131

Classification for the undiluted product

Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Specific target organ toxicity (single Category 3 exposure)



Signal Word: Warning

Precautionary Statements

CAUSES SKIN AND SERIOUS EYE IRRITATION. MAY CAUSE RESPIRATORY IRRITATION.

Avoid contact with eyes, skin and clothing. Avoid breathing spray. Wash affected areas thoroughly after handling. May cause irritation to mouth, throat and stomach. Use only in a well-ventilated area. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice or attention. Call a Poison Center (1-800-851-7145) or physician if you feel unwell. Take off contaminated clothing and wash it before reuse. Store in a well-ventilated place. Keep container tightly closed. Dispose of in accordance with all federal, state and local applicable regulations.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable **Sunlight Liquid Dish -Fresh** 1 of 5



Classification for the diluted product @ 1:256

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and current Canadian Controlled Products Regulations (CPR).

Precautionary Statements

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

| Ingredient(s) | CAS# | Weight % |
|------------------------------|------------|---------------|
| Dodecylbenzene sulfonic acid | 68584-22-5 | 20 - 30% |
| Sodium lauryl ether sulfate | 9004-82-4 | 5 - 10% |
| Cocamidopropyl betaine | 61789-40-0 | 1% - < 3% |
| Ethyl alcohol | 64-17-5 | 1% - < 3% |
| Sodium xylene sulfonate | 1300-72-7 | 1% - < 3% |
| Magnesium oxide | 1309-48-4 | 1% - < 3% |
| Sulfuric acid | 7664-93-9 | > 0.1% - < 1% |
| Sulphur dioxide | 7446-09-5 | > 0.1% - < 1% |

^{*}Exact percentages are being withheld as trade secret information

4. FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

Skin: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

Diluted Product:

Eyes: Rinse with plenty of water If irritation occurs and persists, get medical attention **Skin:** Rinse with plenty of water If irritation occurs and persists, get medical attention

Inhalation: No specific first aid measures are required

Ingestion: Rinse mouth with water.

5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: Not applicable.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).

Environmental precautions
and clean-up methods:

Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

Sunlight Liquid Dish -Fresh 2 of 5

7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

Aerosol Level (if applicable): Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

| Ingredient(s) | CAS# | ACGIH | OSHA |
|------------------------------|------------|-----------------|------------------------------------|
| Dodecylbenzene sulfonic acid | 68584-22-5 | - | - |
| Sodium lauryl ether sulfate | 9004-82-4 | - | - |
| Cocamidopropyl betaine | 61789-40-0 | - | - |
| Ethyl alcohol | 64-17-5 | 1000 ppm (STEL) | 1000 ppm (TWA) 1900 mg/m³ (TWA) |
| Sodium xylene sulfonate | 1300-72-7 | - | - |
| Magnesium oxide | 1309-48-4 | 10 mg/m³ (TWA) | 15 mg/m³ (TWA) |
| Sulfuric acid | 7664-93-9 | 0.2 mg/m³ (TWA) | 1 mg/m³ (TWA) |
| Sulphur dioxide | 7446-09-5 | 0.25 ppm (STEL) | 5 ppm (TWA) 13 mg/m³ (TWA) |

Undiluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

Eye protection: Chemical-splash goggles. **Hand protection:** Chemical-resistant gloves.

Skin and body protection:No special requirements under normal use conditions.
Respiratory protection:
No special requirements under normal use conditions.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Diluted Product:

Personal Protective Equipment

Eye protection:

Hand protection:

No special requirements under normal use conditions.

No special requirements under normal use conditions.

Skin and body protection:

No special requirements under normal use conditions.

Respiratory protection:

No special requirements under normal use conditions.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State: LiquidColor:ClearDarkBlueEvaporation Rate: No information availableOdor:FloralWoody

Odor threshold: No information available. Boiling point/range: Not determined

Melting point/range: Not determined Decomposition temperature: Not determined

Autoignition temperature: No information available Solubility: Completely Soluble

Solubility in other solvents: No information available

Density: 8.83 lbs/gal 1.059 Kg/L

Bulk density: No information available

Vapor density: No information available

Vapor pressure: No information available.

Flash point: > 200 °F > 93.3 °C

Partition coefficient (n-octanol/water): No information available

Dilution Flash Point: > 200 °F > 93.3 °C Viscosity: No information available

Elemental Phosphorus: 0.00 % by wt. VOC: 2.15 % *

pH: 6 VOC % by wt. at use dilution 0.01 % * Dilution pH: 7 @ 1:256 Flammability (Solid or Gas): Not applicable

Metal Corrosion: Not determined

Sunlight Liquid Dish -Fresh

Explosion limits: - upper: Not determined - lower: Not determined

3 of 5

^{* -} Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Reactivity:
Stability:
Not Applicable
The product is stable

Hazardous decomposition products: None reasonably foreseeable.

Materials to avoid: None known.

Conditions to avoid: No information available.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Causes skin irritation. Symptoms may include pain (which may be delayed), redness, and/or discomfort.

Eye contact: Causes serious eye irritation. Symptoms may include pain, redness, and watering.

Ingestion: May be irritating to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

Inhalation: May be irritating to nose, throat, and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.

| Ingredient(s) | CAS# | NTP | IARC | OSHA |
|---------------|-----------|-----|------|------|
| Ethyl alcohol | 64-17-5 | | - | |
| Sulfuric acid | 7664-93-9 | Х | 1 | |

This product contains sulfuric acid. Strong inorganic sulfuric acid mists are classified as known human carcinogens by IARC and NTP. However, this product is not intended to be sprayed or misted. Therefore, this product will not form sulfuric acid mists under normal use conditions or foreseeable emergencies

Numerical measures of toxicity

ATE - Oral (mg/kg): >5000
ATE - Dermal (mg/kg): 2400
ATE - Inhalatory, gases (mg/l): >2500
ATE - Inhalatory, mists (mg/l): >20

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations. This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Contaminated Packaging: Do not re-use empty containers.
RCRA Hazard Class (undiluted product): Not Regulated
RCRA Hazard Class (diluted product): Not Regulated

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Please refer to the Diversey HazMat Library, only available through Internet Explorer, http://naextranet.diversey.com/dot/, for up to date shipping information.

DOT (Ground) Bill of Lading Description: CLEANING, WASHING, BUFFING, OR POLISHING COMPOUNDS LIQUID

IMDG (Ocean) Bill of Lading Description: CLEANING, WASHING, BUFFING, OR POLISHING COMPOUNDS LIQUID

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65.

RIGHT TO KNOW (RTK)

| Ingredient(s) | CAS# | MARTK: | NJRTK: | PARTK: | RIRTK: |
|------------------------------|------------|--------|--------|--------|--------|
| Water | 7732-18-5 | = | • | • | • |
| Dodecylbenzene sulfonic acid | 68584-22-5 | - | | - | = |
| Sodium lauryl ether sulfate | 9004-82-4 | = | - | - | = |
| Cocamidopropyl betaine | 61789-40-0 | = | - | - | = |
| Ethyl alcohol | 64-17-5 | Χ | Χ | X | = |
| Sodium xylene sulfonate | 1300-72-7 | = | - | - | - |
| Magnesium oxide | 1309-48-4 | X | X | X | = |
| Sulfuric acid | 7664-93-9 | X | X | Х | Х |
| Sulphur dioxide | 7446-09-5 | Χ | Х | Х | Х |

CERCLA/ SARA

| Ingredient(s) | CAS# | Weight % | CERCLA/SARA RQ (lbs) | Section 302 TPQ (lbs) | Section 313 |
|-----------------|-----------|---------------|----------------------|-----------------------|-------------|
| Sulfuric acid | 7664-93-9 | > 0.1% - < 1% | 1000 | 1000 | Χ |
| Sulphur dioxide | 7446-09-5 | > 0.1% - < 1% | | 500 | |

SARA 311/312 Hazard Categories

Immediate: X
Delayed: Fire: Reactivity: Sudden Release of Pressure: -

Canada

| Ingredient(s) | CAS# | NPRI |
|-----------------|-----------|------|
| Ethyl alcohol | 64-17-5 | X |
| Sulfuric acid | 7664-93-9 | X |
| Sulphur dioxide | 7446-09-5 | X |

16. OTHER INFORMATION

NFPA Health 2 Flammability 0 Instability 0

Version Number: 1

Preparation date: 2014-05-16

Reason for revision: Not applicable Prepared by: NAPRAC

Additional advice: • Contains an added fragrance, see "Odor" heading in section 9 for specific description

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

5 of 5

Sunlight Liquid Dish -Fresh