Revision: 05.2015

1 Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier: 11384
<ul> <li>Trade name: <u>Endust® For Electronics 100z</u></li> </ul>
<ul> <li>Article number: 11384 (10oz)</li> <li>CAS Number: 75-37-6</li> <li>EC number: 200-866-1</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.</li> </ul>
Application of the substance / the mixture Surface cleaning
<ul> <li>1.3 Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: Norazza, Inc. 3938 Broadway St</li> <li>Buffalo, NY 14227</li> <li>Phone: (716) 706-1160</li> <li>Website: www.norazza.com</li> </ul>
• <b>1.4 Emergency telephone number:</b> ChemTel Inc. (800)255-3924, +01 (813)248-0585
2 Hazards identification
<ul> <li>• 2.1 Classification of the substance or mixture Press. Gas H280 Contains gas under pressure; may explode if heated.</li> <li>• Classification according to Regulation (EC) No 1272/2008</li> </ul>
<ul> <li>• 2.1 Classification of the substance or mixture Press. Gas H280 Contains gas under pressure; may explode if heated.</li> <li>• Classification according to Regulation (EC) No 1272/2008 flame</li> </ul>
<ul> <li>• 2.1 Classification of the substance or mixture Press. Gas H280 Contains gas under pressure; may explode if heated.</li> <li>• Classification according to Regulation (EC) No 1272/2008</li> </ul>

Trade name: Endust® For Electronics 10Oz
· Hazard pictograms
GHS02
<ul> <li>Signal word Danger</li> <li>Hazard statements         <ul> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.</li> </ul> </li> <li>Precautionary statements         <ul> <li>P210</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No</li> </ul> </li> </ul>
smoking. P251 Do not pierce or burn, even after use. P211 Do not spray on an open flame or other ignition source. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
<ul> <li>Hazard description:</li> <li>WHMIS-symbols:</li> <li>B5 - Flammable aerosol</li> </ul>
• NFPA ratings (scale 0 - 4) Health = 0 Fire = 4 Reactivity = 3
· HMIS-ratings (scale 0 - 4)
HEALTHImage: Description of the sector of the s
· HMIS Long Term Health Hazard Substances
Substance is not listed. • 2.3 Other hazards
<ul> <li>• Results of PBT and vPvB assessment</li> <li>• PBT: Not applicable.</li> <li>• vPvB: Not applicable.</li> </ul>
3 Composition/information on ingredients
· 3.1 Substances

**CAS No. Description** 75-37-61,1-difluoroethane

(Contd. on page 3)

<ul> <li>Identification number(s)</li> <li>EC number: 200-866-1</li> </ul>	(Contd. of page 2
First aid measures	
· 4.1 Description of first aid measures	
General information: Take affected persons out into the fresh air.	
• After inhalation:	
Supply fresh air; consult doctor in case of complaints.	
Provide oxygen treatment if affected person has difficulty breathing.	
In case of irregular breathing or respiratory arrest provide artificial respiration. • After skin contact:	
In cases of frost bites, rinse with plenty of water. Do not remove clothing.	
If skin irritation continues, consult a doctor.	
Seek immediate medical help for blistering or open wounds.	
· After eye contact:	
Remove contact lenses if worn.	oncult a doctor
Rinse opened eye for several minutes under running water. If symptoms persist, co • After swallowing:	onsult a doctor.
Unlikely route of exposure.	
Do not induce vomiting; call for medical help immediately.	
· 4.2 Most important symptoms and effects, both acute and delayed	
Headache	
Coughing	
Dizziness Disorientation	
Hazards Danger of impaired breathing.	
• 4.3 Indication of any immediate medical attention and special treatment need	led
Treat frost-bitten areas appropriately.	
nou noor sillen areas appropriately.	
If necessary oxygen respiration treatment.	
If necessary oxygen respiration treatment.	
If necessary oxygen respiration treatment. 5 Firefighting measures • 5.1 Extinguishing media	
If necessary oxygen respiration treatment.  5 Firefighting measures  • 5.1 Extinguishing media • Suitable extinguishing agents:	
If necessary oxygen respiration treatment.  5 Firefighting measures  5.1 Extinguishing media  5.1 Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant	foam.
If necessary oxygen respiration treatment. 5 Firefighting measures • 5.1 Extinguishing media • Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant • For safety reasons unsuitable extinguishing agents: None.	: foam.
If necessary oxygen respiration treatment. 5 Firefighting measures • 5.1 Extinguishing media • Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant • For safety reasons unsuitable extinguishing agents: None. • 5.2 Special hazards arising from the substance or mixture	foam.
If necessary oxygen respiration treatment. 5 Firefighting measures • 5.1 Extinguishing media • Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant • For safety reasons unsuitable extinguishing agents: None. • 5.2 Special hazards arising from the substance or mixture Danger of receptacles bursting because of high vapor pressure when heated.	foam.
If necessary oxygen respiration treatment. 5 Firefighting measures • 5.1 Extinguishing media • Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant • For safety reasons unsuitable extinguishing agents: None. • 5.2 Special hazards arising from the substance or mixture Danger of receptacles bursting because of high vapor pressure when heated. During heating or in case of fire poisonous gases are produced.	foam.
If necessary oxygen respiration treatment. 5 Firefighting measures • 5.1 Extinguishing media • Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant • For safety reasons unsuitable extinguishing agents: None. • 5.2 Special hazards arising from the substance or mixture Danger of receptacles bursting because of high vapor pressure when heated. During heating or in case of fire poisonous gases are produced. • 5.3 Advice for firefighters • Protective equipment:	: foam.
If necessary oxygen respiration treatment. 5 Firefighting measures • 5.1 Extinguishing media • Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant • For safety reasons unsuitable extinguishing agents: None. • 5.2 Special hazards arising from the substance or mixture Danger of receptacles bursting because of high vapor pressure when heated. During heating or in case of fire poisonous gases are produced. • 5.3 Advice for firefighters • Protective equipment: Wear self-contained respiratory protective device.	foam.
If necessary oxygen respiration treatment. 5 Firefighting measures • 5.1 Extinguishing media • Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant • For safety reasons unsuitable extinguishing agents: None. • 5.2 Special hazards arising from the substance or mixture Danger of receptacles bursting because of high vapor pressure when heated. During heating or in case of fire poisonous gases are produced. • 5.3 Advice for firefighters • Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit.	foam.
If necessary oxygen respiration treatment. 5 Firefighting measures • 5.1 Extinguishing media • Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant • For safety reasons unsuitable extinguishing agents: None. • 5.2 Special hazards arising from the substance or mixture Danger of receptacles bursting because of high vapor pressure when heated. During heating or in case of fire poisonous gases are produced. • 5.3 Advice for firefighters • Protective equipment: Wear self-contained respiratory protective device.	foam.

ade name: Endust® Fo	
Leaking gas fire: Do n	(Contd. of p ot extinguish, unless leak can be stopped safely.
Accidental releas	e measures
· 6.1 Personal precaut	ions, protective equipment and emergency procedures
	tive device against the effects of fumes/dust/aerosol.
	ment. Keep unprotected persons away.
Ensure adequate vent	
Keep away from ignition Protect from heat.	in sources.
	ecautions: No special measures required.
	erial for containment and cleaning up: Allow to evaporate.
· 6.4 Reference to oth	er sections
	mation on safe handling.
See Section 8 for info See Section 13 for dis	mation on personal protection equipment.
' Handling and sto	lage
	· · ···
• 7.1 Precautions for s	
Avoid splashes or spr	ay in enclosed areas.
	ay in enclosed areas. ated areas.
Avoid splashes or spr Use only in well ventils Keep away from heat • Information about fi	ay in enclosed areas. ated areas. and direct sunlight. <b>e - and explosion protection:</b>
Avoid splashes or spr. Use only in well ventils Keep away from heat • Information about fin Do not spray onto a na	ay in enclosed areas. ated areas. and direct sunlight. <b>e - and explosion protection:</b> aked flame or any incandescent material.
Avoid splashes or spr. Use only in well ventils Keep away from heat • Information about fin Do not spray onto a na Keep ignition sources	ay in enclosed areas. ated areas. and direct sunlight. <b>e - and explosion protection:</b> aked flame or any incandescent material. away - Do not smoke.
Avoid splashes or spr. Use only in well ventila Keep away from heat Information about fin Do not spray onto a na Keep ignition sources Protect against electro	ay in enclosed areas. ated areas. and direct sunlight. <b>e - and explosion protection:</b> aked flame or any incandescent material. away - Do not smoke. Istatic charges.
Avoid splashes or spr. Use only in well ventila Keep away from heat Information about fin Do not spray onto a na Keep ignition sources Protect against electro Pressurized contained	ay in enclosed areas. ated areas. and direct sunlight. <b>e - and explosion protection:</b> aked flame or any incandescent material. away - Do not smoke.
Avoid splashes or spr. Use only in well ventila Keep away from heat Information about fin Do not spray onto a na Keep ignition sources Protect against electro Pressurized containe electric lights. Do not Emergency cooling m	ay in enclosed areas. ated areas. and direct sunlight. <b>e - and explosion protection:</b> aked flame or any incandescent material. away - Do not smoke. static charges. r: protect from sunlight and do not expose to temperatures exceeding 50 °C pierce or burn, even after use. ust be available in case of nearby fire.
Avoid splashes or spr. Use only in well ventila Keep away from heat Information about fin Do not spray onto a na Keep ignition sources Protect against electro Pressurized containe electric lights. Do not Emergency cooling m Prevent impact and fr	ay in enclosed areas. ated areas. and direct sunlight. <b>e - and explosion protection:</b> aked flame or any incandescent material. away - Do not smoke. Istatic charges. r: protect from sunlight and do not expose to temperatures exceeding 50 °C pierce or burn, even after use. ust be available in case of nearby fire. ction.
Avoid splashes or spr Use only in well ventila Keep away from heat Information about fin Do not spray onto a na Keep ignition sources Protect against electro Pressurized containe electric lights. Do not Emergency cooling m Prevent impact and fr Flammable gas-air m	ay in enclosed areas. ated areas. and direct sunlight. <b>e - and explosion protection:</b> aked flame or any incandescent material. away - Do not smoke. Istatic charges. r: protect from sunlight and do not expose to temperatures exceeding 50 °C bierce or burn, even after use. ust be available in case of nearby fire. ction. xtures may form in empty receptacles.
Avoid splashes or spr. Use only in well ventila Keep away from heat Information about fin Do not spray onto a na Keep ignition sources Protect against electro Pressurized containe electric lights. Do not Emergency cooling m Prevent impact and fri Flammable gas-air mit	ay in enclosed areas. ated areas. and direct sunlight. <b>e - and explosion protection:</b> aked flame or any incandescent material. away - Do not smoke. Istatic charges. r: protect from sunlight and do not expose to temperatures exceeding 50 °C pierce or burn, even after use. ust be available in case of nearby fire. ction.
Avoid splashes or spr. Use only in well ventila Keep away from heat Information about fin Do not spray onto a na Keep ignition sources Protect against electro Pressurized containe electric lights. Do not Emergency cooling m Prevent impact and fri Flammable gas-air mi 7.2 Conditions for sa Storage:	ay in enclosed areas. ated areas. and direct sunlight. <b>e - and explosion protection:</b> aked flame or any incandescent material. away - Do not smoke. static charges. r: protect from sunlight and do not expose to temperatures exceeding 50 °C bierce or burn, even after use. ust be available in case of nearby fire. ction. xtures may form in empty receptacles. <b>fe storage, including any incompatibilities</b>
Avoid splashes or spr. Use only in well ventila Keep away from heat Information about fin Do not spray onto a na Keep ignition sources Protect against electro Pressurized containe electric lights. Do not Emergency cooling m Prevent impact and fri Flammable gas-air mi 7.2 Conditions for sa Storage:	ay in enclosed areas. ated areas. and direct sunlight. <b>e - and explosion protection:</b> aked flame or any incandescent material. away - Do not smoke. Istatic charges. r: protect from sunlight and do not expose to temperatures exceeding 50 °C bierce or burn, even after use. ust be available in case of nearby fire. ction. xtures may form in empty receptacles. <b>fe storage, including any incompatibilities</b> <b>met by storerooms and receptacles:</b>
Avoid splashes or spr. Use only in well ventila Keep away from heat Information about fin Do not spray onto a na Keep ignition sources Protect against electro Pressurized containe electric lights. Do not Emergency cooling m Prevent impact and fri Flammable gas-air mi <b>7.2 Conditions for sa</b> Storage: Requirements to be Store in a cool locatio	ay in enclosed areas. ated areas. and direct sunlight. <b>e - and explosion protection:</b> aked flame or any incandescent material. away - Do not smoke. Istatic charges. r: protect from sunlight and do not expose to temperatures exceeding 50 °C bierce or burn, even after use. ust be available in case of nearby fire. ction. xtures may form in empty receptacles. <b>fe storage, including any incompatibilities</b> <b>met by storerooms and receptacles:</b>
Avoid splashes or spr. Use only in well ventila Keep away from heat Information about fin Do not spray onto a na Keep ignition sources Protect against electro Pressurized containe electric lights. Do not Emergency cooling m Prevent impact and fri Flammable gas-air mi 7.2 Conditions for sa Storage: Requirements to be Store in a cool locatio Observe official regula Avoid storage near ex	ay in enclosed areas. ated areas. and direct sunlight. <b>e - and explosion protection:</b> aked flame or any incandescent material. away - Do not smoke. Istatic charges. r: protect from sunlight and do not expose to temperatures exceeding 50 °C bierce or burn, even after use. ust be available in case of nearby fire. ction. ktures may form in empty receptacles. <b>fe storage, including any incompatibilities</b> <b>met by storerooms and receptacles:</b> n. titons on storing packaging with pressurized containers. treme heat, ignition sources or open flame.
Avoid splashes or spr. Use only in well ventila Keep away from heat Information about fin Do not spray onto a na Keep ignition sources Protect against electro Pressurized containe electric lights. Do not Emergency cooling m Prevent impact and fr Flammable gas-air mi 7.2 Conditions for sa Storage: Requirements to be Store in a cool locatio Observe official regula Avoid storage near ex	ay in enclosed areas. and direct sunlight. <b>e - and explosion protection:</b> aked flame or any incandescent material. away - Do not smoke. Istatic charges. r: protect from sunlight and do not expose to temperatures exceeding 50 °C bierce or burn, even after use. ust be available in case of nearby fire. ction. ktures may form in empty receptacles. <b>fe storage, including any incompatibilities</b> <b>met by storerooms and receptacles:</b> h. titons on storing packaging with pressurized containers. treme heat, ignition sources or open flame. <b>orage in one common storage facility:</b> Store away from oxidizing agents.
Avoid splashes or spr. Use only in well ventila Keep away from heat Information about fit Do not spray onto a na Keep ignition sources Protect against electro Pressurized containe electric lights. Do not Emergency cooling m Prevent impact and fri Flammable gas-air mit 7.2 Conditions for sa Storage: Requirements to be Store in a cool locatio Observe official regula Avoid storage near ex Information about st Further information	ay in enclosed areas. and direct sunlight. <b>e - and explosion protection:</b> aked flame or any incandescent material. away - Do not smoke. Istatic charges. r: protect from sunlight and do not expose to temperatures exceeding 50 °C bierce or burn, even after use. ust be available in case of nearby fire. ction. ktures may form in empty receptacles. <b>fe storage, including any incompatibilities</b> <b>met by storerooms and receptacles:</b> n. tions on storing packaging with pressurized containers. treme heat, ignition sources or open flame. <b>orage in one common storage facility:</b> Store away from oxidizing agents. <b>about storage conditions:</b>
Avoid splashes or spr. Use only in well ventila Keep away from heat Information about fit Do not spray onto a na Keep ignition sources Protect against electro Pressurized containe electric lights. Do not Emergency cooling m Prevent impact and fr Flammable gas-air mit <b>7.2 Conditions for sa</b> Storage: Requirements to be Store in a cool locatio Observe official regula Avoid storage near ex Information about st Further information Protect from heat and	ay in enclosed areas. and direct sunlight. <b>e - and explosion protection:</b> aked flame or any incandescent material. away - Do not smoke. Istatic charges. r: protect from sunlight and do not expose to temperatures exceeding 50 °C bierce or burn, even after use. ust be available in case of nearby fire. ction. ktures may form in empty receptacles. <b>fe storage, including any incompatibilities</b> <b>met by storerooms and receptacles:</b> n. tions on storing packaging with pressurized containers. treme heat, ignition sources or open flame. <b>orage in one common storage facility:</b> Store away from oxidizing agents. <b>about storage conditions:</b>

(Contd. on page 5)

Trade name: Endust® For Electronics 10Oz (Contd. of page 4) 8 Exposure controls/personal protection Additional information about design of technical facilities: No further data; see item 7. · 8.1 Control parameters • Ingredients with limit values that require monitoring at the workplace: Not required. DNELs No further relevant information available. • PNECs No further relevant information available. · Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: · General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. · Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. For spills, respiratory protection may be advisable. · Protection of hands: Gloves not required under normal conditions of use. Wear protective gloves to handle contents of damaged or leaking units. Gloves should provide protection from freezing temperatures. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Safety glasses · Body protection: Not required under normal conditions of use. Protection may be required for spills. · Limitation and supervision of exposure into the environment No further relevant information available. · Risk management measures See Section 7 for additional information. No further relevant information available. 9 Physical and chemical properties · 9.1 Information on basic physical and chemical properties

- General Information
- · Appearance:
- Form: Aerosol Color: Colorless

(Contd. on page 6)

	(Contd. of page
Odor:	Ether-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-153 °F/ -117 °C (Literature)
Boiling point/Boiling range:	-13 °F / -25 °C
Flash point:	-58 °F / -50 °C
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Self-igniting:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
Explosion limits:	
Lower:	3,9 Vol %
Upper:	16,9 Vol %
Vapour pressure at 20 °C:	530 kPa (62.5 psig)
Density at 20 °C:	0,909 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density at 25 °C	2,4 (AIR = 1)
Evaporation rate at 20 °C	>1 (Butyl acetate = 1)
Solubility in / Miscibility with	
water at 20 °C:	<5,0 g/l (Negligible)
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
9.2 Other information	No further relevant information available.

### 10 Stability and reactivity

· 10.1 Reactivity

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Flammable.

Danger of receptacles bursting because of high vapor pressure when heated.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

(Contd. on page 7)

Trade name: Endust® For Electronics 10Oz		
, ,,,	(oxidizing) material. Danger of Explosion. n product gases which form explosive mixtures with air.	(Contd. of page 6)

Toxic fumes may be released if heated above the decomposition point.

· 10.4 Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Danger of toxic fluorine based pyrolysis products.

#### **11 Toxicological information**

· 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

75-37-61,1-difluoroethane

Inhalative LC50/4h 977 mg/l (mouse)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information: Asphyxiant gas.

#### **12 Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential Does not accumulate in organisms.
- **12.4 Mobility in soil** No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### 13 Disposal considerations

#### 13.1 Waste treatment methods

· Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

(Contd. on page 8)

		(Contd. of pag
<ul> <li>Uncleansed packaging:</li> <li>Recommendation: Disposal must be mad</li> </ul>	o according to official regulations	
Recommendation. Disposal must be mad		
Transport information		
Transport information		
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	UN1950	
· 14.2 UN proper shipping name		
DOT	Aerosols, flammable	
	1950 AEROSOLS. FLAMMABLE	
· IMDG, IATA	AEROSOLS, FLAMMABLE	
<ul> <li>14.3 Transport hazard class(es)</li> </ul>		
DOT		
Class	2.1	
· Label	2.1	
· ADR		
ADR		
	0.4.55	
· Class · Label	2.1 5F	
	2.1	
· IMDG, IATA		
· Class	2.1	
· Label	2.1	
· 14.4 Packing group		
· DOT, ADR, IMDG, IATA	Not Regulated	
14.5 Environmental hazards:	-	
· Marine pollutant:	No	
• 14.6 Special precautions for user		
· 14.6 Special precautions for user · Danger code (Kemler):	Not applicable. 20	
· EMS Number:	F-D,S-U	

	(Contd. of page
<ul> <li>14.7 Transport in bulk according to An MARPOL73/78 and the IBC Code</li> </ul>	nex II of Not applicable.
· Transport/Additional information:	
· ADR	
<ul> <li>Limited quantities (LQ)</li> </ul>	1L
· UN "Model Regulation":	UN1950, AEROSOLS, FLAMMABLE, 2.1
Regulatory information	
<ul> <li>15.1 Safety, health and environmental r</li> <li>United States (USA)</li> <li>SARA</li> </ul>	regulations/legislation specific for the substance or mixture
· Section 355 (extremely hazardous subs	stances):
Substance is not listed.	
· Section 313 (Specific toxic chemical lis	tings):
Substance is not listed.	
• TSCA (Toxic Substances Control Act):	
Substance is listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
Substance is not listed.	
· Chemicals known to cause reproductiv	ve toxicity for females:
Substance is not listed.	
· Chemicals known to cause reproductiv	re toxicity for males:
Substance is not listed.	
· Chemicals known to cause developme	ntal toxicity:
Substance is not listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency	/)
Substance is not listed.	
· IARC (International Agency for Researc	ch on Cancer)
Substance is not listed.	
· TLV (Threshold Limit Value established	d by ACGIH)
<b>.</b>	
Substance is not listed.	

	(Contd. of page
OSHA-Ca (Occupational Safety & Health Admi	
Substance is not listed.	
Canada	
Canadian Domestic Substances List (DSL)	
Substance is listed.	
Canadian Ingredient Disclosure list (limit 0.1%	b)
Substance is not listed.	
Canadian Ingredient Disclosure list (limit 1%)	
Substance is not listed.	
15.2 Chemical safety assessment: A Chemical	Safety Assessment has not been carried out.
Other information	
specific product features and shall not establish a <b>Abbreviations and acronyms:</b> ADR: Accord européen sur le transport des marchandis International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association	elling of Chemicals