

Version 1.2	Revision Date: 03/18/2015		SDS Number: 5799-00003	Date of last issue: 02/10/2015 Date of first issue: 12/12/2014	
SECTION	1. IDENTIFICATION				
Produ	uct name	:	PURELL® Advan	ced Hand Sanitizer	
Manu	facturer or supplier's	deta	ails		
	pany name of supplier	:			
Addre	ess	:	One GOJO Plaza, Suite 500 Akron OH 44311		
Telep	hone	:	1 (330) 255-6000		
Emer	gency telephone	:	1-800-424-9300 CHEMTREC		
Reco	mmended use of the o	chen	nical and restriction	ons on use	
Reco	mmended use	:	Hand Sanitizer		
Restr	ictions on use	:	consumers and o foreseeable use. specifically define exempt from the n While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and o intended-use guid	I care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, ed by regulations around the world, are requirement of an SDS for the consumer. al is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large should be retained and available for ther users of this product. For specific dance, please refer to the information ackage or instruction sheet.	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Eye irritation	: Category 2A
GHS Label element Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H226 Flammable liquid and vapor. H319 Causes serious eye irritation.



Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/18/2015	36799-00003	Date of first issue: 12/12/2014
Preca	utionary Statements	No smoking. P233 Keep cont P241 Use explo equipment. P242 Use only r P243 Take prec P264 Wash skin P280 Wear prot Response: P303 + P361 + I all contaminated P305 + P351 + I for several minu to do. Continue P337 + P313 If attention. Storage: P403 + P235 St Disposal:	y from heat/sparks/open flames/hot surfaces. ainer tightly closed. sion-proof electrical/ ventilating/ lighting/ hon-sparking tools. autionary measures against static discharge. thoroughly after handling. ective gloves/ eye protection/ face protection. P353 IF ON SKIN (or hair): Take off immediately I clothing. Rinse skin with water/shower. P338 IF IN EYES: Rinse cautiously with water tes. Remove contact lenses, if present and easy rinsing. eye irritation persists: Get medical advice/ ore in a well-ventilated place. Keep cool. f contents/ container to an approved waste

Other hazards

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 50 - < 70
Propan-2-ol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medica advice. 	ıl
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.	
In case of eye contact	 In case of contact, immediately flush eyes with plenty of wate for at least 15 minutes. If easy to do, remove contact lens, if worn. 	ər



Version 1.2	Revision Date: 03/18/2015	MSDS Number: 36799-00003	Date of last issue: 02/10/2015 Date of first issue: 12/12/2014		
		Get medical a	attention.		
If swallowed		: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.			
Most important symptoms and effects, both acute and delayed		: Causes serio	: Causes serious eye irritation.		
Protection of first-aiders		and use the r	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.		
Note	s to physician	: Treat sympto	matically and supportively.		

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)	
Unsuitable extinguishing media	High volume water jet	
Specific hazards during fire fighting	Do not use a solid water stream as it may scatter and fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to	
Hazardous combustion prod- ucts	Carbon oxides	
Specific extinguishing methods	Use extinguishing measures that are appropriate to I circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is so. Evacuate area.	
Special protective equipment for fire-fighters	In the event of fire, wear self-contained breathing appuse personal protective equipment.	paratus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	: Discharge into the environment must be avoided.



Version 1.2	Revision Date: 03/18/2015	MSDS Number: 36799-00003	Date of last issue: 02/10/2015 Date of first issue: 12/12/2014
		Prevent spreadir barriers). Retain and dispo	eakage or spillage if safe to do so. ng over a wide area (e.g. by containment or oil ose of contaminated wash water. should be advised if significant spillages ned.
	ods and materials for inment and cleaning up	Suppress (knock jet. For large spills, p containment to k can be pumped, container. Clean up remain absorbent. Local or national disposal of this n employed in the determine which Sections 13 and	bls should be used. rt absorbent material. (a down) gases/vapors/mists with a water spray provide diking or other appropriate eep material from spreading. If diked material store recovered material in appropriate ing materials from spill with suitable regulations may apply to releases and naterial, as well as those materials and items cleanup of releases. You will need to regulations are applicable. 15 of this SDS provide information regarding ational requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.	
Local/Total ventilation	Use with local exhaust ventilation. Use only in an area equipped with explosion proof ex ventilation.	xhaust
Advice on safe handling	Do not breathe vapors or spray mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene a practice. Non-sparking tools should be used. Keep container tightly closed. Keep away from heat and sources of ignition. Take precautionary measures against static discharg Take care to prevent spills, waste and minimize rele-	ges.
Conditions for safe storage	Keep in properly labeled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regu Keep away from heat and sources of ignition.	lations.
Materials to avoid	Do not store with the following product types: Strong oxidizing agents	



Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/18/2015	36799-00003	Date of first issue: 12/12/2014
			s s stances and mixtures mixtures which in contact with water emit

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

Ingredients with workplace control parameters

Biological occupational exposure limits

Ingredients	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentratio n	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

Engineering measures

: Minimize workplace exposure concentrations. Use only in an area equipped with explosion proof exhaust ventilation. Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and



Version 1.2	Revision Date: 03/18/2015		SDS Number: 799-00003	Date of last issue: 02/10/2015 Date of first issue: 12/12/2014
			by air purifying re hazardous chemi supplied respirato release, exposure	A approved respirators. Protection provided spirators against exposure to any cal is limited. Use a positive pressure air or if there is any potential for uncontrolled e levels are unknown, or any other ere air purifying respirators may not provide ion.
	d protection aterial	:	Impervious glove	S
Μ	aterial	:	Flame retardant g	loves
R	emarks	:	on the concentrat time is not determ For special applic resistance to che	protect hands against chemicals depending ion specific to place of work. Breakthrough hined for the product. Change gloves often! ations, we recommend clarifying the micals of the aforementioned protective ove manufacturer. Wash hands before end of workday.
Eye	protection	:	Wear the followin Safety goggles	g personal protective equipment:
Skin	and body protection	:	resistance data a potential. Wear the followin Flame retardant a Skin contact mus	e protective clothing based on chemical nd an assessment of the local exposure g personal protective equipment: antistatic protective clothing. t be avoided by using impervious protective aprons, boots, etc).
Hygi	ene measures	:	located close to the When using do not	lushing systems and safety showers are he working place. ot eat, drink or smoke. red clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	clear, light green
Odor	:	alcohol-like
Odor Threshold	:	No data available
рН	:	6.5 - 8.5
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	76 °C



Vers 1.2	sion	Revision Date: 03/18/2015		DS Number: ′99-00003	Date of last issue: 02/10/2015 Date of first issue: 12/12/2014
	Flash p	point	:	24 °C	
	Evapor	ation rate	:	No data available	9
	Flamm	ability (solid, gas)	:	Not applicable	
	Upper	explosion limit	:	No data available	9
	Lower	explosion limit	:	No data available	9
	Vapor p	oressure	:	No data available	9
	Relativ	e vapor density	:	No data available	9
	Density	/	:	0.881 g/cm3	
	Solubili Wate	ity(ies) er solubility	:	soluble	
	Partitio octanol	n coefficient: n- /water	:	Not applicable	
	Autoigr	nition temperature	:	No data available	9
	Decom	position temperature	:	The substance o	r mixture is not classified self-reactive.
	Viscosi Visco	ty osity, kinematic	:	3,500 - 23,000 m	m2/s (20 °C)
	Explosi	ve properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	 Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.



Version 1.2	Revision Date: 03/18/2015		DS Number: 799-00003	Date of last issue: 02/10/2015 Date of first issue: 12/12/2014
SECTION	11. TOXICOLOGICA	L INFC	RMATION	
Inhala Skin Inges	contact	es of e	exposure	
Acut	e toxicity			
Not c	lassified based on ava	ailable i	nformation.	
Prod				
Acute	e oral toxicity	:	Acute toxicity e Method: Calcul	stimate: > 5,000 mg/kg ation method
	edients:			
Etha Acute	e oral toxicity	:	LD50 (Rat): > 5	i,000 mg/kg
Acute	e inhalation toxicity	:	LC50 (Rat): 12 Exposure time: Test atmosphe	4 h
	an-2-ol:			000 ma/ka
Acute	e oral toxicity	•	LD50 (Rat): > 5	5,000 mg/kg
Acute	e inhalation toxicity	:	LC50 (Rat): 72 Exposure time: Test atmosphe	4 h
Acute	e dermal toxicity	:	LD50 (Rat): > 5	i,000 mg/kg
Skin	corrosion/irritation			
Not c	lassified based on ava	ailable i	nformation.	
Prod	<u>uct:</u>			
Resu	lt: No skin irritation			
Inara	diante			
Etha	edients: nol:			
Lina				

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Propan-2-ol:

Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Ingredients:



Version 1.2	Revision Date: 03/18/2015		SDS Number: 3799-00003	Date of last issue: 02/10/2015 Date of first issue: 12/12/2014			
Spe Res	anol: cies: Rabbit ult: Irritation to eyes, rev nod: OECD Test Guideli						
Spe	o an-2-ol: cies: Rabbit ult: Irritation to eyes, rev	ersin	g within 21 days				
Skin	piratory or skin sensiti sensitization: Not class piratory sensitization: No	ified	based on available				
	<u>duct:</u> essment: Does not caus	e ski	n sensitization.				
Etha Test Rou Spe	Ingredients: Ethanol: Test Type: Local lymph node assay (LLNA) Routes of exposure: Skin contact Species: Mouse Result: negative						
Test Rou Spe Meti	pan-2-ol: : Type: Buehler Test tes of exposure: Skin co cies: Guinea pig nod: OECD Test Guideli ult: negative						
	Germ cell mutagenicity Not classified based on available information.						
Ingr	edients:						
	anol: otoxicity in vitro	:	Test Type: In vitr Result: negative	o mammalian cell gene mutation test			
Gen	otoxicity in vivo	:	Test Type: Rode Species: Mouse Application Route Result: negative	nt dominant lethal test (germ cell) (in vivo) e: Ingestion			
	oan-2-ol: otoxicity in vitro	:	Test Type: Bacte Result: negative	erial reverse mutation assay (AMES)			
Gen	otoxicity in vivo	:	cytogenetic assa Species: Mouse	malian erythrocyte micronucleus test (in vivo y) e: Intraperitoneal injection			



sion	Revision Date: 03/18/2015	MSDS Number: 36799-00003	Date of last issue: 02/10/2015 Date of first issue: 12/12/2014		
	i nogenicity lassified based on availa	ble information.			
Propa Speci Applic Expos Metho	edients: an-2-ol: ies: Rat cation Route: inhalation (sure time: 104 weeks od: OECD Test Guideline lt: negative	,			
IARC	· ·	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.			
OSH	A	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcin gen by OSHA.			
NTP		No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoge by NTP.			
Not cl	oductive toxicity lassified based on availa dients:	ble information.			
Ethar Effect	n ol: ts on fertility	Species: Mouse Application Rou	ite: Ingestion Test Guideline 416		
	an-2-ol: ts on fertility	: Test Type: Two Species: Rat Application Rou Result: negative			
Effect	ts on fetal development	: Test Type: Emb Species: Rat Application Rou Result: negative			
		-			
	F-single exposure lassified based on availa	ble information.			

Assessment: May cause drowsiness or dizziness.



Date of last issue: 02/10/2015 Date of first issue: 12/12/2014

PURELL® Advanced Hand Sanitizer

Version	Revision Date:	MSDS Number:
1.2	03/18/2015	36799-00003

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Ethanol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Propan-2-ol:

Species: Rat NOAEL: 5000 ppm Application Route: inhalation (vapor) Exposure time: 104 w Method: OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients: Ethanol: Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l
Toxicity to daphnia and other		Exposure time: 96 h EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
aquatic invertebrates		Exposure time: 48 h
Toxicity to algae	:	EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	:	EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Propan-2-ol: Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
Toxicity to algae	:	ErC50 (Scenedesmus quadricauda (Green algae)): > 1,800 mg/l



sion	Revision Date: 03/18/2015	MSDS Number: 36799-00003	Date of last issue: 02/10/2015 Date of first issue: 12/12/2014
		Exposure tim	ne: 8 d
Toxici	ty to bacteria	: EC50 (Pseud Exposure tim	domonas putida): > 1,050 mg/l le: 16 h
Persi	stence and degrada	bility	
Ingre	dients:		
Ethar Biode	iol: gradability	: Result: Read Biodegradati Exposure tim	
	an-2-ol: gradability	: Result: rapid	ly degradable
Bioac	cumulative potentia	I	
Ingre	dients:		
	iol: on coefficient: n- ol/water	: log Pow: -0.3	5
Propa	an-2-ol:		
	on coefficient: n- ol/water	: log Pow: 0.0	5
Mobil	ity in soil		
	ta available		
Other	adverse effects		
No da	ta available		

Disposal methods Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UN number	:	UN 1987
Proper shipping name	:	ALCOHOLS, N.O.S.



Version 1.2	Revision Date: 03/18/2015	MSDS Number: 36799-00003	Date of last issue: 02/10/2015 Date of first issue: 12/12/2014	
Labe IATA UN/II Propo Class Pack Labe Pack aircra Pack	ing group Is -DGR D No. er shipping name s ing group Is ing instruction (cargo aft) ing instruction	(Ethanol, Prop : 3 : III : 3 : UN 1987 : Alcohols, n.o.s (Ethanol, Prop : 3 : III : Flammable Liq : 366 : 355	an-2-ol)	
IMDC UN n Prope Class Pack Labe EmS	ing group	: UN 1987 : ALCOHOLS, N (Ethanol, Prop : 3 : III : 3 : F-E, S-D : no		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied. Domestic regulation				
49 C I UN/II	-	: UN 1987 : ALCOHOLS, N	I.O.S.	
Class Pack Labe	ing group	: 3 : III : FLAMMABLE	LIQUID	

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

: 127

: no

CERCLA Reportable Quantity

ERG Code

Marine pollutant

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard



ersion 2	Revision Date: 03/18/2015	MSDS Number: 36799-00003	Date of last issue: 02/10/2 Date of first issue: 12/12/2			
		Acute Health	Hazard			
SARA 302 :			No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.			
SAR	A 313		: The following components are subject to reporting levels established by SARA Title III, Section 313:			
		Propan-2-ol	67-63-0	3.4086 %		
US S	tate Regulations					
Penn	sylvania Right To K	now				
	Ethanol		64-17-5	50 - 70 %		
	Water		7732-18-5	30 - 50 %		
	Propan-2-	ol	67-63-0	1 - 5 %		
New	Jersey Right To Kno	w				
	Ethanol		64-17-5	50 - 70 %		
	Water		7732-18-5	30 - 50 %		
	Propan-2-	ol	67-63-0	1 - 5 %		
Calif	ornia Prop 65	State of Calif	This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.			


AICS

: All ingredients listed or exempt.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)






SECTION 16. OTHER INFORMATION

Further information



Health





4 = Extreme, * = Chronic

Full text of other abbreviations

	USA. ACGIH Threshold Limit Values (TLV)
:	ACGIH - Biological Exposure Indices (BEI)
:	USA. NIOSH Recommended Exposure Limits
:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
:	8-hour, time-weighted average
:	Short-term exposure limit
:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
:	8-hour time weighted average
:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
:	03/18/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8