# SAFETY DATA SHEET

## 1. Identification

**Product identifier** C6602R Other means of identification Not available. Recommended use Inkjet printing **Recommended restrictions** None known.

**Company identification** 

**Hewlett-Packard Company** 3000 Hanover Street Palo Alto, CA 94304-1185 **United States** 

Telephone 650-857-5020

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

# 2. Hazard(s) identification

**Physical hazards** Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 

None. **Hazard symbol** Signal word None.

**Hazard statement** Not available.

**Precautionary statement** 

**Prevention** Not available. Response Not available. Not available. **Storage Disposal** Not available.

Hazard(s) not otherwise

classified (HNOC)

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

**Supplemental information** None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Water		7732-18-5	40-50
2-pyrrolidone		616-45-5	<30
Ethylene glycol		107-21-1	<30
Alkyldiol		Proprietary	<7.5
Red Colorant		Proprietary	<2.5

Material name: C6602R SDS US **Composition comments** 

This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

4. First-aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

Most important Not available.

symptoms/effects, acute and

delayed

# 5. Fire-fighting measures

Suitable extinguishing media

None known.

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Not applicable.

**Special protective equipment** 

and precautions for

firefighters

Not available.

Specific methods None established.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment.

Dry chemical, CO2, water spray or regular foam.

Methods and materials for containment and cleaning up Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

## 7. Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Conditions for safe storage,

including any incompatibilities Keep out of the reach of children. Keep away from excessive heat or cold.

## 8. Exposure controls/personal protection

#### **Occupational exposure limits**

**US. ACGIH Threshold Limit Values** 

Components	Туре	Value	Form
Ethylene glycol (CAS	Ceiling	100 mg/m3	Aerosol.

107-21-1)

**Biological limit values** No biological exposure limits noted for the ingredient(s). Exposure limits have not been established for this product. **Exposure guidelines** 

Appropriate engineering

Use in a well ventilated area.

controls

Individual protection measures, such as personal protective equipment

**Eye/face protection** Not available.

Skin protection

**Hand protection** Not available. Not available. Other Respiratory protection Not available. Thermal hazards Not available.

Material name: C6602R SDS US

9432 Version #: 01 Issue date: 16-Apr-2015

**General hygiene** considerations

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

**Appearance** liquid **Physical state** Liquid.

Color Red, Magenta Odor Not available. Not available. **Odor threshold** 7 - 7.4

Melting point/freezing point Not available. Initial boiling point and Not determined

boiling range

338.0 - 347.0 °F (170.0 - 175.0 °C) Closed Cup Flash point **Evaporation rate** Not determined

Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not determined

(%)

Flammability limit -

Not available.

upper (%)

**Explosive limit - lower** 

Not available.

(%)

**Explosive limit - upper** 

Not available.

(%)

Vapor pressure Not determined

Solubility(ies)

Solubility (water) Soluble in water **Partition coefficient** Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity** >= 2 cp

Other information For other VOC regulatory data/information see Section 15.

VOC (Weight %) < 578 g/l

10. Stability and reactivity

Reactivity Not available.

**Chemical stability** Stable under recommended storage conditions.

**Possibility of hazardous** 

reactions

Will not occur.

**Conditions to avoid** Not available.

**Incompatible materials** Incompatible with strong bases and oxidizing agents.

**Hazardous decomposition** Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

products dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met.

Material name: C6602R SDS US Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Specific target organ toxicity

- single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure

**Aspiration hazard Further information**  Based on available data, the classification criteria are not met. Complete toxicity data are not available for this specific formulation

**Species Components Test Results** 

**Acute** Oral LD50

2-pyrrolidone (CAS 616-45-5)

Guinea pig 6500 mg/kg Rat 6500 mg/kg

Ethylene glycol (CAS 107-21-1)

Acute Dermal

LD50 Rabbit 9530 mg/kg

Oral

LD50 Cat 1650 mg/kg 5500 mg/kg Dog

Guinea pig 8.2 g/kg Mouse 14.6 g/kg Rat 5.89 g/kg

Other

LD50 Mouse 5.8 g/kg

> Rat 2800 mg/kg

Red Colorant (CAS Proprietary)

**Acute** Oral

LD50 Rat <= 10000 mg/kg

# 12. Ecological information

EC50

#### **Ecotoxicity**

Product		Species	Test Results
C6602R (CAS Mixture)			
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 hours
Components		Species	Test Results

Material name: C6602R

Crustacea

9432 Version #: 01 Issue date: 16-Apr-2015

Water flea (Daphnia pulex)

13.21 mg/l, 48 hours

Components Species Test Results

Ethylene glycol (CAS 107-21-1)

**Aquatic** 

Fish LC50 Fathead minnow (Pimephales promelas) 8050 mg/l, 96 hours

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

2-pyrrolidone -0.85 Ethylene glycol -1.36

Mobility in soilNot available.Other adverse effectsNot available.

## 13. Disposal considerations

**Disposal instructions**Do not dispose of together with general office waste. Do not allow this material to drain into

sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

# 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

# 15. Regulatory information

**US TSCA 12(b):** Does not contain listed chemicals.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Ethylene glycol (CAS 107-21-1) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No Hazardous chemical

Material name: C6602R SDS US

Other federal regulations

Safe Drinking Water Act

(SDWA)

Not regulated.

#### **US state regulations**

#### **US. Massachusetts RTK - Substance List**

2-pyrrolidone (CAS 616-45-5) Ethylene glycol (CAS 107-21-1)

# **US. New Jersey Worker and Community Right-to-Know Act**

Ethylene glycol (CAS 107-21-1)

## **US. Pennsylvania Worker and Community Right-to-Know Law**

2-pyrrolidone (CAS 616-45-5) Ethylene glycol (CAS 107-21-1)

#### **US. Rhode Island RTK**

Ethylene glycol (CAS 107-21-1)

#### **US. California Proposition 65**

Not Listed.

**Other information** VOC content (less water, less exempt compounds) = <1018 q/L (U.S. requirement, not for

emissions)

VOC data based on formulation (Organic compounds minus solids)

**Regulatory information** All chemical substances in this HP product have been notified or are exempt from notification under

chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

China.

# 16. Other information, including date of preparation or last revision

**Issue date** 16-Apr-2015

Version # 01

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

**Revision Information** Product and Company Identification: Synonyms

Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

Ecological Information: Ecotoxicity
15. Regulatory Information: United States

Material Attributes & Uses; Experimental Data: Physical States

HazReg Data: Pacific Rim

**Manufacturer information** Hewlett-Packard Company

3000 Hanover Street

Palo Alto, California 94304-1112 US

Direct 1-650-857-5020

Material name: C6602R sps us

9432 Version #: 01 Issue date: 16-Apr-2015

# **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

REC Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

**TSCA** Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: C6602R SDS US 7/7

9432 Version #: 01 Issue date: 16-Apr-2015