RICOH InfoPrint Solutions

SAFETY DATA SHEET

1. Identification

Product identifier InfoPrint Color 17x7 High Yield Toner Cartridge; Cyan, InfoPrint Color 17x9 MFP High Yield

Toner Cartridge, Cyan

Other means of identification

Product code 39V2209, 39V2213

Synonyms Company Chemical No.: 940296210

Recommended use Toner for use in InfoPrint printers.

Recommended restrictions None known.

Manufacturer / Importer / Supplier / Distributor information

Company name Ricoh Company Ltd.
Address 6300 Diagonal Highway

Boulder, Colorado 80301-9270

U.S.A.

Telephone 1-866-213-4250
Website www.infoprint.com
E-mail msdsinfo@infoprint.com

Emergency phone number 1-760-476-3961; Access: 333114

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.
Hazard statement None.

Precautionary statement

PreventionObserve good industrial hygiene practices.ResponseGet medical attention/advice if you feel unwell.StorageStore away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

Fine particles may form explosive mixtures with air.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Styrene/acrylate copolymer	Trade Secret	60-70
Mn-Mg-Sr Ferrite powder	Trade Secret	10-20
Amorphous silica	Trade Secret	1-10
Polyolefin wax	Trade Secret	1-10
Red pigment	Trade Secret	1-10
Carbon black	1333-86-4	<1

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

4. First-aid measures

Inhalation If symptomatic, move to fresh air. Get medical attention if any discomfort continues.

Skin contact Wash skin with soap and water. Should dermal irritation or dermal sensitization occur, seek

medical attention. Not known to InfoPrint Solutions Company as a dermal irritant or dermal

sensitizer.

Eye contactDo not rub eyes. Flush thoroughly with water. If irritation occurs, get medical assistance. **Ingestion**Rinse mouth thoroughly if dust is ingested. Get medical attention if any discomfort continues.

Extinguish with foam, carbon dioxide, dry powder or water fog.

Most important

symptoms/effects, acute and

delayed

May cause abdominal discomfort if swallowed.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

None.

Specific hazards arising from

the chemical

- 1 Col

Special protective equipment and precautions for firefighters

Fire-fighting equipment/instructions

Dust may form explosive mixture with air. Fire or high temperatures create: Carbon oxides. Unidentified organic compounds.

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in

the workplace.

Avoid dust formation.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear necessary protective equipment. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Sweep or scoop up and remove. Avoid dust formation. Avoid sparks and prevent accumulation of electrostatic charges. Collect and dispose of spillage as indicated in section 13 of the SDS. Inform

authorities if large amounts are involved.

Environmental precautions Avoid discharge into water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid inhalation of dust. Avoid exposure to eyes, skin or clothing (will stain). Use with adequate ventilation. Wear necessary protective equipment. Use personal protection as recommended in Section 8 of the SDS. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in closed original container in a dry place. Keep away from heat, sparks and open flame. Store away from incompatible materials.

8. Exposure controls/personal protection

Occupational exposure limits

C-----

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	туре	Value	
Carbon black (CAS 1333-86-4)	PEL	3.5 mg/m3	
US. OSHA Table Z-3 (29 CFR 19	10.1000)		
Components	Туре	Value	
Amorphous silica (CAS Trade Secret)	TWA	0.8 mg/m3	
		20 mppcf	

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Carbon black (CAS	TWA	3 mg/m3	Inhalable fraction.
1333-86-4)			

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	
Amorphous silica (CAS Trade Secret)	TWA	6 mg/m3	
Carbon black (CAS 1333-86-4)	TWA	0.1 mg/m3	

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide adequate ventilation. Observe occupational exposure limits and minimize the risk of inhalation of dust and fumes. Where there is a potential for eye exposure to this substance, an eye wash fountain should be provided within the immediate work area for emergency use.

Individual protection measures, such as personal protective equipment

Eye/face protection If significant eye exposure is anticipated, the use of chemical safety goggles is recommended.

Skin protection

Hand protection If significant skin exposure is anticipated, appropriate gloves should be worn to prevent skin

contact with this substance. Suitable gloves can be recommended by the glove supplier.

Other No protection is ordinarily required under normal conditions of use.

Respiratory protection

No protection is ordinarily required under normal conditions of use and with adequate ventilation.

During dust-raising work: If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved air supplied air respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure

compliance with OSHA 29 CFR 1910.134.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid.
Form Powder.
Color Red.
Odor Faint.

Odor threshold Not available.

PH Not applicable.

Melting point/freezing point Not applicable.

Initial boiling point and boiling Not applicable.

range

Flash point Not applicable.

Evaporation rate Not applicable.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Vapor pressureNot applicable.Vapor densityNot applicable.Relative densityNot available.

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient Not applicable.

(n-octanol/water)

Auto-ignition temperatureNot applicable.Decomposition temperatureNot available.ViscosityNot applicable.

10. Stability and reactivity

Reactivity The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable under normal temperature conditions.

Possibility of hazardous Hazardous polymerization does not occur.

Possibility of nazardous

reactions

Conditions to avoid Heat, sparks, flames.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Carbon oxides. Unidentified organic compounds.

11. Toxicological information

Information on likely routes of exposure

No harmful effects expected in amounts likely to be ingested by accident. Ingestion Inhalation Respiratory tract irritation may occur with exposure to large amounts of dust.

Skin contact Not known to Ricoh Production Print Solutions Company as a dermal irritant or dermal sensitizer.

Eve contact May cause irritation through mechanical abrasion.

Symptoms related to the physical, chemical and toxicological characteristics May cause discomfort if swallowed.

Information on toxicological effects

Acute toxicity As with exposure to high concentrations of any dust, irritation of the respiratory tract may occur.

Persons with certain pre-existing upper respiratory disorders, such as bronchitis or asthma have

an increased risk of irritation.

Skin corrosion/irritation No data available.

Serious eye damage/eye

irritation

May cause temporary eye irritation.

Respiratory or skin sensitization

No data available. Respiratory sensitization

Not known to Ricoh Production Print Solutions Company as a dermal irritant or dermal sensitizer. Skin sensitization

Germ cell mutagenicity No data available.

Pure carbon black, a minor component of this product, is not classified as hazardous when bound Carcinogenicity

in toner polymers.

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS Trade Secret) 3 Not classifiable as to carcinogenicity to humans.

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Reproductive toxicity No data available.

Specific target organ toxicity -

single exposure

No data available.

Specific target organ toxicity -

repeated exposure

No data available.

Aspiration hazard No data available.

Chronic exposure may cause potential risk of irreversible pulmonary effects. Chronic exposure is **Chronic effects**

highly unlikely when this product is used as intended.

Further information Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

12. Ecological information

Ecotoxicity The product components are not classified as environmentally hazardous. However, this does not

exclude the possibility that large or frequent spills can have a harmful or damaging effect on the

environment.

Persistence and degradability No data available. No data available. **Bioaccumulative potential** No data available. Mobility in soil

Mobility in general The product is insoluble in water.

Other adverse effects No data available.

13. Disposal considerations

Disposal instructions Do not discharge into drains or the environment, please contact your local municipality / waste

handler for disposal requirements.

Hazardous waste code Not regulated.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is hazardous according to OSHA 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Nο

Hazard categories Immediate Hazard - No

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations WARNING: This product contains chemicals known to the State of California to cause birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Amorphous silica (CAS Trade Secret) Carbon black (CAS 1333-86-4)

US. New Jersey Worker and Community Right-to-Know Act

Amorphous silica (CAS Trade Secret) Carbon black (CAS 1333-86-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Amorphous silica (CAS Trade Secret) Carbon black (CAS 1333-86-4)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Carbon black (CAS 1333-86-4)

16. Other information, including date of preparation or last revision

Issue date 31-March-2014

Revision date - 01

NFPA Ratings



Disclaimer

The information provided on this SDS is correct to the best of Ricoh Production Print Solutions Company's knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty, either express or implied, regarding the accuracy of the data or information contained herein. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Ricoh, InfoPrint and the Infoprint logo are trademarks or registered trademarks of Ricoh Co., Ltd., in Japan, the United States and other countries, and are used under license from the trademark owner.