SAFETY DATA SHEET



Issuing Date 24-Sep-2013 Revision Date 17-Mar-2016 Revision Number 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name SCRUBS® Graffiti & Paint Remover Towels

Other means of identification

Product Code(s) 90101, 90130

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Graffiti Remover

Uses advised against None reasonably foreseeable

Supplier's details

Supplier Address ITW PRO BRANDS 805 E. Old 56 Highway Olathe, KS 66061 TEL: 1-800-443-9536

Emergency telephone number

Emergency Telephone

Number

800-535-5053 Infotrac

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

Serious Eye Damage/Eye Irritation	Category 2
Specific Target Organ Systemic Toxicity (Single Exposure)	Category 3
Flammable liquids	Category 2

GHS Label elements, including precautionary statements

Emergency Overview

|--|

Hazard Statements

- Causes serious eye irritation
- May cause drowsiness or dizziness
- Highly flammable liquid and vapor.



Appearance Colorless.

Physical State Liquid.

Odor None.

Precautionary Statements

Prevention

- · Wash face, hands and any exposed skin thoroughly after handling.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- · Use only outdoors or in a well-ventilated area.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- · Keep container tightly closed.
- Ground/bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting/equipment.
- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Wear protective gloves/protective clothing/eye protection/face protection.
- · Keep cool.

General Advice

None

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.

Skin

• IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion

• None

Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction.

Spills and Leaks

• None

Storage

- Store in a well-ventilated place. Keep container tightly closed.
- · Store locked up.

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable.

Other information

Harmful to aquatic life with long lasting effects.

50.406% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Dimethyl adipate	627-93-0	10-30	*
Dimethyl glutarate	1119-40-0	10-30	*
Tripropylene glycol monomethyl ether	25498-49-1	10-30	*
Propylene glycol monomethyl ether	107-98-2	7-13	*
Acetone	67-64-1	5-10	*
2-Butoxyethanol	111-76-2	5-10	*
n-Amyl acetate	628-63-7	1-5	*
Dimethyl succinate	106-65-0	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

irritation persists, call a physician.

Skin Contact Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. In the case of skin irritation or allergic reactions see a physician.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

Ingestion Not an expected route of exposure. If swallowed: Call a physician or Poison Control Center

immediately. Do not induce vomiting without medical advice. Never give anything by mouth

to an unconscious person.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO₂). Dry chemical. Water fog. Foam. Fire may float as if an oil fire.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

No information available.

Hazardous Combustion Products Soot. Smoke, Fume, Incomplete combustion products, Oxides of carbon.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

Use water spray to cool surrounding containers. Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment. ELIMINATE all ignition sources (no smoking, flares,

sparks or flames in immediate area).

Environmental Precautions

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas. Avoid release to the

environment. See Section 12 for additional Ecological Information. Dispose of

contents/container to an approved waste disposal plant.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Small spillage: Wipe up with absorbent material (e.g. cloth, fleece). Large spillage: Use a

non-combustible material like vermiculite, sand or earth to soak up the product and place

into a container for later disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Do not smoke. Use only with adequate

ventilation. Handle in accordance with good industrial hygiene and safety practice. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from open flames, hot surfaces and sources of ignition. Use only in an area containing flame

proof equipment.

Conditions for safe storage, including any incompatibilities

Storage Store in cool/well-ventilated place. Keep out of the reach of children. Keep container closed

when not in use. Keep away from heat and sources of ignition. Do not contaminate food or

feed stuffs.

Incompatible Products Strong alkalis. Acids. Oxidizing agents. Alkali metal hydroxides.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propylene glycol monomethyl ether	STEL: 150 ppm	(vacated) TWA: 100 ppm	TWA: 100 ppm
107-98-2	TWA: 100 ppm	(vacated) TWA: 360 mg/m ³	TWA: 360 mg/m ³
		(vacated) STEL: 150 ppm	STEL: 150 ppm
		(vacated) STEL: 540 mg/m ³	STEL: 540 mg/m ³
Acetone	STEL: 750 ppm	TWA: 1000 ppm	IDLH: 2500 ppm 10% LEL
67-64-1	TWA: 500 ppm	TWA: 2400 mg/m ³	TWA: 250 ppm
		(vacated) TWA: 750 ppm	TWA: 590 mg/m ³
		(vacated) TWA: 1800 mg/m ³	_
		(vacated) STEL: 2400 mg/m ³	
		The acetone STEL does not	
		apply to the cellulose acetate	
		fiber industry. It is in effect for all	
		other sectors	
		(vacated) STEL: 1000 ppm	

2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³
n-Amyl acetate 628-63-7	STEL: 100 ppm TWA: 50 ppm	TWA: 100 ppm TWA: 525 mg/m³ (vacated) TWA: 100 ppm (vacated) TWA: 525 mg/m³	IDLH: 1000 ppm TWA: 100 ppm TWA: 525 mg/m³

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Risk of contact, wear: Safety glasses with side-shields.

Skin and Body Protection Risk of contact: Impervious gloves.

Respiratory Protection None required under normal usage. If exposure limits are exceeded or irritation is

experienced, NIOSH/MSHA approved respiratory protection should be worn.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid. Appearance Colorless.

Odor None. Odor Threshold No information available.

Values Remarks/ - Method Property рΗ 6.3 None known Melting Point/Range No data available None known **Boiling Point/Boiling Range** 100 °C / 212 °F None known 16.67 °C / 62 °F **Flash Point** None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limits in Air upper flammability limit No data available No data available lower flammability limit

Vapor Pressure No data available None known **Vapor Density** > 1 None known **Specific Gravity** 0.986 None known Miscible with water **Water Solubility** None known No data available Solubility in other solvents None known Partition coefficient: n-octanol/waterNo data available None known No data available None known **Autoignition Temperature** No data available None known **Decomposition Temperature** No data available **Viscosity** None known

Flammable Properties Highly flammable liquid and vapor.

Explosive PropertiesNo data available **Oxidizing Properties**No data available

Other information

VOC Content (%) 30

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Incompatible products. Heat.

Incompatible materials

Strong alkalis. Acids. Oxidizing agents. Alkali metal hydroxides.

Hazardous decomposition products

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Soot.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Skin Contact

Inhalation May be harmful if inhaled.

Eye Contact Causes serious eye irritation. May cause eye irritation including redness, tearing, itching,

and swollen eyes. May cause irritation.

Ingestion Not an expected route of exposure. Harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetone	= 5800 mg/kg (Rat)	1700mg/kg (rabbit)	18892 mg/m³
2-Butoxyethanol	= 470 mg/kg (Rat)	= 400 mg/kg (Rabbit) = 2270 mg/kg (Rat)	= 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h
n-Amyl acetate	> 1600 mg/kg (Rat)	-	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

SensitizationNo information available.Mutagenic EffectsNo information available.

Carcinogenicity Contains no ingredients above reportable quantities listed as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to its Carcinogenicity to Humans

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product

Acute Toxicity 50.406% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral2190 mg/kg; Acute toxicity estimate **LD50 Dermal**2190 mg/kg; Acute toxicity estimate

Inhalation

gas 1581

dust/mist5.9 mg/L; Acute toxicity estimateVapor27 mg/L; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Dimethyl glutarate		LC50 96 h: 19.6-26.2 mg/L		EC50 48 h: 122.1 - 163.5
1119-40-0		static (Pimephales		mg/L (Daphnia magna)
		promelas)		
Tripropylene glycol		LC50 96 h: = 11619 mg/L		EC50 48 h: > 10 mg/L
monomethyl ether		static (Pimephales		(Daphnia magna)
25498-49-1		promelas)		
Propylene glycol		LC50 96 h: 4600-10000		EC50 48 h: = 23300 mg/L
monomethyl ether		mg/L static (Leuciscus idus)		(Daphnia magna)
107-98-2		LC50 96 h: = 20.8 g/L static		
		(Pimephales promelas)		
Acetone		LC50 96 h: 4.74 - 6.33 mL/L	EC50 = 14500 mg/L 15 min	EC50 48 h: 10294 - 17704
67-64-1		(Oncorhynchus mykiss)		mg/L Static (Daphnia
		LC50 96 h: 6210 - 8120		magna) EC50 48 h: 12600 -
		mg/L static (Pimephales		12700 mg/L (Daphnia
		promelas) LC50 96 h: =		magna)
		8300 mg/L (Lepomis		
		macrochirus)		
2-Butoxyethanol		LC50 96 h: = 1490 mg/L		EC50 24 h: 1698 - 1940
111-76-2		static (Lepomis macrochirus)		mg/L (Daphnia magna)
		LC50 96 h: = 2950 mg/L		EC50 48 h: > 1000 mg/L
		(Lepomis macrochirus)		(Daphnia magna)
n-Amyl acetate		LC50 96 h: = 650 mg/L static		
628-63-7		(Lepomis macrochirus)		
Dimethyl succinate		LC50 96 h: 50-100 mg/L		
106-65-0		static (Brachydanio rerio)		

Persistence and Degradability No information available.

Bioaccumulation No information available.

Chemical Name	Log Pow
Propylene glycol monomethyl ether	-0.437
Acetone	-0.24
2-Butoxyethanol	0.81
Dimethyl succinate	0.19

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations

Contaminated Packaging Do not re-use empty containers.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acetone - 67-64-1		Included in waste stream:		U002
		F039		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT

Proper shipping name Consumer commodity

Hazard Class ORM-D

Description Consumer commodity, ORM-D

IATA

UN-Number UN1263

Proper Shipping Name Paint related material

Hazard Class 3
Packing Group II
ERG Code 3L

Description UN1263, Paint related material, 3, II

IMDG/IMO

UN-Number UN1263

Proper Shipping Name Paint related material

Hazard Class 3
Packing Group

EmS No. F-E, S-E

Description UN1263, Paint related material, 3, II, (16.67°C c.c.)

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

IECSC -

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Tripropylene glycol monomethyl ether	25498-49-1	10-30	1.0
2-Butoxyethanol	111-76-2	5-10	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
n-Amyl acetate	5000 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Acetone	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
n-Amyl acetate	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Tripropylene glycol monomethyl ether			X	X	
Propylene glycol monomethyl ether	X	X	X		Х
Acetone	X	X	X		Х
2-Butoxyethanol	X	X	X	X	Х
n-Amyl acetate	X	X	X		X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
NFPA	Health Hazard 2	Flammability 3	Instability 0	Physical and Chemical Hazards -	
HMIS	Health Hazard 2	Flammability 3	Physical Hazard 0	Personal Protection X	

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501 24-Sep-2013

Issuing Date24-Sep-2013Revision Date17-Mar-2016(A) ORD-2016

Revision Note (M)SDS sections updated: 14.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet