# SAFETY DATA SHEET

# **KLEENEX® Moisturizing Instant Hand Sanitizer**

Version Revision Date: MSDS Number: Date of last issue: 08-10-2015
1.1 03-22-2016 100000003199 Date of first issue: 08-10-2015

#### **SECTION 1. IDENTIFICATION**

Product name : KLEENEX® Moisturizing Instant Hand Sanitizer

Product code : 31294, 32181, 33987, 33958, 34023, 35722, 35804, 36873,

37342, 39868, 91562, 91600, 93056, 45826

Manufacturer or supplier's details

Company name of supplier : Kimberly-Clark Corporation

Address : 1400 Holcomb Bridge Road,

Roswell, GA 30076-2199

Telephone : 1-888-346-6452

Emergency telephone : 1-877-561-6587

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable liquids : Category 2

Serious eye damage/eye

irritation

: Category 2B

**GHS Label element** 

Hazard pictograms



Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapor.

H320 Causes eye irritation.

Precautionary Statements : Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. -

No smoking. **Response:** 

P370 + P378 In case of fire: Use dry sand, dry chemical or alco-

hol-resistant foam to extinguish.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER or doctor/ physician.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.
Storage:

Version Revision Date: MSDS Number: Date of last issue: 08-10-2015
1.1 03-22-2016 100000003199 Date of first issue: 08-10-2015

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

#### Other hazards

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 65.1647 %

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### **Hazardous ingredients**

| Chemical Name | CAS-No. | Concentration (%) |
|---------------|---------|-------------------|
| Ethanol       | 64-17-5 | >= 50 - < 70      |
| Glycerol      | 56-81-5 | >= 1 - < 5        |

#### **SECTION 4. FIRST AID MEASURES**

General advice : No hazards which require special first aid measures.

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

In case of skin contact : Wash off with soap and water.

If symptoms persist, call a physician.

In case of eye contact : Flush eyes with water at least 15 minutes. Get medical atten-

tion if eye irritation develops or persists.

If swallowed, DO NOT induce vomiting.

Drink 1 or 2 glasses of water.

If symptoms persist, call a physician or Poison Control Center

immediately.

Most important symptoms and effects, both acute and

delayed

: No information available.

Notes to physician : No information available.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: Water spray jet

### SAFETY DATA SHEET

# **KLEENEX® Moisturizing Instant Hand Sanitiz**er

Version **Revision Date:** MSDS Number: Date of last issue: 08-10-2015 03-22-2016 Date of first issue: 08-10-2015 1.1 10000003199

Hazardous combustion prod-

ucts

: Carbon monoxide, carbon dioxide and unburned

hydrocarbons (smoke).

Specific extinguishing meth-

: Standard procedure for chemical fires.

Special protective equipment

for fire-fighters

: In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

tive equipment and emer-

gency procedures

Personal precautions, protec- : Not required under normal use.

No conditions to be specially mentioned.

#### **SECTION 7. HANDLING AND STORAGE**

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

| Ingredients | CAS-No. | Value type<br>(Form of<br>exposure)    | Control parameters / Permissible concentration | Basis     |
|-------------|---------|--|--|-----------|
| Ethanol     | 64-17-5 | TWA                                    | 1,000 ppm<br>1,900 mg/m3                       | OSHA Z-1  |
|             |         | TWA                                    | 1,000 ppm<br>1,900 mg/m3                       | OSHA P0   |
|             |         | TWA                                    | 1,000 ppm<br>1,900 mg/m3                       | NIOSH REL |
|             |         | STEL                                   | 1,000 ppm                                      | ACGIH     |
| Glycerol    | 56-81-5 | TWA (total dust)                       | 15 mg/m3                                       | OSHA Z-1  |
|             |         | TWA (respirable fraction)              | 5 mg/m3  | OSHA Z-1  |
|             |         | TWA (mist, respirable fraction)        | 5 mg/m3  | OSHA Z-1  |
|             |         | TWA (mist, total dust)                 | 15 mg/m3                                       | OSHA Z-1  |
|             |         | TWA (Mist -<br>total dust)             | 10 mg/m3                                       | OSHA P0   |
|             |         | TWA (Mist -<br>respirable<br>fraction) | 5 mg/m3  | OSHA P0   |

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

### SAFETY DATA SHEET

# **KLEENEX® Moisturizing Instant Hand Sanitizer**

Version Revision Date: MSDS Number: Date of last issue: 08-10-2015
1.1 03-22-2016 100000003199 Date of first issue: 08-10-2015

Appearance : gel

Color : white

Odor : pleasant

pH : 7

Melting point/range : -114 °C

Boiling point/boiling range : 78 °C

Flash point : 20 °C

Upper explosion limit : 19 %(V)

Lower explosion limit : 3.3 %(V)

Vapor pressure : 60 hPa

Solubility(ies)

Solubility in other solvents : completely soluble

#### **SECTION 10. STABILITY AND REACTIVITY**

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

# **Acute toxicity**

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Ingredients:

Ethanol:

Acute oral toxicity : LD50 (Rat, male and female): 10,470 mg/kg

Method: OECD Test Guideline 401

GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): 124.7 mg/l

Method: OECD Test Guideline 403

GLP: no

Glycerol:

Acute oral toxicity : LD50 Oral (Mouse, male): 23,000 mg/kg

Method: Acute toxicity estimate

GLP: no

Version Revision Date: MSDS Number: Date of last issue: 08-10-2015
1.1 03-22-2016 100000003199 Date of first issue: 08-10-2015

Acute inhalation toxicity : LC50 (Rat, male): > 2.75 mg/l

Method: Acute toxicity estimate

GLP: no

Acute dermal toxicity : LD50 Dermal (Guinea pig, male and female): 56,750 mg/kg

Method: Acute toxicity estimate

GLP: no

#### Skin corrosion/irritation

#### **Ingredients:**

#### **Ethanol:**

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

GLP: yes

#### Glycerol:

Species: Rabbit

Method: No information available.

Result: No skin irritation

GLP: no

#### Serious eye damage/eye irritation

#### **Ingredients:**

#### **Ethanol:**

Species: Rabbit Result: Eye irritation

Method: OECD Test Guideline 405

GLP: no

# Glycerol:

Species: Rabbit

Result: No eye irritation

Method: No information available.

GLP: no

#### Respiratory or skin sensitization

# **Ingredients:**

#### **Ethanol:**

Species: Mouse

Method: OECD Test Guideline 429

Result: Did not cause sensitization on laboratory animals.

GLP: no

# Germ cell mutagenicity

#### **Ingredients:**

#### Glycerol:

Genotoxicity in vitro : Result: negative

Version Revision Date: MSDS Number: Date of last issue: 08-10-2015
1.1 03-22-2016 100000003199 Date of first issue: 08-10-2015

### Carcinogenicity

#### **Ingredients:**

Glycerol:

Species: Rat, (male and female)

Application Route: Oral Exposure time: 24 month(s) Frequency of Treatment: 1 daily

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

# Reproductive toxicity

## **Ingredients:**

Glycerol:

Effects on fetal development : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

Dose: 2000 milligram per kilogram Frequency of Treatment: 1 daily

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

#### Ingredients:

Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l

Exposure time: 96 h

Test Type: flow-through test Method: No information available. GLP: No information available.

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l

Exposure time: 48 h

Test Type: static test

Method: No information available. GLP: No information available.

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 275

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 08-10-2015

 1.1
 03-22-2016
 100000003199
 Date of first issue: 08-10-2015

mg/l

Exposure time: 72 h Test Type: static test

Method: No information available. GLP: No information available.

Glycerol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l

Exposure time: 96 h Test Type: static test

Method: No information available.

GLP: no

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h Test Type: static test

Method: No information available.

GLP: no

### Persistence and degradability

Ingredients:

Glycerol:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

#### **SECTION 14. TRANSPORT INFORMATION**

### **International Regulation**

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

#### **SECTION 15. REGULATORY INFORMATION**

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 08-10-2015

 1.1
 03-22-2016
 100000003199
 Date of first issue: 08-10-2015

California Prop 65 : This product does not contain any chemicals known to the


State of California to cause cancer, birth, or any other

reproductive defects.

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

# NFPA:



#### HMIS III:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Revision Date : 03-22-2016

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8