

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 03/03/2014

Version: 1.0

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

<u>Product Identifier</u> <u>Product Form:</u> Mixture

Product Name: Nissen Feltip Paint Marker - All Colors

**Synonyms:** White Part# 00350, Yellow Part# 0351, Black Part# 00352, Red Part# 00353, Light Blue Part# 00354, Dark Blue Part# 00362, Green Part# 00355, Orange Part# 00356, Silver Part# 00357, Gold Part# 00358, Pink Part# 00359, Purple Part# 00360, Brown

Part# 00361, Gray Part# 00365, Fluorescent Orange Part# 00363, Fluroescent Green Part# 00364

**Intended Use of the Product** No additional information available

Name, Address, and Telephone of the Responsible Party

Company

J.P. Nissen Co.

2544 Fairhill Avenue Glenside, PA 19038

T 215-886-2025

F 215-886-0707

**Emergency Telephone Number** 

**Emergency number** : 1-800-424-9300

### **SECTION 2: HAZARDS IDENTIFICATION**

## **Classification of the Substance or Mixture**

#### Classification (GHS-US)

Flam. Liq. 3 H226 Skin Irrit. 2 H315 Muta, 1B H340 Carc. 1B H350 Repr. 2 H361 STOT SE 3 H336 STOT RE 2 H373 Asp. Tox. 1 H304 Aquatic Acute 1 H400 Aquatic Chronic 2 H411

# Label Elements GHS-US Labeling

Hazard Pictograms (GHS-US)



GHS07





Signal Word (GHS-US) : Danger

Hazard Statements (GHS-US) : H226 - Flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H336 - May cause drowsiness or dizziness

H340 - May cause genetic defects

H350 - May cause cancer

H361 - Suspected of damaging fertility or the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

03/03/2014 EN (English US) 1/24

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary Statements (GHS-US) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, sparks, open flames, hot surfaces. - No smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical, ventilating, and lighting equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P260 - Do not breathe vapors, mist, spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection, face protection, respiratory protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P312 - Call a POISON CENTER/doctor/physician if you feel unwell.

P314 - Get medical advice and attention if you feel unwell.

P321 - Specific treatment (see section 4).

P331 - If swallowed, do NOT induce vomiting.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P370+P378 - In case of fire: Use appropriate media for extinction.

P391 - Collect spillage.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to local, regional, national, territorial, provincial, and international regulations.

#### Other Hazards

Other Hazards Not Contributing to the Classification: Flammable vapors can accumulate in head space of closed systems. Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. Inhalation of dusts and fumes can cause metal fume fever. Symptoms can include a metallic or sweet taste in the mouth, sweating, shivering, headache, throat irritation, fever, chills, thirstiness, muscle aches, nausea, vomiting, weakness, fatigue, and shortness of breath.

**Unknown Acute Toxicity (GHS-US)** Not available

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## **Substances**

#### Mixture

Name	Product identifier	% (w/w)	Classification (GHS-US)
Solvent naphtha, petroleum, medium	(CAS No) 64742-88-7	30 - 35	Flam. Liq. 3, H226
aliphatic			Skin Irrit. 2, H315
			STOT SE 3, H336
			Asp. Tox. 1, H304
			Aquatic Acute 3, H402
			Aquatic Chronic 2, H411
Titanium dioxide	(CAS No) 13463-67-7	20 - 25	Comb. Dust

03/03/2014 2/24 EN (English US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Copper	(CAS No) 7440-50-8	20 - 25	Aquatic Acute 1, H400
••	,		Aquatic Chronic 3, H412
Aluminum	(CAS No) 7429-90-5	10 - 15	Comb. Dust
	,		Flam. Sol. 1, H228
			Water-react. 2, H261
			Aquatic Acute 1, H400
Solvent naphtha, petroleum, light aliphatic	(CAS No) 64742-89-8	10 - 15	Flam. Liq. 1, H224
, ,, , , , , , , , , , , , , , , , , , ,	,		Skin Irrit. 2, H315
			Muta. 1B, H340
			Carc. 1B, H350
			Repr. 2, H361
			STOT SE 3, H336
			Asp. Tox. 1, H304
			Aquatic Acute 2, H401
			Aquatic Chronic 2, H411
Butanamide, 2,2'-[(3,3'-dimethoxy[1,1'-	(CAS No) 6505-28-8	5 - 10	Comb. Dust
biphenyl]-4,4'-diyl)bis(azo)]bis[3-oxo-N-			
phenyl-			
C.I. Pigment Blue 15	(CAS No) 147-14-8	5 - 10	Not classified
Butanamide, 2,2'-[(3,3'-dichloro[1,1'-	(CAS No) 5468-75-7	1 - 5	Comb. Dust
biphenyl]-4,4'-diyl)bis(azo)]bis[N-(2-			
methylphenyl)-3-oxo-			
Xylenes (o-, m-, p- isomers)	(CAS No) 1330-20-7	1 - 5	Flam. Liq. 3, H226
			Acute Tox. 4 (Dermal), H312
			Acute Tox. 4 (Inhalation:vapour), H332
			Skin Irrit. 2, H315
			Eye Irrit. 2A, H319
			STOT SE 3, H335
			STOT RE 2, H373
			Asp. Tox. 1, H304
			Aquatic Acute 2, H401
Limestone	(CAS No) 1317-65-3	1 - 5	Not classified
Carbon black	(CAS No) 1333-86-4	1 - 5	Carc. 2, H351
Petroleum distillates, hydrotreated light	(CAS No) 64742-47-8	1 - 5	Flam. Liq. 3, H226
			Skin Irrit. 2, H315
			STOT SE 3, H336
			Asp. Tox. 1, H304
			Aquatic Acute 2, H401
			Aquatic Chronic 2, H411
Zinc	(CAS No) 7440-66-6	1 - 5	Comb. Dust
			Aquatic Acute 1, H400
	(CAS No) 1328-53-6		Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

### **SECTION 4: FIRST AID MEASURES**

### **Description of First Aid Measures**

General: Never give anything by mouth to an unconscious person. If exposed or concerned: Get medical advice/attention.

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.

03/03/2014 EN (English US) 3/24

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

### Most Important Symptoms and Effects Both Acute and Delayed

**General:** May cause cancer. Causes damage to organs. May cause genetic defects. Suspected of damaging fertility or the unborn child. Causes skin irritation. May cause drowsiness and dizziness. May be fatal if swallowed and enters airways.

**Inhalation:** May cause drowsiness or dizziness.

**Skin Contact:** Causes skin irritation. **Eye Contact:** May cause eye irritation.

Ingestion: May be fatal if swallowed and enters airways. Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: Not available

### Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

### **SECTION 5: FIREFIGHTING MEASURES**

#### **Extinguishing Media**

Suitable Extinguishing Media: Foam, dry chemical, carbon dioxide.

Unsuitable Extinguishing Media: Do not use extinguishing media containing water.

#### **Special Hazards Arising From the Substance or Mixture**

Fire Hazard: Flammable liquid and vapor.

**Explosion Hazard:** May form flammable/explosive vapor-air mixture. **Reactivity:** Hazardous reactions will not occur under normal conditions.

## **Advice for Firefighters**

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection. **Hazardous Combustion Products**: Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Sulfur oxides. Oxides of titanium. May liberate toxic gases. Hydrocarbons. Oxides of aluminum. Oxides of copper. Oxides of zinc.

**Other information:** Do not allow run-off from fire fighting to enter drains or water courses. Do not allow the product to be released into the environment.

#### **Reference to Other Sections**

Refer to section 9 for flammability properties.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Use special care to avoid static electric charges. Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid breathing (vapors, mist, spray). Use only outdoors or in a well-ventilated area. Do not allow product to spread into the environment. Avoid all contact with skin, eyes, or clothing.

#### **For Non-Emergency Personnel**

Protective Equipment: Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

#### **Environmental Precautions**

Prevent entry to sewers and public waters. Avoid release to the environment.

#### Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clear up spills immediately and dispose of waste safely. Collect spillage. Absorb and/or contain spill with inert material, then place in suitable container. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-sparking tools. Contact competent authorities after a spill.

03/03/2014 EN (English US) 4/24

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **Reference to Other Sections**

See heading 8, Exposure Controls and Personal Protection.

### **SECTION 7: HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

**Additional Hazards When Processed:** Handle empty containers with care because residual vapors are flammable. When heated to decomposition, emits toxic fumes. Use only non-sparking tools. Inhalation of fumes may cause metal fume fever.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Wash hands and forearms thoroughly after handling.

#### **Conditions for Safe Storage, Including Any Incompatibilities**

**Technical Measures:** Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment. Comply with applicable regulations.

**Storage Conditions:** Store in a well-ventilated place. Keep container tightly closed. Keep/Store away from extremely high or low temperatures, ignition sources, combustible materials, incompatible materials.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. Water. Halogenated compounds.

Specific End Use(s) Not available

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control Parameters**

Xylenes (o-, m-, p- isomers)	(1330-20-7)	
Mexico	OEL TWA (mg/m³)	435 mg/m³
Mexico	OEL TWA (ppm)	100 ppm
Mexico	OEL STEL (mg/m³)	655 mg/m³
Mexico	OEL STEL (ppm)	150 ppm
USA ACGIH	ACGIH TWA (ppm)	100 ppm
USA ACGIH	ACGIH STEL (ppm)	150 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	435 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	100 ppm
Alberta	OEL STEL (mg/m³)	651 mg/m³
Alberta	OEL STEL (ppm)	150 ppm
Alberta	OEL TWA (mg/m³)	434 mg/m³
Alberta	OEL TWA (ppm)	100 ppm
British Columbia	OEL STEL (ppm)	150 ppm
British Columbia	OEL TWA (ppm)	100 ppm
Manitoba	OEL STEL (ppm)	150 ppm
Manitoba	OEL TWA (ppm)	100 ppm
New Brunswick	OEL STEL (mg/m³)	651 mg/m³
New Brunswick	OEL STEL (ppm)	150 ppm
New Brunswick	OEL TWA (mg/m³)	434 mg/m³
New Brunswick	OEL TWA (ppm)	100 ppm
Newfoundland & Labrador	OEL STEL (ppm)	150 ppm
Newfoundland & Labrador	OEL TWA (ppm)	100 ppm
Nova Scotia	OEL STEL (ppm)	150 ppm
Nova Scotia	OEL TWA (ppm)	100 ppm
Nunavut	OEL STEL (mg/m³)	652 mg/m³
Nunavut	OEL STEL (ppm)	150 ppm
Nunavut	OEL TWA (mg/m³)	434 mg/m³
Nunavut	OEL TWA (ppm)	100 ppm
Northwest Territories	OEL STEL (mg/m³)	652 mg/m³
Northwest Territories	OEL STEL (ppm)	150 ppm
Northwest Territories	OEL TWA (mg/m³)	434 mg/m³

03/03/2014 EN (English US) 5/24

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

No atlanta Tamita di sa	OFL TIMA (manage)	100
Northwest Territories	OEL TWA (ppm)	100 ppm
Ontario	OEL STEL (ppm)	150 ppm
Ontario	OEL TWA (ppm)	100 ppm
Prince Edward Island	OEL STEL (ppm)	150 ppm
Prince Edward Island	OEL TWA (ppm)	100 ppm
Québec	VECD (mg/m³)	651 mg/m³
Québec	VECD (ppm)	150 ppm
Québec	VEMP (mg/m³)	434 mg/m³
Québec	VEMP (ppm)	100 ppm
Saskatchewan	OEL STEL (ppm)	150 ppm
Saskatchewan	OEL TWA (ppm)	100 ppm
Yukon	OEL STEL (mg/m³)	650 mg/m³
Yukon	OEL STEL (ppm)	150 ppm
Yukon	OEL TWA (mg/m³)	435 mg/m³
Yukon	OEL TWA (ppm)	100 ppm
Titanium dioxide (13463-67-	7)	
Mexico	OEL TWA (mg/m³)	10 mg/m³
Mexico	OEL STEL (mg/m³)	20 mg/m <sup>3</sup>
USA ACGIH	ACGIH TWA (mg/m³)	10 mg/m³
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³
USA IDLH	US IDLH (mg/m³)	5000 mg/m <sup>3</sup>
Alberta	OEL TWA (mg/m³)	10 mg/m³
British Columbia	OEL TWA (mg/m³)	3 mg/m³
Manitoba	OEL TWA (mg/m³)	10 mg/m <sup>3</sup>
New Brunswick	OEL TWA (mg/m³)	10 mg/m³
Newfoundland & Labrador	OEL TWA (mg/m³)	10 mg/m³
Nova Scotia	OEL TWA (mg/m³)	10 mg/m³
Nunavut	OEL TWA (mg/m³)	10 mg/m³ (total mass)
Northwest Territories	OEL TWA (mg/m³)	10 mg/m³ (total mass)
Ontario	OEL TWA (mg/m³)	10 mg/m³
Prince Edward Island	OEL TWA (mg/m³)	10 mg/m³
Québec	VEMP (mg/m³)	10 mg/m³ (containing no Asbestos and <1% Crystalline
		silica)
Saskatchewan	OEL STEL (mg/m³)	20 mg/m³
Saskatchewan	OEL TWA (mg/m³)	10 mg/m³
Yukon	OEL STEL (mg/m³)	20 mg/m³
Yukon	OEL TWA (mg/m³)	10 mg/m³
Limestone (1317-65-3)		
Mexico	OEL TWA (mg/m³)	10 mg/m³
Mexico	OEL STEL (mg/m³)	20 mg/m³
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m³
Alberta	OEL TWA (mg/m³)	10 mg/m³
British Columbia	OEL STEL (mg/m³)	20 mg/m³
British Columbia	OEL TWA (mg/m³)	3 mg/m³
New Brunswick	OEL TWA (mg/m³)	10 mg/m³
Nunavut	OEL TWA (mg/m³)	10 mg/m³ (total mass)
Northwest Territories	OEL TWA (mg/m³)	10 mg/m³ (total mass)
Québec	VEMP (mg/m³)	10 mg/m³ (Limestone, containing no Asbestos and <1%
- Quebec		Crystalline silica)
L	<u> </u>	1000

03/03/2014 EN (English US) 6/24

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1		
Saskatchewan	OEL STEL (mg/m³)	20 mg/m³
Saskatchewan	OEL TWA (mg/m³)	10 mg/m³
Yukon	OEL STEL (mg/m³)	20 mg/m³
Yukon	OEL TWA (mg/m³)	10 mg/m³
Carbon black (1333-86-4)		
Mexico	OEL TWA (mg/m³)	3.5 mg/m <sup>3</sup>
Mexico	OEL STEL (mg/m³)	7 mg/m³
USA ACGIH	ACGIH TWA (mg/m³)	3 mg/m³
USA OSHA	OSHA PEL (TWA) (mg/m³)	3.5 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (TWA) (mg/m³)	0.1 mg/m³ (Carbon black in presence of Polycyclic aromatic
	· · · · · ·	hydrocarbons)
USA IDLH	US IDLH (mg/m³)	1750 mg/m³
Alberta	OEL TWA (mg/m³)	3.5 mg/m <sup>3</sup>
British Columbia	OEL TWA (mg/m³)	3 mg/m³
Manitoba	OEL TWA (mg/m³)	3 mg/m³
New Brunswick	OEL TWA (mg/m³)	3.5 mg/m <sup>3</sup>
Newfoundland & Labrador	OEL TWA (mg/m³)	3 mg/m³
Nova Scotia	OEL TWA (mg/m³)	3 mg/m³
Nunavut	OEL STEL (mg/m³)	7 mg/m³
Nunavut	OEL TWA (mg/m³)	3.5 mg/m <sup>3</sup>
Northwest Territories	OEL STEL (mg/m³)	7 mg/m³
Northwest Territories	OEL TWA (mg/m³)	3.5 mg/m <sup>3</sup>
Ontario	OEL TWA (mg/m³)	3 mg/m³
Prince Edward Island	OEL TWA (mg/m³)	3 mg/m³
Québec	VEMP (mg/m³)	3.5 mg/m³
Saskatchewan	OEL STEL (mg/m³)	7 mg/m³
Saskatchewan	OEL TWA (mg/m³)	3.5 mg/m³
Yukon	OEL STEL (mg/m³)	7 mg/m³
Yukon	OEL TWA (mg/m³)	3.5 mg/m³
Petroleum distillates, hydrot	reated light (64742-47-8)	<u>.                                      </u>
British Columbia	OEL TWA (mg/m³)	200 mg/m³ (application restricted to conditions in which
British Columbia	322 · · · · · · (6/ /	there are negligible aerosol exposures)
Copper (7440-50-8)		there are megnigiate actions exposures,
Mexico	OEL TWA (mg/m³)	1 mg/m³
Mexico	OEL TWA (IIIg/III )  OEL STEL (mg/m³)	2 mg/m³
USA ACGIH	ACGIH TWA (mg/m³)	0.2 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (mg/m³)	1 mg/m³
USA NIOSH	NIOSH REL (TWA) (mg/m³)	0.1 mg/m <sup>3</sup>
USA IDLH	NIOSH KEL (TWA) (HIg/III )	0.1 mg/m
Alberta	LICIDI H /ma/m³\	$100 \text{ mg/m}^3$
British Columbia	US IDLH (mg/m³)	100 mg/m³
BITUSII COIUITIDIA	OEL TWA (mg/m³)	1 mg/m³
Manitoha	OEL TWA (mg/m³) OEL TWA (mg/m³)	1 mg/m³ 0.2 mg/m³
Manitoba Now Prupswick	OEL TWA (mg/m³) OEL TWA (mg/m³) OEL TWA (mg/m³)	1 mg/m³ 0.2 mg/m³ 0.2 mg/m³
New Brunswick	OEL TWA (mg/m³) OEL TWA (mg/m³) OEL TWA (mg/m³) OEL TWA (mg/m³)	1 mg/m³ 0.2 mg/m³ 0.2 mg/m³ 1 mg/m³
New Brunswick Newfoundland & Labrador	OEL TWA (mg/m³)	1 mg/m³ 0.2 mg/m³ 0.2 mg/m³ 1 mg/m³ 0.2 mg/m³
New Brunswick Newfoundland & Labrador Nova Scotia	OEL TWA (mg/m³)	1 mg/m³ 0.2 mg/m³ 0.2 mg/m³ 1 mg/m³ 0.2 mg/m³ 0.2 mg/m³
New Brunswick Newfoundland & Labrador Nova Scotia Nunavut	OEL TWA (mg/m³)	1 mg/m³ 0.2 mg/m³ 0.2 mg/m³ 1 mg/m³ 0.2 mg/m³ 0.2 mg/m³ 2 mg/m³
New Brunswick Newfoundland & Labrador Nova Scotia Nunavut Nunavut	OEL TWA (mg/m³)	1 mg/m³ 0.2 mg/m³ 0.2 mg/m³ 1 mg/m³ 0.2 mg/m³ 0.2 mg/m³ 1.2 mg/m³ 0.4 mg/m³ 1.5 mg/m³
New Brunswick Newfoundland & Labrador Nova Scotia Nunavut Nunavut Northwest Territories	OEL TWA (mg/m³) OEL STEL (mg/m³) OEL STEL (mg/m³)	1 mg/m³ 0.2 mg/m³ 0.2 mg/m³ 1 mg/m³ 0.2 mg/m³ 0.2 mg/m³ 2 mg/m³ 2 mg/m³ 2 mg/m³ 2 mg/m³
New Brunswick Newfoundland & Labrador Nova Scotia Nunavut Nunavut	OEL TWA (mg/m³)	1 mg/m³ 0.2 mg/m³ 0.2 mg/m³ 1 mg/m³ 0.2 mg/m³ 0.2 mg/m³ 1.2 mg/m³ 0.4 mg/m³ 1.5 mg/m³

03/03/2014 EN (English US) 7/24

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Prince Edward Island	OEL TWA (mg/m³)	0.2 mg/m <sup>3</sup>
Québec	VEMP (mg/m³)	1 mg/m³
Saskatchewan	OEL STEL (mg/m³)	3 mg/m³
Saskatchewan	OEL TWA (mg/m³)	1 mg/m³
Yukon	OEL STEL (mg/m³)	2 mg/m³
Yukon	OEL TWA (mg/m³)	1 mg/m³
Aluminum (7429-90-5)		
Mexico	OEL TWA (mg/m³)	10 mg/m <sup>3</sup>
USA ACGIH	ACGIH TWA (mg/m³)	1 mg/m³
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³
USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m³
Alberta	OEL TWA (mg/m³)	10 mg/m³
British Columbia	OEL TWA (mg/m³)	1.0 mg/m³
Manitoba	OEL TWA (mg/m³)	1 mg/m³
New Brunswick	OEL TWA (mg/m³)	10 mg/m³
Newfoundland & Labrador	OEL TWA (mg/m³)	1 mg/m³
Nova Scotia	OEL TWA (mg/m³)	1 mg/m³
Nunavut	OEL STEL (mg/m³)	20 mg/m <sup>3</sup>
Nunavut	OEL TWA (mg/m³)	10 mg/m³
Northwest Territories	OEL STEL (mg/m³)	20 mg/m <sup>3</sup>
Northwest Territories	OEL TWA (mg/m³)	10 mg/m³
Ontario	OEL TWA (mg/m³)	1 mg/m³
Prince Edward Island	OEL TWA (mg/m³)	1 mg/m³
Québec	VEMP (mg/m³)	10 mg/m <sup>3</sup>
Saskatchewan	OEL STEL (mg/m³)	20 mg/m <sup>3</sup>
Saskatchewan	OEL TWA (mg/m³)	10 mg/m³

## **Exposure Controls**

**Appropriate Engineering Controls:** Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Take precautionary measures against static discharges. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases/vapours may be released. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.









Materials for Protective Clothing: Chemically resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.

Hand Protection: Wear chemically resistant protective gloves.

**Eye Protection:** Chemical goggles or safety glasses.

Skin and Body Protection: Wear suitable protective clothing.

**Respiratory Protection:** Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations of vapor or mist

are expected to exceed exposure limits.

**Thermal Hazard Protection:** Wear suitable protective clothing. **Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### **Information on Basic Physical and Chemical Properties**

Physical State : Liquid

**Appearance** : White, viscous liquid

Odor: AromaticOdor Threshold: Not availablepH: Not available

03/03/2014 EN (English US) 8/24

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative Evaporation Rate (butylacetate=1) : Not available

Relative evaporation rate (ether=1) : (Slower than Ethyl Ether)

Melting Point: Not availableFreezing Point: Not available

**Boiling Point** : 118.9 - 206.7 °C (246°F-404°F)

Flash Point: 23.9 °C (75°F)Auto-ignition Temperature: Not availableDecomposition Temperature: Not availableFlammability (solid, gas): Not available

Lower Flammable Limit: 7 % (Explosive limit)Upper Flammable Limit: 1 % (Explosive limit)Vapor Pressure: 6.2 mm Hg (@20°C (68°F))

**Relative Vapor Density at 20 °C** : Heavier than air **Relative Density** : Not available

Specific Gravity : < 1

Solubility: Not availableLog Pow: Not availableLog Kow: Not availableViscosity, Kinematic: Not availableViscosity, Dynamic: Not availableExplosion Data – Sensitivity to Mechanical Impact: Not availableExplosion Data – Sensitivity to Static Discharge: Not available

#### **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity:** Hazardous reactions will not occur under normal conditions.

Chemical Stability: Flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

Conditions to Avoid: Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks. Incompatible

materials.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. Water. Halogenated compounds.

**Hazardous Decomposition Products:** Carbon oxides (CO, CO2). May release flammable gases. Oxides of titanium. Nitrogen oxides. Sulfur oxides. Oxides of copper. Oxides of zinc. Oxides of aluminum. Hydrocarbons.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### Information on Toxicological Effects - Product

Acute Toxicity: Not classified LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Causes skin irritation.
Serious Eye Damage/Irritation: Not classified
Respiratory or Skin Sensitization: Not classified
Germ Cell Mutagenicity: May cause genetic defects.

**Teratogenicity:** Not available **Carcinogenicity:** May cause cancer.

Specific Target Organ Toxicity (Repeated Exposure): May cause damage to organs through prolonged or repeated exposure.

Reproductive Toxicity: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity (Single Exposure): May cause drowsiness or dizziness.

**Aspiration Hazard:** May be fatal if swallowed and enters airways.

**Symptoms/Injuries After Inhalation:** May cause drowsiness or dizziness.

Symptoms/Injuries After Skin Contact: Causes skin irritation.

Symptoms/Injuries After Eye Contact: May cause eye irritation.

03/03/2014 EN (English US) 9/24

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Symptoms/Injuries After Ingestion:** May be fatal if swallowed and enters airways. Ingestion is likely to be harmful or have adverse effects.

## Information on Toxicological Effects - Ingredient(s)

#### LD50 and LC50 Data:

LD30 and LC30 Data.		
Xylenes (o-, m-, p- isomers) (1330-20-7)		
LD50 Oral Rat	4300 mg/kg	
LC50 Inhalation Rat (mg/l)	47635 mg/l/4h (Exposure time: 4 h)	
LC50 Inhalation Rat (ppm)	6247 ppm/4h (species: Sprague-Dawley)	
ATE (oral)	4300.000 mg/kg body weight	
ATE (dermal)	1100.000 mg/kg body weight	
ATE (gases)	6247.000 ppmV/4h	
ATE (vapors)	11.000 mg/l/4h	
Titanium dioxide (13463-67-7)		
LD50 Oral Rat	> 10000 mg/kg	
Solvent naphtha, petroleum, medium aliphatic (647	742-88-7)	
LD50 Oral Rat	> 5000 mg/kg	
LD50 Dermal Rabbit	3000 mg/kg	
LC50 Inhalation Rat (mg/l)	> 5.28 mg/l/4h	
Petroleum distillates, hydrotreated light (64742-47-	-8)	
LD50 Oral Rat	> 5000 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
LC50 Inhalation Rat (mg/l)	> 5.2 mg/l/4h	
C.I. Pigment Green 7 (1328-53-6)		
LD50 Oral Rat	> 3000 mg/kg	
Solvent naphtha, petroleum, light aliphatic (64742-89-8)		
LD50 Dermal Rabbit	3000 mg/kg	
Xylenes (o-, m-, p- isomers) (1330-20-7)		
IARC Group	3	
Titanium dioxide (13463-67-7)		
IARC Group	2B	
Carbon black (1333-86-4)		
IARC Group	2B	
Solvent naphtha, petroleum, medium aliphatic (647	742-88-7)	
National Toxicity Program (NTP) Status	Evidence of Carcinogenicity.	

## **SECTION 12: ECOLOGICAL INFORMATION**

## **Toxicity**

**Ecology - General:** Toxic to aquatic life with long lasting effects.

Xylenes (o-, m-, p- isomers) (1330-20-7)	
LC50 Fish 1	13.4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	3.82 mg/l (Exposure time: 48 h - Species: water flea)
LC 50 Fish 2	2.661 (2.661 - 4.093) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 2	(Exposure time: 48 h - Species: Gammarus lacustris)
Carbon black (1333-86-4)	
LC50 Fish 1	5601 mg/l
EC50 Daphnia 1	5600 mg/l (Exposure time: 24 h - Species: Daphnia magna)

03/03/2014 EN (English US) 10/24

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Solvent naphtha, petroleum, medium a	liphatic (64742-88-7)
LC50 Fish 1	800 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	> 100 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Other Aquatic Organisms 1	450 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata)
Petroleum distillates, hydrotreated light	t (64742-47-8)
LC50 Fish 1	45 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC 50 Fish 2	2.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
Zinc (7440-66-6)	
LC50 Fish 1	2.16 - 3.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	0.139 - 0.908 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 Other Aquatic Organisms 1	0.11 - 0.271 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata [static])
LC 50 Fish 2	0.211 - 0.269 mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-static])
EC50 Other Aquatic Organisms 2	0.09 - 0.125 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata [static])
C.I. Pigment Green 7 (1328-53-6)	
LC50 Fish 1	752.4 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
Copper (7440-50-8) LC50 Fish 1	0.0068 (0.0068 - 0.0156) mg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 Pish 1 EC50 Daphnia 1	0.0068 (0.0068 - 0.0156) fig/1 (Exposure time: 96 ft - Species: Prinephales profileras)  0.03 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 Other Aquatic Organisms 1	0.0426 (0.0426 - 0.0535) mg/l (Exposure time: 72 h - Species: Pseudokirchneriella
LC30 Other Aquatic Organisms 1	subcapitata [static])
LC 50 Fish 2	0.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Other Aquatic Organisms 2	0.031 (0.031 - 0.054) mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata
Less strict Aquatic organisms 2	[static])
Solvent naphtha, petroleum, light alipha	atic (64742-89-8)
EC50 Other Aquatic Organisms 1	4700 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata)
Persistence and Degradability	
Nissen Feltip Paint Marker - All Colors	
Persistence and Degradability	May cause long-term adverse effects in the environment.
Copper (7440-50-8)	<u> </u>
Persistence and Degradability	Not readily biodegradable.
Bioaccumulative Potential	, ,
Nissen Feltip Paint Marker - All Colors	
Bioaccumulative Potential	Not established.
Xylenes (o-, m-, p- isomers) (1330-20-7)	Trot established.
BCF fish 1	0.6 (0.6 - 15)
Log Pow	2.77 - 3.15
Solvent naphtha, petroleum, medium a	(bioaccumulation expected)
Petroleum distillates, hydrotreated light	
BCF fish 1	61 - 159
	01 133
C.I. Pigment Blue 15 (147-14-8)	0.2 44
BCF fish 1	0.3 - 11
Log Pow	6.6 (at 25 °C)
C.I. Pigment Green 7 (1328-53-6)	Table 2.
BCF fish 1	0.51 - 74

**Mobility in Soil** Not available

03/03/2014 EN (English US) 11/24

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **Other Adverse Effects**

Other Information: Avoid release to the environment.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Additional Information: Handle empty containers with care because residual vapors are flammable.

**Ecology – Waste Materials:** This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

#### **SECTION 14: TRANSPORT INFORMATION**

#### 14.1 In Accordance with DOT

**Proper Shipping Name** : CONSUMER COMMODITY

**Hazard Class** : 9 : ID8000 **Identification Number Label Codes** : 9 **ERG Number** : 171

14.2 In Accordance with IMDG **Proper Shipping Name** : PAINT **Hazard Class** : 3 **Identification Number** : UN1263

: 111 **Packing Group** : 3 **Label Codes** EmS-No. (Fire) : F-E EmS-No. (Spillage) : S-E

14.3 In Accordance with IATA

**Proper Shipping Name** : CONSUMER COMMODITY

**Identification Number** : ID8000 **Hazard Class** : 9 : 9 **Label Codes** ERG Code (IATA) : 9L

14.4 In Accordance with TDG

**Proper Shipping Name** : CONSUMER COMMODITY

**Hazard Class** : 9 **Identification Number** : ID8000 **Label Codes** 



#### **SECTION 15: REGULATORY INFORMATION**

## **US Federal Regulations**

Nissen Feltip Paint Marker - All Colors	
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard
	Fire hazard
	Immediate (acute) health hazard

## Butanamide, 2,2'-[(3,3'-dichloro[1,1'-biphenyl]-4,4'-diyl)bis(azo)]bis[N-(2-methylphenyl)-3-oxo- (5468-75-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## Butanamide, 2,2'-[(3,3'-dimethoxy[1,1'-biphenyl]-4,4'-diyl)bis(azo)]bis[3-oxo-N-phenyl- (6505-28-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Xylenes (o-, m-, p- isomers) (1330-20-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 313 (Specific toxic chemical listings)

Listed on State Section 313 (Specime toxic enemical istings)	
RQ (Reportable Quantity, Section 304 of EPA's List of Lists):	100 lb
SARA Section 313 - Emission Reporting	1.0 %

03/03/2014 EN (English US)









## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rule	s and Regulations		
Titanium dioxide (13463-67-7)			
Listed on the United States TSCA (Toxic Substances Control Act	c) inventory		
Limestone (1317-65-3)			
Listed on the United States TSCA (Toxic Substances Control Act	:) inventory		
Carbon black (1333-86-4)			
Listed on the United States TSCA (Toxic Substances Control Act	:) inventory		
Solvent naphtha, petroleum, medium aliphatic (64742-88-7)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
Petroleum distillates, hydrotreated light (64742-47-8)	Petroleum distillates, hydrotreated light (64742-47-8)		
Listed on the United States TSCA (Toxic Substances Control Act	c) inventory		
Zinc (7440-66-6)			
Listed on the United States TSCA (Toxic Substances Control Act	:) inventory		
Listed on SARA Section 313 (Specific toxic chemical listings)			
SARA Section 313 - Emission Reporting	1.0 % (dust or fume only)		
C.I. Pigment Blue 15 (147-14-8)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
C.I. Pigment Green 7 (1328-53-6)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
Copper (7440-50-8)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
Listed on SARA Section 313 (Specific toxic chemical listings)			

#### Aluminum (7429-90-5)

**SARA Section 313 - Emission Reporting** 

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 313 (Specific toxic chemical listings)

**SARA Section 313 - Emission Reporting** 1.0 % (dust or fume only)

### Solvent naphtha, petroleum, light aliphatic (64742-89-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### **US State Regulations**

os state negarations				
Titanium dioxide (13463-67-7)				
U.S California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of			
	California to cause cancer.			
Carbon black (1333-86-4)				
U.S California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of			
	California to cause cancer.			
Butanamide, 2,2'-[(3,3'-dichloro[1,1'-biphenyl]-4,4'-diyl)bis(azo)]bis[N-(2-methylphenyl)-3-oxo- (5468-75-7)				
U.S Texas - Effects Screening Levels - Long Term				
U.S Texas - Effects Screening Levels - Short Term				
Butanamide, 2,2'-[(3,3'-dimethoxy[1,1'-biphenyl]-4,4'-diyl)bis(azo)]bis[3-oxo-N-phenyl- (6505-28-8)				
U.S Texas - Effects Screening Levels - Long Term				

1.0 %

- U.S. Texas Effects Screening Levels Short Term

## Xylenes (o-, m-, p- isomers) (1330-20-7)

- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Acute
- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Chronic
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Colorado Groundwater Quality Standards
- U.S. Colorado Hazardous Wastes Discarded Chemical Products, Off-Specification Species, Container and Spill Residues
- U.S. Colorado Primary Drinking Water Regulations Maximum Contaminant Level Goals (MCLGs)

03/03/2014 EN (English US) 13/24

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. Colorado Primary Drinking Water Regulations Maximum Contaminant Levels (MCLs)
- U.S. Connecticut Drinking Water Quality Standards Maximum Contaminant Levels
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Florida Drinking Water Standards Volatile Organic Contaminants Maximum Contaminant Levels (MCLs)
- U.S. Georgia Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Illinois Toxic Air Contaminants
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Maine Air Pollutants Hazardous Air Pollutants
- U.S. Massachusetts Allowable Ambient Limits (AALs)
- U.S. Massachusetts Allowable Threshold Concentrations (ATCs)
- U.S. Massachusetts Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- U.S. Massachusetts Right To Know List
- U.S. Massachusetts Threshold Effects Exposure Limits (TELs)
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits STELs
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Michigan Polluting Materials List
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Groundwater Health Risk Limits
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits STELs
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. Missouri Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Nebraska Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. New Hampshire Drinking Water Maximum Contaminant Levels (MCLs)
  U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- U.S. New Jersey Primary Drinking Water Standards Maximum Contaminant Levels MCLs
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New Jersey Water Quality Ground Water Quality Criteria
- U.S. New Jersey Water Quality Practical Quantitation Levels (PQLs)
- U.S. New Mexico Water Quality Standards for Ground Water of 10,000 mg/L TDS Concentration or Less
- U.S. New York Occupational Exposure Limits TWAs
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- U.S. North Carolina Control of Toxic Air Pollutants
- U.S. North Dakota Air Pollutants Guideline Concentrations 1-Hour
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. North Dakota Hazardous Wastes Discarded Chemical Products, Off-Specification Species, Container and Spill Residues
- U.S. North Dakota Water Quality Standards Human Health Value for Classes I, IA, II
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. Pennsylvania Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

03/03/2014 EN (English US) 14/24

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 1-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 24-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual
- U.S. Rhode Island Water Quality Standards Acute Freshwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Chronic Freshwater Aquatic Life Criteria
- U.S. South Carolina Maximum Contaminant Levels (MCLs)
- U.S. South Carolina Toxic Air Pollutants Maximum Allowable Concentrations
- U.S. South Carolina Toxic Air Pollutants Pollutant Categories
- U.S. Tennessee Occupational Exposure Limits STELs
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas City of Austin Aerosol Paint and Glue Restrictions
- U.S. Texas Drinking Water Standards Maximum Contaminant Levels (MCLs)
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Utah Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Washington Dangerous Waste Discarded Chemical Products List
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. West Virginia Water Quality Groundwater Standards Ceiling Concentrations
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

#### Titanium dioxide (13463-67-7)

- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Illinois Toxic Air Contaminant Carcinogens
- U.S. Massachusetts Right To Know List
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New York Occupational Exposure Limits TWAs
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs

#### Limestone (1317-65-3)

- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Massachusetts Right To Know List
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Hazardous Substance List

03/03/2014 EN (English US) 15/24

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs

#### Carbon black (1333-86-4)

- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Illinois Toxic Air Contaminant Carcinogens
- U.S. Illinois Toxic Air Contaminants
- U.S. Maine Chemicals of High Concern
- U.S. Massachusetts Right To Know List
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New York Occupational Exposure Limits TWAs
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- $\hbox{U.S. -Vermont--Permissible Exposure Limits--TWAs}\\$
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

#### Solvent naphtha, petroleum, medium aliphatic (64742-88-7)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### Petroleum distillates, hydrotreated light (64742-47-8)

- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

03/03/2014 EN (English US) 16/24

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Zinc (7440-66-6)

- U.S. California Priority Toxic Pollutants Freshwater Criteria
- U.S. California Priority Toxic Pollutants Saltwater Criteria
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Colorado Primary Drinking Water Regulations Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Connecticut Water Quality Standards Acute Freshwater Aquatic Life Criteria
- U.S. Connecticut Water Quality Standards Acute Saltwater Aquatic Life Criteria
- U.S. Connecticut Water Quality Standards Chronic Freshwater Aquatic Life Criteria
- U.S. Connecticut Water Quality Standards Chronic Saltwater Aquatic Life Criteria
- U.S. Connecticut Water Quality Standards Consumption of Organisms Only
- U.S. Connecticut Water Quality Standards Consumption of Water and Organisms
- U.S. Connecticut Water Quality Standards Health Designations
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Florida Drinking Water Standards Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Georgia Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Maryland Surface Water Quality Standards Acute Freshwater Aquatic Life
- U.S. Maryland Surface Water Quality Standards Acute Saltwater Aquatic Life Criteria
- U.S. Maryland Surface Water Quality Standards Chronic Freshwater Aquatic Life
- U.S. Maryland Surface Water Quality Standards Chronic Saltwater Aquatic Life Criteria
- U.S. Maryland Surface Water Quality Standards Consumption of Organisms Only
- U.S. Maryland Surface Water Quality Standards Consumption of Water and Organisms
- U.S. Massachusetts Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- U.S. Massachusetts Right To Know List
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Polluting Materials List
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Groundwater Health Risk Limits
- U.S. Missouri Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Nevada Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. New Hampshire Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Secondary Drinking Water Standards Recommended Upper Limits (RULs)
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New Jersey Water Quality Ground Water Quality Criteria
- U.S. New Jersey Water Quality Practical Quantitation Levels (PQLs)
- U.S. New Mexico Water Quality Standards for Ground Water of 10,000 mg/L TDS Concentration or Less
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- U.S. North Dakota Water Quality Standards Aquatic Life Acute Value for Classes I, IA, II, III
- U.S. North Dakota Water Quality Standards Aquatic Life Chronic Value for Classes I, IA, II, III
- U.S. North Dakota Water Quality Standards Human Health Value for Class III
- U.S. North Dakota Water Quality Standards Human Health Value for Classes I, IA, II

03/03/2014 EN (English US) 17/24

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. Pennsylvania Beneficial Use of Sewage Sludge by Land Application Pollutant Ceiling Limits
- U.S. Pennsylvania Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 24-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual
- U.S. Rhode Island Water Quality Standards Acute Freshwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Acute Saltwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Chronic Freshwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Chronic Saltwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Human Health Criteria for Consumption of Aquatic Organisms Only
- U.S. Rhode Island Water Quality Standards Human Health Criteria for Consumption of Water and Aquatic Organisms
- U.S. South Carolina Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Texas Drinking Water Standards Secondary Constituent Levels (SCLs)
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Utah Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Virginia Water Quality Standards Acute Freshwater Aquatic Life
- U.S. Virginia Water Quality Standards Acute Saltwater Aquatic Life
- U.S. Virginia Water Quality Standards Chronic Freshwater Aquatic Life
- U.S. Virginia Water Quality Standards Chronic Saltwater Aquatic Life
- U.S. Virginia Water Quality Standards Public Water Supply Effluent Limits
- U.S. Virginia Water Quality Standards Surface Waters Not Used for the Public Water Supply Effluent Limits
- U.S. Alaska Water Quality Standards Acute Aquatic Life Criteria for Fresh Water
- U.S. Alaska Water Quality Standards Chronic Aquatic Life Criteria for Fresh Water
- U.S. Alaska Water Quality Standards Acute Aquatic Life Criteria for Marine Water
- U.S. Alaska Water Quality Standards Chronic Aquatic Life Criteria for Marine Water
- U.S. Arkansas Surface Water Quality Standards Chronic Aquatic Life Criteria
- U.S. Arkansas Surface Water Quality Standards Acute Aquatic Life Criteria

## C.I. Pigment Blue 15 (147-14-8)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### C.I. Pigment Green 7 (1328-53-6)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### Copper (7440-50-8)

- U.S. California Priority Toxic Pollutants Freshwater Criteria
- U.S. California Priority Toxic Pollutants Human Health Criteria
- U.S. California Priority Toxic Pollutants Saltwater Criteria
- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Acute
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Colorado Primary Drinking Water Regulations Maximum Contaminant Level Goals (MCLGs)
- U.S. Colorado Primary Drinking Water Regulations Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Connecticut Drinking Water Quality Standards Groundwater Sources
- U.S. Connecticut Drinking Water Quality Standards Maximum Contaminant Levels
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Connecticut Water Quality Standards Acute Freshwater Aquatic Life Criteria
- U.S. Connecticut Water Quality Standards Acute Saltwater Aquatic Life Criteria
- U.S. Connecticut Water Quality Standards Chronic Freshwater Aquatic Life Criteria
- U.S. Connecticut Water Quality Standards Chronic Saltwater Aquatic Life Criteria
- U.S. Connecticut Water Quality Standards Consumption of Water and Organisms

03/03/2014 EN (English US) 18/24

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. Connecticut Water Quality Standards Health Designations
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Florida Drinking Water Standards Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Georgia Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Illinois Toxic Air Contaminants
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Maryland Surface Water Quality Standards Acute Freshwater Aquatic Life
- U.S. Maryland Surface Water Quality Standards Acute Saltwater Aquatic Life Criteria
- U.S. Maryland Surface Water Quality Standards Chronic Freshwater Aquatic Life
- U.S. Maryland Surface Water Quality Standards Chronic Saltwater Aquatic Life Criteria
- U.S. Maryland Surface Water Quality Standards Consumption of Water and Organisms
- U.S. Massachusetts Allowable Ambient Limits (AALs)
- U.S. Massachusetts Allowable Threshold Concentrations (ATCs)
- U.S. Massachusetts Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Massachusetts Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- U.S. Massachusetts Right To Know List
- U.S. Massachusetts Threshold Effects Exposure Limits (TELs)
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Michigan Polluting Materials List
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. Missouri Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Missouri Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Nevada Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. New Hampshire Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- U.S. New Jersey Primary Drinking Water Standards Action Levels ALs
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Water Quality Ground Water Quality Criteria
- U.S. New Jersey Water Quality Practical Quantitation Levels (PQLs)
- U.S. New Mexico Water Quality Standards for Ground Water of 10,000 mg/L TDS Concentration or Less
- U.S. New York Occupational Exposure Limits TWAs
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. North Dakota Water Quality Standards Aquatic Life Acute Value for Classes I, IA, II, III
- U.S. North Dakota Water Quality Standards Aquatic Life Chronic Value for Classes I, IA, II, III
- U.S. North Dakota Water Quality Standards Human Health Value for Classes I, IA, II
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. Pennsylvania Beneficial Use of Sewage Sludge by Land Application Pollutant Ceiling Limits
- U.S. Pennsylvania Drinking Water Maximum Contaminant Levels (MCLs)
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

03/03/2014 EN (English US) 19/24

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 1-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual
- U.S. Rhode Island Water Quality Standards Acute Freshwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Acute Saltwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Chronic Freshwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Chronic Saltwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Human Health Criteria for Consumption of Water and Aquatic Organisms
- U.S. South Carolina Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Drinking Water Standards Secondary Constituent Levels (SCLs)
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Utah Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Virginia Water Quality Standards Acute Freshwater Aquatic Life
- U.S. Virginia Water Quality Standards Acute Saltwater Aquatic Life
- U.S. Virginia Water Quality Standards Chronic Freshwater Aquatic Life
- U.S. Virginia Water Quality Standards Chronic Saltwater Aquatic Life
- U.S. Virginia Water Quality Standards Public Water Supply Effluent Limits
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. West Virginia Water Quality Groundwater Standards Ceiling Concentrations
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet
- U.S. Alaska Water Quality Standards Acute Aquatic Life Criteria for Fresh Water
- U.S. Alaska Water Quality Standards Chronic Aquatic Life Criteria for Fresh Water
- U.S. Alaska Water Quality Standards Acute Aquatic Life Criteria for Marine Water
- U.S. Alaska Water Quality Standards Chronic Aquatic Life Criteria for Marine Water
- U.S. Arkansas Surface Water Quality Standards Chronic Aquatic Life Criteria
- U.S. Arkansas Surface Water Quality Standards Acute Aquatic Life Criteria

#### Aluminum (7429-90-5)

- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Colorado Primary Drinking Water Regulations Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Connecticut Water Quality Standards Acute Freshwater Aquatic Life Criteria
- U.S. Connecticut Water Quality Standards Chronic Freshwater Aquatic Life Criteria
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Florida Drinking Water Standards Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Georgia Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Maryland Surface Water Quality Standards Acute Freshwater Aquatic Life
- U.S. Maryland Surface Water Quality Standards Chronic Freshwater Aquatic Life
- U.S. Massachusetts Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Massachusetts Right To Know List
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Hazardous Substance List

03/03/2014 EN (English US) 20/24

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. Missouri Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Nevada Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. New Hampshire Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Secondary Drinking Water Standards Recommended Upper Limits (RULs)
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New Jersey Water Quality Ground Water Quality Criteria
- U.S. New Jersey Water Quality Practical Quantitation Levels (PQLs)
- U.S. New Mexico Water Quality Standards for Ground Water of 10,000 mg/L TDS Concentration or Less
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. Pennsylvania Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Water Quality Standards Acute Freshwater Aquatic Life Criteria
- U.S. Rhode Island Water Quality Standards Chronic Freshwater Aquatic Life Criteria
- U.S. South Carolina Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Drinking Water Standards Secondary Constituent Levels (SCLs)
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Utah Drinking Water Secondary Maximum Contaminant Levels (SMCLs)
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. Alaska Water Quality Standards Acute Aquatic Life Criteria for Fresh Water
- U.S. Alaska Water Quality Standards Chronic Aquatic Life Criteria for Fresh Water

### Solvent naphtha, petroleum, light aliphatic (64742-89-8)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

### **Canadian Regulations**

Nissen	<b>Feltin</b>	<b>Paint</b>	Marker	<b>- ΔΙΙ</b>	Colors
14122611	reitib	гани	IVIAINEI	- ~11	CUIUIS

WHMIS Classification Class B Division 2 - Flammable Liquid

Class D Division 2 Subdivision A - Very toxic material causing other toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects





#### Butanamide, 2,2'-[(3,3'-dichloro[1,1'-biphenyl]-4,4'-diyl)bis(azo)]bis[N-(2-methylphenyl)-3-oxo- (5468-75-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

#### Butanamide, 2,2'-[(3,3'-dimethoxy[1,1'-biphenyl]-4,4'-diyl)bis(azo)]bis[3-oxo-N-phenyl- (6505-28-8)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

03/03/2014 EN (English US) 21/24

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Xylenes (o-, m-, p- isomers)	(1330-20-7)
Listed on the Canadian DSL (	Domestic Substances List) inventory.
WHMIS Classification	Class B Division 2 - Flammable Liquid
	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Titanium dioxide (13463-67-	7)
Listed on the Canadian DSL (	Domestic Substances List) inventory.
WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects
Limestone (1317-65-3)	
Listed on Non-Domestic Sub	stances List (NDSL)
WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects
Carbon black (1333-86-4)	
	Domestic Substances List) inventory.
Listed on the Canadian Ingre	
WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects
Solvent naphtha, petroleum	n, medium aliphatic (64742-88-7)
	Domestic Substances List) inventory.
WHMIS Classification	Class B Division 3 - Combustible Liquid
Petroleum distillates, hydro	treated light (64742-47-8)
-	Domestic Substances List) inventory.
WHMIS Classification	Class B Division 3 - Combustible Liquid
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Zinc (7440-66-6)	
	Domestic Substances List) inventory.
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
C.I. Pigment Blue 15 (147-14	i-8)
	Domestic Substances List) inventory.
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
C.I. Pigment Green 7 (1328-	
	Domestic Substances List) inventory.
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
Copper (7440-50-8)	
	Domestic Substances List) inventory.
Listed on the Canadian Ingre	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
Aluminum (7429-90-5)	<u>,                                      </u>
	Domestic Substances List) inventory.
Listed on the Canadian Ingre	
WHMIS Classification	Class B Division 6 - Reactive Flammable Material
	Class B Division 4 - Flammable Solid
Solvent naphtha, petroleum	n, light aliphatic (64742-89-8)
	Domestic Substances List) inventory.
WHMIS Classification	Class B Division 2 - Flammable Liquid
This product has been classif	ied in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.

## **SECTION 16: OTHER INFORMATION**

Revision date : 03/03/2014

03/03/2014 EN (English US) 22/24

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Other Information** 

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

## **GHS Full Text Phrases**:

un rexerrinases:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4	Acute toxicity (inhalation:vapour) Category 4
(Inhalation:vapour)	
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Carc. 1B	Carcinogenicity Category 1B
Carc. 2	Carcinogenicity Category 2
Comb. Dust	Combustible Dust
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 1	Flammable liquids Category 1
Flam. Liq. 3	Flammable liquids Category 3
Flam. Sol. 1	Flammable solids Category 1
Muta. 1B	Germ cell mutagenicity Category 1B
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
Water-react. 2	Substances and mixtures which in contact with water emit flammable gases Category 2
H224	Extremely flammable liquid and vapor
H226	Flammable liquid and vapor
H228	Flammable solid
	May form combustible dust concentrations in air
H261	In contact with water releases flammable gases
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H340	May cause genetic defects
H350	May cause cancer
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
1	<u> </u>

03/03/2014 EN (English US) 23/24

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DΛ	Hoalth Hazard	· 2 - Intense or continued exposure could cause
	H412	Harmful to aquatic life with long lasting effects
	H411	Toxic to aquatic life with long lasting effects
	H410	Very toxic to aquatic life with long lasting effects

**NFPA Health Hazard** 

 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

**NFPA Fire Hazard** 

: 3 - Liquids and solids that can be ignited under

almost all ambient conditions.

NFPA Reactivity

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



#### Party Responsible for the Preparation of This Document

J.P. Nissen Co. 2544 Fairhill Avenue Glenside, PA 19038 215-886-2025

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS US 2012 & WHMIS 2

03/03/2014 EN (English US) 24/24