Panasonic Communications Co., Ltd. Office Network Company

9-1 Hiraide Industrial Park, Utsunomiya City, Tochigi, 321-8502 Japan TEL: Japan (0) 28-663-3285, FAX: Japan (0) 28-664-2124

Material Safety Data Sheet

Page: 1 of 4 MSDS No.: 021-000757

Date: 3 July, 2006

SECTION 1 PRODUCT IDENTIFICATION

Product Name: Toner for DP-8020E, DP-8020P and DP-8016P

PRODUCT NUMBER : DQ-TUJ10K

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENTS (Common Name)	CAS #	PROPORTION (% by wt.)	OSHA PEL	ACGIH TLV	OTHER LIMITS
. Styrene acrylate copolymer		> 78	None established	None established	None
· Carbon Black	1333-86-4	< 8	3.5 mg/m^3	3.5 mg/m^3	None
· Paraffin wax *	8002-74-2	< 6	None established	None established	None
· Polypropylene		< 4	None established	None established	None
· Organic pigment		< 2	None established	None established	None
· Amorphous silica	68909-20-6	< 2	80 mg/m3	10 mg/m3	None

^{*:}See [Section 16]

SECTION 3 HAZARDOUS IDENTIFICATION

EMERGENCY OVERVIEW:

Odorless black fine powder.

Not a highly flammable, but when suspended in air, is combustible as with most organic powders.

POTENTIAL HEALTH EFFECTS :

EYE EFFECTS: Solid or dusts may cause irritation or corneal injury.

SKIN EFFECTS: Essentially nonirritating to skin.

INGESTION EFFECTS: Oral toxicity is believed to be low.

INHALATION EFFECTS: Minimal respiratory tract irritation may occur as with

exposure to large amounts of any non-toxic dust.

May cause cough and raise phlegm.

CHRONIC EFFECTS: Not aware of any health effects associated with toner under

its intended use.

CARCINOGENICITY: Carbon black is reclassified as a group 2B by IARC, but

inhalation test using a typical toner showed no association

between toner andd animal tumors.

SPECIFIC HAZARDS: Dust explosion (like most finely divided organic powders)

Page: 2 of 4 MSDS No.: 021-000757

SECTION 4 FIRST AID MEASURES

EYE CONTACT: Any material that contacts the eye should be washed out immediately

with water.

Get medical attention if symptoms is occur.

SKIN CONTACT: Wash after each contact.

Get medical attention if symptoms is occur.

INHALATION: If symptomatic, remove to fresh air.

Get medical attention if symptoms persist.

INGESTION: If swallowed, drink 1-2 glasses of water and immediately induce

vomiting. Get medical attention.

SECTION 5 FIRE FIGHTING MEASURES

FLASH POINT : Not applicable.

FLAMMABLE LIMITS

Explosion Limits(Upper): No data available
Explosion Limits(Lower): No data available

EXTINGUISHING MEDIA: Foam, CO₂ or dry chemical.

HAZARDOUS COMBUSTION PRODUCTS: Carbon monoxide, Carbon dioxide and Smoke

FIRE AND EXPLOSION HAZARDS: If dispersed in air, like most finely divided

organic powders, may form an explosive mixture.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Minimize the release of particulates. Wear personal protective equipment. Sweep up or vacuum spilled toner and carefully transfer into sealed waste container. Sweep slowly to minimize generation of dust during cleanup. If a vacuum is used, the motor must be rated as dust tight. Residue can be removed with soap and water. Garments may be washed or dry cleaned, after removal of loose toner.

SECTION 7 HANDLING AND STORAGE

HANDLING: Avoid creating dust. Clean up all spills promptly.

Inhalation and contact with skin or eyes should be avoided. Provide general ventilation. Good general ventilation should be

sufficient of most conditions.

STORAGE: Store in a cool, well ventilated place away from flames and

spark-producing equipment.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES : ACGIH TLV= 10mg/m³(Total dust), 3mg/m³(Respirable dust)

OSHA PEL= 15mg/m³(Total dust), 5mg/m³(Respirable dust)

ENGINEERING CONTROLS: Good general ventilation is recommended.

RESPIRATORY PROTECTION: Not required under normal conditions. For use other

than in normal operating procedures (such as in the event of large spill), goggles and respirators may be

required.

SKIN PROTECTION: Not required under normal conditions. EYE PROTECTION: Not required under normal conditions.

Page: 3 of 4 MSDS No.: 021-000757

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Black fine powder

ODOR: None

pH : Not applicable
VAPOR PRESSURE (mg Hg.): Not applicable
VAPOR DENSITY (AIR = 1): Not applicable
EVAPORATION RATE : Not applicable
BOILING POINT (°C): Not applicable

MELTING POINT (°C): No data SOLUBILITY IN WATER: Insoluble

SPECIFICGRAVITY $(H_2O = 1): 1.10$

SECTION 10 STABILITY AND REACTIVITY

STABILITY: This is a stable product.

INCOMPATIBILITY: Oxidizing materials.

HAZARDOUS DECOMPOSITION PRODUCTS :

Carbon oxides, hydrocarbons (by high heat and fire)

HAZARDOUS POLYMERIZATION : Will not occur

SECTION 11 TOXICOLOGICAL INFORMATION

ACUTE INHALATION TOXICITY: No data IRRITANT EFFECT ON EYES: No data IRRITANT EFFECT ON SKIN: No data

MUTAGENICITY: Negative in the Ames test

(Estimated from the data of constituent components)

CARCINOGENICITY:

In 1996, the IARC revaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rat receiving chronic inhalation exposures to free carbon black at level that induce particle overload of the lung. Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

CHRONIC EFFECTS :

In study in rats (H.Muhle) by chronic inhalation exposure to typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16 mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4 mg/m³) exposure group. But no pulmonary change was reported in the lowest (1 mg/m³) exposure group, the most relevant level to potential human exposures.

MSDS-O

Page: 4 of 4 MSDS No.: 021-000757

SECTION 12 ECOLOGICAL INFORMATION

No data available.

SECTION 13 DISPOSAL CONSIDERATION

METHOD OF DISPOSAL: When disposing of the waste or recovered material, consult federal, state and/or local regulations for the proper disposal method.

SECTION 14 TRANSPORT INFORMATION

UN CLASS: None allocated.

DOT CLASS: None allocated.

TDG CLASS: None allocated.

SECTION 15 REGULATORY INFORMATION

USA Information:

All chemical substances in this product comply with all applicable rules or orders under TSCA.

Australia Information:

Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

Paraffin is not hazardous except for its flammable properties, but "Paraffin wax fume" is one of hazardous chemicals. It's ACGIH TLVs (TWA) and NIOSH RELs (TWA) is the same value (2mg/m3).

REFERENCES :

IARC(1996) IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 65, Printing Process and Printing Inks, Carbon Black and Some Nitro Componds. Lyon, PP.149-261.

H.Muhle, B.Bellmann, O.Creutzenberg, C.Dasenbrock, H.Ernst, R.Kilpper, J.C.Mackenzie, P.Morrow, U.Mohr, S.Takenaka and R.Mermelstein (1991) Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats. Fundamental and Applied Toxicology 17, pp.280-299.

Information on this data sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions.