# **Identity Group, LLC**

## MATERIAL SAFETY DATA SHEET

**REVISION DATE:** 3/4/2008 **PREPARED BY:** S. Hinton

**ADDRESS**: 1480 Gould Drive **PHONE**: (931) 432-4000

Cookeville, TN 38506

24 Hour Emergency Contact: CHEMTREC 1-800-424-9300

#### **PRODUCT IDENTIFICATION**

**PRODUCT NAME:** Porelon Blue Premix **COLOR:** Blue

**PRODUCT CODE(S):** 3916, 14823, PSPBL01, PSPBL05, PSPBL25,

MANUFACTURER: Porelon

CHEMICAL TYPE: Blue PVC plastisol, ink rolls and stamps FORMULA: Proprietary

#### **HAZARDOUS INGREDIENTS**

Per OSHA 29 CFR1910.1200 EXPOSURE LIMITS

ACGIH OSHA

<u>CHEMICAL NAME</u> <u>CAS #</u> (TLV) (PEL)

Tricresyl Phosphate 1330-78-5 5 - 9.5 % C.I. Basic Blue 7 NA 4 - 8 %

Diisononyl Phthalate (DINP) 28553-12-0 15 - 25 % 5 mg/m3 TWA 5 mg/m3 TWA

Manufacturer states all other ingredient information is proprietary or non-hazardous as defined by the Hazard Communication Standard (29 CFR 1910.1200)

## PHYSICAL PROPERTIES

1.0 - 1.2 **BOILING POINT, Deg F:** >250 SPECIFIC GRAVITY: WATER SOLUBILITY: Negligible **MELTING POINT, Deg F:** NA VAPOR DENSITY: Heavier than air VAPOR PRESSURE: Negligible **EVAPORATION RATE** < Butyl Acetate APPEARANCE / ODOR: Blue liquid or gel, slight odor

## FIRE AND EXPLOSION

FLASH POINT, Deg. F: > 200, TCC FLAMMABLE LIMITS IN AIR:

UPPER: N/A LOWER: N/A

**AUTOIGNITION TEMP:** N/A

FIRE EXTINGUISHING MATERIALS: Water spray, carbon dioxide, dry chemical SPECIAL FIREFIGHTING PROCEDURES: Wear self-contained breathing apparatus and

protective clothing

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** May emit toxic gases

#### **HEALTH HAZARD IDENTIFICATION**

HMIS Rating: Health: 2 Flammability: 1 Reactivity: 0

**NOTE**: HMIS and NFPA ratings involve data and interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information in the MSDS must be considered.

#### FIRST AID / EMERGENCY PROCEDURES

**EYE CONTACT:** Any material that contacts the eye should be immediately flushed with

water, lifting the upper and lower lids. Get immediate medical attention

if any symptoms occur.

**SKIN CONTACT:** Wash immediately with soap and water. Apply skin cream if irritated.

Seek medical attention if symptoms occur.

**INHALATION:** If symptomatic, move to fresh air. Get medical attention if symptoms persist.

**INGESTION:** Unknown - None expected. Seek medical attention

**SUSPECT OR KNOWN CARCINOGEN:** Vinyl Chloride < 0.001%

CONTAINS PROPOSITION 65 LISTED CHEMICALS: Vinyl Chloride

### TRANSPORTATION INFORMATION

D.O.T. Shipping Name: Non-regulated

DOT Hazard Class: NA UN Number: NA

Exemptions and other requirements may apply, consult 49 CFR - Transportation

#### **REACTIVITY DATA**

STABILITY: STABLE: xxx UNSTABLE:

CONDITIONS TO AVOID: Temperature Extremes

MATERIALS TO AVOID: Strong oxidizing agents

**HAZARDOUS DECOMPOSITION PRODUCTS:** Combustions will produce oxides of carbon and nitrogen

HAZARDOUS POLYMERIZATION: Will not occur

#### SPILL, LEAK AND DISPOSAL PROCEDURES

#### SPILL RESPONSE PROCEDURES AND EMPLOYEE PROTECTION MEASURES:

Contain spills with rags of dry absorbant. Use a suitable ink cleaner to remove any residue. Wear protective gloves to minimize skin contact.

**DISPOSAL METHODS:** Discard waste while observing all local, state and federal regulations.

## **HANDLING AND STORAGE**

PERSONAL PRECAUTIONARY MEASURES: No additional precautions necessary

PREVENTION OF FIRE AND EXPLOSION: No unusual hazards

Keep containers closed when not in use. Use with adequate ventilation.

#### **ACCIDENTAL RELEASE MEASURES**

**IN CASE OF A SPILL:** Use absorbent material such as rags to contain the spill when necessary

Place in proper container for disposal.

#### **ECOLOGICAL INFORMATION**

This material as not been tested overall for environmental effects.

The following ingredients are noted as DOT marine pollutants in Appendix B to 49 CFR 172.101:

None totally greater than 10 %

## **TOXICOLOGICAL INFORMATION**

EFFECTS OF ACUTE OVEREXPOSURE: Inhalation: May be irritating

Eye: May be irritating Skin: May be irritating

Ingestion: Not expected to be a route of entry

Mutagenicity: NE. None of the ingredients used have tested positive in the Ames Test

Chronic Effects: None presently known

#### **EXPOSURE CONTROLS / PERSONAL PROTECTION**

Component CAS Reg. No. OSHA ACGIH

Diethanolamine 111-42-2 0.8-0.9 % 3 ppm TWA 3 ppm TWA

Diisononyl Phthalate (DINP) 28553-12-0 10 - 20 % 5 mg/m3 TWA 5 mg/m3 TWA

(similar esters)

**Ventilation:** General ventilation sufficient

Personal Protection: Good industrial hygiene practices should be followed which include preventing eye

contact, minimizing skin contact and inhalation

**Respiratory Protection**: None should be needed under normal use and conditions with stated ventilation.

**Eye Protection:** Safety Glasses

**Skin Protection:** Protective gloves to minimize contact to all chemicals

#### **REGULATORY INFORMATION**

Material(s) known to the State of California to cause cancer: Vinyl Chloride <0.001%

Material(s) known to the State of California to cause adverse reproductive effects: NONE

International Agency for Research on Cancer (IARC) components present at 0.1 % or greater: NONE

National Toxicology Program (NTP) components present at 0.1% or greater: NONE

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Ammendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372: NONE

Chemical(s) subject to the reporting requirements of SARA Title III Section 304 and 40 CFR Part 302.4 (CERCLA Hazardous Substances): NONE

Chemical(s) subject to SARA Title III Section 302 and 40 CFR Part 355 (Extremely Hazardous Substances)

NONE

Safety Considerations: No special requirements

TSCA Status: All chemical ingredients found on TSCA Inventory

RCRA Status: If discarded in its purchased form, this product would carry the following status and

classifications by listing or characteristic codes:

Status: Check local regs RCRA Hazardous Waste Codes: NA

However, it is the responsibility of the end-user to determine at the time of disposal whether a material containing the product or derived from the product should be classified as a hazardous waste. 40 CFR 261.20-24

## **NOTICE**

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to asure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment.

Prepared by: Stephanie Hinton Title: Porelon Production Manager

NA = Not Applicable NE = Not Established