

Page 1/7

Safety Data Sheet

	Tone	⁻ -Black	
Issuing Date 2004-11-04	Revision Date	Version	
			Active
1. Product and Company lo	dentification		
Trade Name Toner	for FaxCentre 1012, FaxCentre F116, FaxCentre F116L, FaxCentre F110, FaxCentre 2121, FaxCentre 2121L		
Part no. 113R00655, 013R0	0599, 013R00609, 006	R01218, 006R01236, 006R01	297, 006R01298
Color Pure substance/preparation	Black Preparation		
Identified uses	Xerographic printing		
Manufactured by	Xerox Corporation Rochester, NY 14644		
Emergency telephone	Safety Information US: (800) 275-9376 Chemical Emergency only (Chemtrec) (800) 424-9300		
2. Hazards Identification			
		cy Overview	
The product contains no substar		lilzed and at their given concentrations to health.	ations, are considered to be
The product contains no substar Color Black		-	ations, are considered to be Odor Faint
Color Black	hazardo Appearance Powder	us to health. Physical state	Odor
Color Black Classification of the subs	hazardo Appearance Powder stance or mixture	us to health. Physical state	Odor
Color Black Classification of the subs Customer use / Cartridges a	hazardo Appearance Powder stance or mixture and sealed bottles This product is an article information is given for e	which contains a mixture / preparati xposure to the article as sold and us expected to result in exposure to the	Odor Faint on in powder form. Safety ed by the customer. Intended
Color	Appearance Powder Etance or mixture and sealed bottles This product is an article information is given for e use of the product is not on the packaging and m While this material is not Standard (29 CFR 1910	which contains a mixture / preparati xposure to the article as sold and us expected to result in exposure to the ethod of dispensing. considered hazardous by the OSHA 1200), this SDS contains valuable in boduct. This SDS should be retained	Odor Faint on in powder form. Safety ed by the customer. Intended mixture / preparation based hazard Communication formation for the safe handling

Signal WordNoneHazard StatementsNone required



Precautionary Statements None required

Potential Health Effects

Principle Routes of Exposure	Inhalation
Acute toxicity	
Eyes	No known effect
Skin	No known effect
Inhalation	No known effect
Ingestion	No known effect
Chronic effects	
Main symptoms	Overexposure may cause:
	mild respiratory irritation similar to nuisance dust.
Aggravated medical conditions	None under normal use conditions
Environmental hazard	The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

3. Composition/Information on Ingredients

Chemical Name	CAS-No	Weight %
Polyester resin	123701-48-4	85-95
Carbon Black	1333-86-4	1-5

4. First Aid Measures

General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice Show this material safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes
Skin contact	Wash skin with soap and water
Inhalation	Move to fresh air
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk
Notes to physician	Treat symptomatically
Protection of first-aiders	No special protective equipment required
5 Fire-Fighting Measure	8

э.	FI	re-r	Igni	ing	weasures

Flammable properties	Not flammable. Will not readily ignite
Flash point	Not applicable
Suitable extinguishing media	Use water spray or fog; do not use straight streams, Foam
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire

Specific hazards arising from the chemical



SDS # : A-1018

Toner -Black

Page 3/7

Hazardous combustion products

Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)

Not impact sensitive Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Protective Equipment and Precautions for Firefighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins.

6. Accidental Release Measures		
Personal Precautions	Avoid breathing dust	
Environmental Precautions	No special environmental precautions required	
Methods for containment	Prevent dust cloud	
Methods for cleaning up	Prevent dust cloud. Sweep up or vacuum up spillage and collect in suitable container for disposal. Use non-sparking tools and equipment.	
Other Information	The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.	
7. Handling and Storage		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice Avoid dust accumulation in enclosed space Prevent dust cloud	
Technical measures/Storage conditions	Keep container tightly closed in a dry and well-ventilated place Store at room temperature	
Hygiene measures	None under normal use condtions	
8. Exposure Controls/Personal Protection		

Exposure guidelines

Product information

ACGIH TLV TWA10 mg/m³ (inhalable particles)ACGIH TLV TWA3 mg/m³ (respirable dust)OSHA PEL TWA15 mg/m³ (total dust)OSHA PEL TWA5 mg/m³ (respirable dust)Xerox Exposure Limit2.5 mg/m³ (total dust)Xerox Exposure Limit0.4 mg/m³ (respirable dust)

Other Information

The results obtained from a Xerox sponsored Chronic Toner Inhalation Study demonstrated no lung changes in rats for the lowest (1 mg/m³) exposure level (the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of animals at the middle (4mg/m³) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m³) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with an EPA testing protocol.



Page 4/7

Occupational Exposure Controls

Engineering measures None under normal use conditions

Personal Protective Equipment

Customer use / Cartridges and sealed bottles

Respiratory protection	No special protective equipment required
Eye/Face protection	No special protective equipment required
Skin and body protection	No special protective equipment required
Hand protection	No special protective equipment required

9. Physical and Chemical Properties

Appearance Odor threshold pH Flash point Softening point	Powder Not applicable Not applicable Not applicable 49 - 60 °C / 120 - 140 °F		Odor Physical state Color Boiling point/range Autoignition temperature	Faint Solid Black Not applicable Not applicable
Flammability Lim	nits in Air	Not applicable		
Explosive proper	rties	Fine dust dispersed in a source is a potential dus	•	entrations, and in the presence of an ignition
Vapor pressure		Not applicable	•	
Vapor density		Not applicable		
Water solubility		Negligible		
Viscosity		Not applicable		
Partition coeffici		Not applicable		
Evaporation rate		Not applicable		
Melting point/ran	ge	Not determined		
Freezing point		Not applicable		
Decomposition to	emperature	Not determined		
Specific gravity		~ 1		

10. Stability and Reactivity

Reactivity	No dangerous reaction known under conditions of normal use
Stability	Stable under normal conditions
Incompatible products	None
Conditions to Avoid	Prevent dust cloud Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard



SDS # : A-1018

Toner -Black

Page 5/7

Hazardous Decomposition Products None under normal use				
Hazardous polymerization	Hazardous	Hazardous polymerization does not occur		
Hazardous reactions	None unde	None under normal processing		
11. Toxicological Informatic				
I ne toxicity data noted below is based	on the test	results of similar reprographic materials.		
Acute toxicity Product information Irritation LD50 Oral LD50 Dermal LC50 Inhalation: Eyes Skin Inhalation Ingestion	> 5 g/kg > 5 g/kg	(rabbit) . (rat, 4 hr) effect effect effect		
Chronic toxicity Product information Chronic effects Main symptoms	No known effects under normal use conditions Overexposure may cause: mild respiratory irritation similar to nuisance dust. s None under normal use conditions See "Other Information" in this section.			
Chemical Name		IARC	NTP	
Carbon Black		2B		

Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". The classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

Other toxic effects

Product information	
Sensitization	No sensitization responses were observed
Mutagenic effects	Not mutagenic in AMES Test
Target organ effects	None known
Other adverse effects	None known
Aspiration Hazard	Not applicable

12. Ecological Information

Ecotoxicity

The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.



SDS # : A-1018

Toner -Black

Page 6/7

13. Disposal Considerati	ons
Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated packaging	Dispose of in accordance with local regulations.
14. Transport Informatio	n

Note

This material is not subject to regulation as a hazardous material for shipping.

15. Regulatory Information

OSHA Regulatory Status

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

International Inventories

TSCA	Complies
DSL/NDSL	Complies

U.S. Federal Regulations SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. **Clean Water Act**

This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990. CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

TSCA

TSCA 12(b) does not apply to this product.

U.S. State Regulations

California Proposition 65

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.



SDS #: A-1018

Toner -Black

Page 7/7

Chemical Name	CAS-No	California Prop. 65
Carbon Black	1333-86-4	Carcinogen

U.S. State Right-to-Know Regulations

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. Other Information		
Issuing Date	2004-11-04	
Revision Date	2015-04-28	
Revision Note	Updated for OSHA HazCom 2012 and WHMIS 2015	

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end