

SAFETY DATA SHEET

| Issuing Date January 5, 2015 | Revision Date July 5, 2015 | Revision Number 1 |
|---|---|---------------------|
| 1. IDENTIFICATION OF T | HE SUBSTANCE/PREPARATION AND OF THE | COMPANY/UNDERTAKING |
| Product identifier | | |
| Product Name | Clorox® Pro Results Outdoor Bleach | |
| Other means of identification | | |
| Synonyms | None | |
| Recommended use of the chem | nical and restrictions on use | |
| Recommended use | General purpose bleach for outdoor surfaces | |
| Uses advised against | No information available | |
| Details of the supplier of the sa | fety data sheet | |
| Supplier Address The Clorox Company 1221 Broadway Oakland, CA 94612 | | |
| Phone: 1-510-271-7000 | | |
| Emergency telephone number | | |
| Emergency Phone Numbers | For Medical Emergencies, call: 1-800-446-1014 For Transportation Emergencies, call Chemtrec: 1-800 | 0-424-9300 |

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

| Skin corrosion/irritation | Category 1 |
|-----------------------------------|------------|
| Serious eye damage/eye irritation | Category 1 |

GHS Label elements, including precautionary statements

Emergency Overview

| Signal word | Danger | | | | |
|---------------------------------|---|----------------|----------------|------|--------|
| Hazard Statem | | | | | |
| Causes severe Causes serious | skin burns and eye damage s eye damage | | | | |
| | | | | | |
| Appearance | Clear, pale yellow | Physical State | Viscous liquid | Odor | Bleach |

Precautionary Statements - Prevention

Do not breathe dusts or mists. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves, protective clothing, face protection, and eye protection such as safety glasses.

Precautionary Statements - Response

Immediately call a poison center or doctor. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Specific treatment (see supplemental first aid instructions on this label). If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents in accordance with all applicable federal, state, and local regulations.

Hazards not otherwise classified (HNOC)

Although not expected, heart conditions or chronic respiratory problems such as asthma, chronic bronchitis, or obstructive lung disease may be aggravated by exposure to high concentrations of vapor or mist.

Unknown Toxicity

Not applicable.

Other information

Very toxic to aquatic life with long lasting effects.

Interactions with Other Chemicals

Reacts with other household chemicals such deck cleaners, wood bleaches, wood restorers, rust removers, wood or masonry finishes, toilet bowl cleaners, acids or products containing ammonia to produce hazardous gases, such as chlorine and other chlorinated compounds.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS-No | Weight % | Trade Secret |
|---------------------|-----------|----------|--------------|
| Sodium hypochlorite | 7681-52-9 | 5 - 10 | * |
| Sodium hydroxide | 1310-73-2 | 0.1 - 1 | * |

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

| General Advice | Show this safety data sheet to the doctor in attendance. | | |
|----------------------------|--|--|--|
| Eye Contact | Flush immediately with water for at least 15 minutes. If wearing contact lenses, remove after first 5 minutes. Call a doctor or poison control center immediately. | | |
| Skin Contact | Remove contaminated clothing and wash skin thoroughly with water. If irritation persists, call a doctor. | | |
| Inhalation | Move to fresh air. If breathing is affected, call a doctor. | | |
| Ingestion | Drink a glassful of water. DO NOT induce vomiting unless told to do so by a poison control center or doctor. Call a doctor or poison control center immediately. | | |
| Protection of First-aiders | Avoid contact with skin, eyes, and clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8). | | |

Most important symptoms and effects, both acute and delayed

| Most Important Symptoms and | Burning of eyes and skin. |
|-----------------------------|---------------------------|
| Effects | |

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Use of gastric lavage or emesis is contraindicated.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

This product causes burns to eyes, skin, and mucous membranes. Thermal decomposition can release sodium chlorate and irritating gases and vapors.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| Personal Precautions | Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation. Use personal protective equipment as required. For spills of multiple products, responders should evaluate the MSDSs of the products for incompatibility with sodium hypochlorite. Breathing protection should be worn in enclosed and/or poorly-ventilated areas until hazard assessment is complete. | |
|------------------------------------|--|--|
| Other Information | Refer to protective measures listed in Sections 7 and 8. | |
| Environmental precautions | | |
| Environmental Precautions | See Section 12 for ecological Information. | |
| Methods and material for containme | ent and cleaning up | |
| Methods for Containment | Prevent further leakage or spillage if safe to do so. | |
| Methods for Cleaning Up | Absorb and containerize. Wash residual down to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed-down material. | |
| 7. HANDLING AND STORAGE | | |
| Precautions for safe handling | | |

| Handling | Handle in accordance with good industrial hygiene and safety practice. Avoid contact with |
|----------|---|
| | skin, eyes, and clothing. Do not eat, drink, or smoke when using this product. |

Conditions for safe storage, including any incompatibilities

| Storage | Keep containers tightly closed in a dry, cool, and well-ventilated place. |
|-----------------------|--|
| Incompatible Products | Deck cleaners, wood bleaches, wood restorers, rust removers, wood or masonry finishes, toilet bowl cleaners, acids, and products containing ammonia. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------------------------|------------------------------|--------------------------|--|
| Sodium hypochlorite 7681-52-9 | None | None | None |
| Sodium hydroxide 1310-73-2 | Ceiling: 2 mg/m ³ | TWA: 2 mg/m ³ | IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³ |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Appropriate engineering controls

| Engineering Measures | Showers Eyewash stations Ventilation systems |
|------------------------------------|---|
| Individual protection measures, su | ch as personal protective equipment |
| Eye/Face Protection | If splashes are likely to occur: Wear safety glasses with side shields (or goggles) or face shield. |
| Skin and Body Protection | Wear rubber or neoprene gloves and protective clothing such as long-sleeved shirt. |
| Respiratory Protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |
| Hygiene Measures | Wash hands after direct contact. Do not wear product-contaminated clothing for prolonged periods. Remove and wash contaminated clothing before re-use. Do not eat, drink, or smoke when using this product. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

| Physical State Appearance | Viscous liquid Clear | Odor | Bleach |
|--------------------------------------|-------------------------|-----------------|--------------------------|
| Color | Pale yellow | Odor Threshold | No information available |
| _ | | | |
| Property | <u>Values</u> | Remarks/ Method | |
| pH | ~12.9 | None known | |
| Melting/freezing point | No data available | None known | |
| Boiling point / boiling range | No data available | None known | |
| Flash Point | Not flammable | None known | |
| Evaporation rate | No data available | None known | |
| Flammability (solid, gas) | No data available | None known | |
| Flammability Limits in Air | | | |
| Upper flammability limit | No data available | None known | |
| Lower flammability limit | No data available | None known | |
| Vapor pressure | No data available | None known | |
| Vapor density | No data available | None known | |
| Specific Gravity | ~1.1 | None known | |
| Water Solubility | Soluble in water | None known | |
| Solubility in other solvents | No data available | None known | |
| Partition coefficient: n-octanol/wat | erNo data available | None known | |
| Autoignition temperature | No data available | None known | |
| Decomposition temperature | No data available | None known | |
| Kinematic viscosity | No data available | None known | |
| Dynamic viscosity | No data available | None known | |
| Explosive Properties | Not explosive | | |
| Oxidizing Properties | No data available | | |
| | | | |
| Other Information | | | |
| Softening Point | No data available | | |
| VOC Content (%) | No data available | | |
| Particle Size | No data available | | |
| Particle Size Distribution | No data available | | |

10. STABILITY AND REACTIVITY

Reactivity

Reacts with other household chemicals such deck cleaners, wood bleaches, wood restorers, rust removers, wood or masonry finishes, toilet bowl cleaners, acids or products containing ammonia to produce hazardous gases, such as chlorine and other chlorinated compounds.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Deck cleaners, wood bleaches, wood restorers, rust removers, wood or masonry finishes, toilet bowl cleaners, acids, and products containing ammonia.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

| Inhalation | Exposure to vapor or mist may irritate respiratory tract and cause coughing. Inhalation of high concentrations may cause pulmonary edema. |
|--------------|---|
| Eye Contact | Corrosive. May cause severe damage to eyes. |
| Skin Contact | May cause severe irritation to skin. Prolonged contact may cause burns to skin. |
| Ingestion | Ingestion may cause burns to gastrointestinal tract and respiratory tract, nausea, vomiting, and diarrhea. |

Component Information

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|----------------------------------|------------------|-----------------------|-----------------|
| Sodium hypochlorite 7681-52-9 | 8200 mg/kg (Rat) | >10000 mg/kg (Rabbit) | - |
| Sodium hydroxide 1310-73-2 | - | 1350 mg/kg (Rabbit) | - |

Information on toxicological effects

Symptoms May cause redness and tearing of the eyes. May cause burns to eyes. May cause redness or burns to skin. Inhalation may cause coughing.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

- Sensitization No information available.
- Mutagenic Effects No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|----------------------------------|-------|---------|-----|------|
| Sodium hypochlorite 7681-52-9 | - | Group 3 | - | - |

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

| Reproductive Toxicity | No information available. |
|--|---|
| STOT - single exposure | No information available. |
| STOT - repeated exposure Chronic Toxicity Target Organ Effects | No information available. Carcinogenic potential is unknown. Respiratory system, eyes, skin, gastrointestinal tract (GI). |
| Aspiration Hazard | No information available. |

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 40 g/kg ATEmix (inhalation-dust/mist) 29 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Dispose of in accordance with all applicable federal, state, and local regulations.

Contaminated Packaging

Do not reuse empty containers. Dispose of in accordance with all applicable federal, state, and local regulations.

| 14. TRANSPORT INFORMATION | | | | |
|---------------------------|---|--|--|--|
| DOT | Not restricted. | | | |
| TDG | Not restricted for road or rail. | | | |
| ICAO | Not restricted, as per Special Provision A197, Environmentally Hazardous Substance exception. | | | |
| IATA | Not restricted, as per Special Provision A197, Environmentally Hazardous Substance exception. | | | |
| IMDG/IMO | Not restricted, as per IMDG Code 2.10.2.7, Marine Pollutant exception. | | | |

15. REGULATORY INFORMATION

Chemical Inventories

| TSCA | All components of this product are either on the TSCA 8(b) Inventory or otherwise exempt from listing. |
|----------|--|
| DSL/NDSL | All components are on the DSL or NDSL. |

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| SARA 311/312 Hazard Categories | |
|-----------------------------------|-----|
| Acute Health Hazard | Yes |
| Chronic Health Hazard | No |
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|----------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Sodium hypochlorite 7681-52-9 | 100 lb | | | х |
| Sodium hydroxide 1310-73-2 | 1000 lb | | | Х |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|----------------------------------|--------------------------|---------------------------------------|---|
| Sodium hypochlorite 7681-52-9 | 100 lb | - | RQ 100 lb final RQ RQ 45.4 kg final RQ |
| Sodium hydroxide 1310-73-2 | 1000 lb | - | RQ 1000 lb final RQ RQ 454 kg final RQ |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|----------------------------------|------------|---------------|--------------|--------------|----------|
| Sodium hypochlorite 7681-52-9 | Х | х | Х | Х | |
| Sodium hydroxide 1310-73-2 | Х | Х | Х | Х | |

International Regulations

Canada WHMIS Hazard Class E - Corrosive material



16. OTHER INFORMATION

| <u>NFPA</u> | Health Hazard | 3 | Flammability 0 | Instability 0 | Physical and Chemical Hazards - |
|-------------|---------------|---|---|-------------------|---------------------------------|
| <u>HMIS</u> | Health Hazard | 3 | Flammability 0 | Physical Hazard 0 | Personal Protection B |
| Prepared I | Зу | | Product Stewardship 23 British American Blvc Latham, NY 12110 1-800-572-6501 | I. | |
| Revision D | Date | | July 5, 2015 | | |
| Revision N | lote | | Revision Section 14. | | |
| Reference | | | 1064469/166110.001 | | |

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet